



Evian Natural Spring Water - Annual Water Quality Report

At Evian we are proud of the quality of our products. Evian Natural Spring Water is distributed nationally and meets or exceeds all bottled water standards for quality and safety at the Federal and state level. The US Food and Drug Administration (FDA) regulates bottled water as a food. Our scientists and independent certified laboratories perform extensive tests on the water source and finished bottled water product to ensure we exceed or are compliant with all Federal and state bottled water requirements.

We take pride in the fact that our bottled water production plant is annually inspected, on an unannounced basis, by an independent testing organization, NSF International (NSF). NSF certifies that Evian Natural Spring Water complies with federal and state bottled water regulations. NSF is located in Ann Arbor, Michigan. For more information about NSF, please visit their websites at <http://www.nsf.org> or call NSF at 1-800-673-6275.

Evian Natural Spring Water Source

Evian Natural Spring Water begins its journey as rain and snow at the top of the French Alps. It takes at least 15 years for every drop of Evian to filter through the glacial sand formations of the French Alps. It is also during that long journey that Evian acquires its unique, well-balanced, mineral composition. Evian spring water's mineral composition has remained unique since it was first recorded in 1807, an additional proof of its quality.

Evian Natural Spring Water Bottling

Evian Natural Spring Water is bottled exclusively at its protected natural spring source (Cachat Spring), which

lies at the very foot of the French Alps, far from any urban or industrial development. The Cachat Spring source name is clearly stated on the Evian label. Evian's source is approved by several regulatory agencies based on a detailed and extensive review.

The high quality of Evian both at the source and after bottling is controlled by analytical tests. These tests verify that the water meets or exceeds all bottled water quality standards. Several hundred tests are performed daily both on the source before the water is bottled and on the finished product to verify the constancy of the mineral composition, the absence of pollution and the quality of the plastic bottles. The stainless steel piping from the spring directly to the plant and the filling equipment are designed to protect Evian spring water's quality, in addition to the automated bottling equipment.

Water Quality Data

Attached is a copy of our most recent extensive water quality testing conducted by NSF. The NSF Report lists the water quality test results for over 175 substances including inorganics (metals, minerals, etc.), organics (pesticides, herbicides, etc.) and microbials as well as physical parameters. This Report contains the substances analyzed, approved test method used, test result, minimum detection limit, measurement unit, date analyzed and FDA Quality Standard for bottled water, if applicable. The FDA Quality Standards are the maximum allowable levels for over 80 substances in bottled water.

Evian Natural Spring Water is in full compliance with all federal and state bottled water standards.

**For more information about Evian Natural Spring Water,
call 1-800-633-3363 or write to us at Evian Consumer Care, 1 Maple Avenue, White Plains NY 10605**



789 N. Dixboro Rd. Ann Arbor, MI 48105, USA
1-800.NSF.MARK | +1-734.769.8010 | www.nsf.org

TEST REPORT

Send To: 40450

Isha SAINI
Societe Anonyme des Eaux Minerales d'Evian
11 Av du General Dupas
74500 Evian-Les-Bains
France

Facility: 40451

Societe Anonyme des Eaux Minerales d'Evian
B.P. 87, Place de la Gare
74503 Evian
Cedex
France

| Result | PASS | Final Report Date | 20-FEB-2025 |
|-----------------|--|-------------------|-------------|
| Customer Name | Societe Anonyme des Eaux Minerales d'Evian | | |
| Tested To | USFDA CFR Title 21 Part 165.110 | | |
| Description | Evian Natural Spring Water - Line 4 | | |
| Test Type | Annual Collection | | |
| Job Number | A-00504667 | | |
| Project Number | W0943667 | | |
| Project Manager | Kira O'Brien | | |

Thank you for having your product tested by NSF.

Please contact your Project Manager if you have any questions or concerns pertaining to this report.

Report Authorization *Nancy F. Cole*

Nancy Cole - Director, Analysis Laboratories

Date 20-FEB-2025



General Information

Standard: USFDA CFR Title 21 Part 165.110
Collected by: Amberlin Booth
Lot Number: 17 01 2027 L4 10:42
Product Description: Natural Spring Water - Line 4
Trade Name: Evian

Sample Id: **S-0002187285**
Description: Natural Spring Water - Line 4 | 17 01 2027 L4 10:42
Sampled Date: 01/30/2025
Received Date: 01/28/2025

| Testing Parameter | Reporting Limit | Result | FDA SOQ | Units | P / F |
|--|-----------------|----------|---------|------------|-------|
| Physical Quality | | | | | |
| Alkalinity as CaCO3 | 5 | 290 | | mg CaCO3/L | |
| Color | 5 | ND | 15 | Color Unit | Pass |
| Color Type | | Apparent | | | |
| Specific Conductance | 10 | 600 | | umhos/cm | |
| Temperature | 0 | 22 | | degrees C | |
| Corrosivity | | 0.95 | | | |
| Hardness, Total | 2 | 310 | | mg CaCO3/L | |
| Solids Total Dissolved | 5 | 340 | 500 | mg/L | Pass |
| Turbidity | 0.1 | ND | 5 | NTU | Pass |
| pH | 0.01 | 7.95 | | | |
| Temperature | 0 | 23 | | deg. C | |
| Odor, Threshold | 1 | ND | 3 | TON | Pass |
| Temperature | 0 | 60 | | deg_C | |
| Bicarbonate | 5 | 283.3 | | mg CaCO3/L | |
| Microbiological Quality | | | | | |
| Coliform in Water/100 mL | | Absent | | | Pass |
| E. Coli in Water/100 mL | | Absent | | | Pass |
| Disinfection Residuals/Disinfection By-Products | | | | | |
| Bromate | 5 | ND | 10 | ug/L | Pass |
| Monochloramine | 0.05 | ND | | mg/L | |
| Dichloramine | 0.05 | ND | | mg/L | |
| Nitrogen trichloride | 0.05 | ND | | mg/L | |
| Chloramine, Total | 0.05 | ND | 4 | mg/L | Pass |
| Chlorite | 10 | ND | 1000 | ug/L | Pass |
| Chlorine Dioxide | 0.1 | ND | 0.8 | mg/L | Pass |
| Monochloroacetic Acid | 2 | ND | | ug/L | |
| Monobromoacetic Acid | 1 | ND | | ug/L | |
| Dichloroacetic Acid | 1 | ND | | ug/L | |
| Bromochloroacetic Acid | 1 | ND | | ug/L | |
| Trichloroacetic Acid | 1 | ND | | ug/L | |
| Dibromoacetic Acid | 1 | ND | | ug/L | |
| Total Haloacetic Acid | 1 | ND | 60 | ug/L | Pass |
| Chlorine, Total Residual | 0.05 | ND | 4 | mg/L | Pass |
| Radiologicals | | | | | |
| Uranium | 0.001 | 0.002 | 0.03 | mg/L | Pass |
| P1 Gross Alpha | 3 | 3 | 15 | pCi/L | Pass |
| P1 Gross Beta | 4 | ND | 50 | pCi/L | Pass |
| Alpha Uncertainty +/- | 0 | 2 | | pCi/L | |
| Beta Uncertainty +/- | 0 | 1 | | pCi/L | |



Sample Id: S-0002187285

| Testing Parameter | Reporting Limit | Result | FDA SOQ | Units | P / F |
|---|-----------------|--------|---------|--------|-------|
| Inorganic Chemicals | | | | | |
| Aluminum | 0.01 | ND | 0.2 | mg/L | Pass |
| Antimony | 0.0005 | ND | 0.006 | mg/L | Pass |
| Arsenic | 0.001 | ND | 0.01 | mg/L | Pass |
| Barium | 0.002 | 0.12 | 2 | mg/L | Pass |
| Beryllium | 0.0002 | ND | 0.004 | mg/L | Pass |
| Bromide | 10 | 10 | | ug/L | |
| Cadmium | 0.0002 | ND | 0.005 | mg/L | Pass |
| Calcium | 0.2 | 81 | | mg/L | |
| Chloride | 2 | 11 | 250 | mg/L | Pass |
| Chromium (includes Hexavalent Chromium) | 0.001 | 0.001 | 0.1 | mg/L | Pass |
| Copper | 0.001 | ND | 1 | mg/L | Pass |
| Cyanide, Total | 0.005 | ND | 0.2 | mg/L | Pass |
| Fluoride | 0.1 | ND | | mg/L | |
| Iron | 0.02 | ND | 0.3 | mg/L | Pass |
| Lead | 0.0005 | ND | 0.005 | mg/L | Pass |
| Magnesium | 0.2 | 26 | | mg/L | |
| Manganese | 0.001 | ND | 0.05 | mg/L | Pass |
| Mercury | 0.0002 | ND | 0.002 | mg/L | Pass |
| Nickel | 0.0005 | 0.002 | 0.1 | mg/L | Pass |
| Nitrogen, Nitrate | 0.01 | 0.88 | 10 | mg/L N | Pass |
| Nitrogen, Nitrite | 0.004 | ND | 1 | mg/L N | Pass |
| Total Nitrate + Nitrite-Nitrogen | 0.01 | 0.88 | 10 | mg/L | Pass |
| Potassium | 0.5 | 1.1 | | mg/L | |
| Selenium | 0.001 | ND | 0.05 | mg/L | Pass |
| Silver | 0.001 | ND | 0.1 | mg/L | Pass |
| Sodium | 0.2 | 7.1 | | mg/L | |
| Sulfate as SO4 | 5 | 13 | 250 | mg/L | Pass |
| MBAS, calc. as LAS Mol.Wt. 320 | 0.2 | ND | | mg/L | |
| Thallium | 0.0002 | ND | 0.002 | mg/L | Pass |
| Zinc | 0.01 | ND | 5 | mg/L | Pass |
| Chrysotile Fibers | 0.2 | ND | | MFL | |
| Amphibole Fibers | 0.2 | ND | | MFL | |
| Single Fiber Detection Limit | 0.2 | ND | | MFL | |
| Organic Chemicals | | | | | |
| Diquat (Ref: EPA 549.2) | | | | | |
| Diquat | 0.4 | ND | 20 | ug/L | Pass |
| Endothall (Ref: EPA 548.1) - (ug/L) | | | | | |
| Endothall | 2 | ND | 100 | ug/L | Pass |
| Glyphosate (Ref: EPA 547) | | | | | |
| Glyphosate | 6 | ND | 700 | ug/L | Pass |
| Perchlorate (Ref: EPA 314.0) | | | | | |
| Perchlorate | 1 | ND | | ug/L | |
| 2,3,7,8-TCDD (Ref: EPA 1613B) | | | | | |
| 2,3,7,8-Tetrachlorodibenzo-p-dioxin | 5 | ND | 30 | pg/L | Pass |
| Semivolatile Organic Compounds (Ref: EPA 525.2) | | | | | |
| Hexachlorocyclopentadiene | 0.1 | ND | 50 | ug/L | Pass |
| EPTC | 0.5 | ND | | ug/L | |
| Dimethylphthalate | 2 | ND | | ug/L | |
| 2,6-Dinitrotoluene | 0.5 | ND | | ug/L | |



Sample Id: S-0002187285

| Testing Parameter | Reporting Limit | Result | FDA SOQ | Units | P / F |
|--|-----------------|--------|---------|-------|-------|
| Organic Chemicals | | | | | |
| 2,4 Dinitrotoluene | 0.5 | ND | | ug/L | |
| Molinate | 0.1 | ND | | ug/L | |
| Diethylphthalate | 2 | ND | | ug/L | |
| Propachlor | 0.1 | ND | | ug/L | |
| Hexachlorobenzene | 0.1 | ND | 1 | ug/L | Pass |
| Simazine | 0.07 | ND | 4 | ug/L | Pass |
| Atrazine | 0.1 | ND | 3 | ug/L | Pass |
| Lindane | 0.02 | ND | 0.2 | ug/L | Pass |
| Terbacil | 0.5 | ND | | ug/L | |
| Metribuzin | 0.1 | ND | | ug/L | |
| Alachlor | 0.1 | ND | 2 | ug/L | Pass |
| Heptachlor | 0.04 | ND | 0.4 | ug/L | Pass |
| Di-n-butylphthalate | 2 | ND | | ug/L | |
| Metolachlor | 0.1 | ND | | ug/L | |
| Aldrin | 0.08 | ND | | ug/L | |
| Heptachlor Epoxide | 0.02 | ND | 0.2 | ug/L | Pass |
| Butachlor | 0.2 | ND | | ug/L | |
| p,p'-DDE (4,4'-DDE) | 0.5 | ND | | ug/L | |
| Dieldrin | 0.5 | ND | | ug/L | |
| Endrin | 0.1 | ND | 2 | ug/L | Pass |
| Butylbenzylphthalate | 2 | ND | | ug/L | |
| bis(2-Ethylhexyl)adipate | 0.6 | ND | 400 | ug/L | Pass |
| Methoxychlor | 0.1 | ND | 40 | ug/L | Pass |
| bis(2-Ethylhexyl)phthalate (DEHP) | 0.6 | ND | 6 | ug/L | Pass |
| Benzo(a)Pyrene | 0.02 | ND | 0.2 | ug/L | Pass |
| Volatiles: EDB and DBCP (Ref: EPA 504.1) | | | | | |
| Ethylene Dibromide (EDB) | 0.01 | ND | 0.05 | ug/L | Pass |
| 1,2-Dibromo-3-Chloropropane (DBCP) | 0.01 | ND | 0.2 | ug/L | Pass |
| Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2) | | | | | |
| Dichlorodifluoromethane | 0.5 | ND | | ug/L | |
| Chloromethane | 0.5 | ND | | ug/L | |
| Vinyl Chloride | 0.5 | ND | 2 | ug/L | Pass |
| Bromomethane | 0.5 | ND | | ug/L | |
| Chloroethane | 0.5 | ND | | ug/L | |
| Trichlorofluoromethane | 0.5 | ND | | ug/L | |
| Trichlorotrifluoroethane | 0.5 | ND | | ug/L | |
| Methylene Chloride | 0.5 | ND | 5 | ug/L | Pass |
| 1,1-Dichloroethylene | 0.5 | ND | 7 | ug/L | Pass |
| trans-1,2-Dichloroethylene | 0.5 | ND | 100 | ug/L | Pass |
| 1,1-Dichloroethane | 0.5 | ND | | ug/L | |
| 2,2-Dichloropropane | 0.5 | ND | | ug/L | |
| cis-1,2-Dichloroethylene | 0.5 | ND | 70 | ug/L | Pass |
| Chloroform | 0.5 | ND | | ug/L | |
| Bromochloromethane | 0.5 | ND | | ug/L | |
| 1,1,1-Trichloroethane | 0.5 | ND | 200 | ug/L | Pass |
| 1,1-Dichloropropene | 0.5 | ND | | ug/L | |
| Carbon Tetrachloride | 0.5 | ND | 5 | ug/L | Pass |
| 1,2-Dichloroethane | 0.5 | ND | 5 | ug/L | Pass |
| Trichloroethylene | 0.5 | ND | 5 | ug/L | Pass |



Sample Id: S-0002187285

| Testing Parameter | Reporting Limit | Result | FDA SOQ | Units | P / F |
|--|-----------------|--------|---------|-------|-------|
| Organic Chemicals | | | | | |
| 1,2-Dichloropropane | 0.5 | ND | 5 | ug/L | Pass |
| Bromodichloromethane | 0.5 | ND | | ug/L | |
| Dibromomethane | 0.5 | ND | | ug/L | |
| cis-1,3-Dichloropropene | 0.5 | ND | | ug/L | |
| trans-1,3-Dichloropropene | 0.5 | ND | | ug/L | |
| 1,1,2-Trichloroethane | 0.5 | ND | 5 | ug/L | Pass |
| 1,3-Dichloropropane | 0.5 | ND | | ug/L | |
| Tetrachloroethylene | 0.5 | ND | 5 | ug/L | Pass |
| Chlorodibromomethane | 0.5 | ND | | ug/L | |
| Chlorobenzene | 0.5 | ND | 100 | ug/L | Pass |
| 1,1,1,2-Tetrachloroethane | 0.5 | ND | | ug/L | |
| Bromoform | 0.5 | ND | | ug/L | |
| 1,1,1,2-Tetrachloroethane | 0.5 | ND | | ug/L | |
| 1,2,3-Trichloropropane | 0.5 | ND | | ug/L | |
| 1,3-Dichlorobenzene | 0.5 | ND | | ug/L | |
| 1,4-Dichlorobenzene | 0.5 | ND | 75 | ug/L | Pass |
| 1,2-Dichlorobenzene | 0.5 | ND | 600 | ug/L | Pass |
| Methyl-tert-Butyl Ether (MTBE) | 0.5 | ND | | ug/L | |
| Toluene | 0.5 | ND | 1000 | ug/L | Pass |
| Ethyl Benzene | 0.5 | ND | 700 | ug/L | Pass |
| m+p-Xylenes | 1 | ND | | ug/L | |
| o-Xylene | 0.5 | ND | | ug/L | |
| Styrene | 0.5 | ND | 100 | ug/L | Pass |
| Isopropylbenzene (Cumene) | 0.5 | ND | | ug/L | |
| n-Propylbenzene | 0.5 | ND | | ug/L | |
| Bromobenzene | 0.5 | ND | | ug/L | |
| 2-Chlorotoluene | 0.5 | ND | | ug/L | |
| 4-Chlorotoluene | 0.5 | ND | | ug/L | |
| 1,3,5-Trimethylbenzene | 0.5 | ND | | ug/L | |
| tert-Butylbenzene | 0.5 | ND | | ug/L | |
| 1,2,4-Trimethylbenzene | 0.5 | ND | | ug/L | |
| sec-Butylbenzene | 0.5 | ND | | ug/L | |
| p-Isopropyltoluene (Cymene) | 0.5 | ND | | ug/L | |
| 1,2,3-Trimethylbenzene | 0.5 | ND | | ug/L | |
| n-Butylbenzene | 0.5 | ND | | ug/L | |
| 1,2,4-Trichlorobenzene | 0.5 | ND | 70 | ug/L | Pass |
| Hexachlorobutadiene | 0.5 | ND | | ug/L | |
| 1,2,3-Trichlorobenzene | 0.5 | ND | | ug/L | |
| Naphthalene | 0.5 | ND | | ug/L | |
| Benzene | 0.5 | ND | 5 | ug/L | Pass |
| Total Trihalomethanes | 0.5 | ND | 80 | ug/L | Pass |
| Total Xylenes | 0.5 | ND | 10000 | ug/L | Pass |
| Chlorinated Pesticides and Organohalides by EPA 508.1 | | | | | |
| Toxaphene | 0.1 | ND | 3 | ug/L | Pass |
| Chlordane | 0.1 | ND | 2 | ug/L | Pass |
| PCB 1016 | 0.08 | ND | 0.5 | ug/L | Pass |
| PCB 1221 | 0.1 | ND | 0.5 | ug/L | Pass |
| PCB 1232 | 0.1 | ND | 0.5 | ug/L | Pass |
| PCB 1242 | 0.1 | ND | 0.5 | ug/L | Pass |



Sample Id: S-0002187285

| Testing Parameter | Reporting Limit | Result | FDA SOQ | Units | P / F |
|---|-----------------|--------|---------|-------|-------|
| Organic Chemicals | | | | | |
| PCB 1248 | 0.1 | ND | 0.5 | ug/L | Pass |
| PCB 1254 | 0.1 | ND | 0.5 | ug/L | Pass |
| PCB 1260 | 0.1 | ND | 0.5 | ug/L | Pass |
| Endrin | 0.01 | ND | 2 | ug/L | Pass |
| Total PCBs | 0.1 | ND | 0.5 | ug/L | Pass |
| *Perfluorinated Compounds (PFC's) by EPA 537.1 - Enthalpy | | | | | |
| NEtFOSAA | 2 | ND | | ng/L | |
| NMeFOSAA | 2 | ND | | ng/L | |
| Perfluorobutanesulfonic acid | 2 | ND | | ng/L | |
| Perfluorodecanoic acid | 2 | ND | | ng/L | |
| Perfluorododecanoic acid | 2 | ND | | ng/L | |
| Perfluoroheptanoic acid | 2 | ND | | ng/L | |
| Perfluorohexanesulfonic acid | 2 | ND | | ng/L | |
| Perfluorohexanoic acid | 2 | ND | | ng/L | |
| Perfluorononanoic acid | 2 | ND | | ng/L | |
| Perfluorooctanesulfonic acid | 2 | ND | | ng/L | |
| Perfluorooctanoic acid | 2 | ND | | ng/L | |
| Perfluorotradecanoic acid | 2 | ND | | ng/L | |
| Perfluorotridecanoic acid | 2 | ND | | ng/L | |
| Perfluoroundecanoic acid | 2 | ND | | ng/L | |
| HFPO-DA/GenX | 2 | ND | | ng/L | |
| ADONA | 2 | ND | | ng/L | |
| 9Cl-PF3ONS/F-53B Major | 2 | ND | | ng/L | |
| 11Cl-PF3OUdS/F-53B Minor | 2 | ND | | ng/L | |
| * Herbicides (Ref: EPA 515.4) | | | | | |
| Dalapon | 1 | ND | 200 | ug/L | Pass |
| Dicamba | 0.1 | ND | | ug/L | |
| 2,4-D | 0.1 | ND | 70 | ug/L | Pass |
| Pentachlorophenol | 0.04 | ND | 1 | ug/L | Pass |
| 2,4,5-TP | 0.2 | ND | 50 | ug/L | Pass |
| Dinoseb | 0.2 | ND | 7 | ug/L | Pass |
| Picloram | 0.1 | ND | 500 | ug/L | Pass |
| Bentazon | 0.2 | ND | | ug/L | |
| DCPA Acid Metabolites | 0.2 | ND | | ug/L | |
| Miscellaneous | | | | | |
| Radium-226 | 5 | ND | | pCi/L | |
| Radium-228 | 5 | ND | | pCi/L | |
| Radium-226, Radium-228 Combined | 5 | ND | 5 | pCi/L | Pass |
| Radium 226 Uncertainty +/- | 0 | 0.2 | | pCi/L | |
| Radium 228 Uncertainty +/- | 0 | 0.5 | | pCi/L | |
| Phenolics | 0.001 | ND | 0.001 | mg/L | Pass |
| 3-Hydroxycarbofuran | 0.5 | ND | | ug/L | |
| Aldicarb | 0.5 | ND | | ug/L | |
| Aldicarb sulfone | 0.7 | ND | | ug/L | |
| Aldicarb sulfoxide | 0.5 | ND | | ug/L | |
| Carbaryl | 0.5 | ND | | ug/L | |
| Carbofuran | 0.9 | ND | 40 | ug/L | Pass |
| Methomyl | 0.5 | ND | | ug/L | |
| Oxamyl | 1 | ND | 200 | ug/L | Pass |



Sample Id: **S-0002187285**

| Testing Parameter | Reporting Limit | Result | FDA SOQ | Units | P / F |
|--|-----------------|--------|---------|--------|-------|
| Miscellaneous | | | | | |
| Heterotrophic Plate Count- 35C, 48 hours | 0 | <1 | | CFU/mL | |
| Heterotrophic Plate Count- 35C, 72 hours | 0 | <1 | | CFU/mL | |



<<Additional Information>>

Sample Id: S-0002187285

| Test Parameter | Date Analyzed | Time Analyzed | Date Prepared/ Processed |
|---|---------------|---------------|--------------------------|
| Physical Quality | | | |
| Alkalinity (Ref: SM 2320-B) | 4-FEB-2025 | | |
| Test Notes For alkalinity greater than or equal to 20mg CaCO3/L, the pH endpoint is 4.5. | | | |
| Color (Ref: SM 2120-B) | 30-JAN-2025 | 12:10 | |
| Specific Conductance at 25°C (Ref: EPA 120.1) | 30-JAN-2025 | | |
| Corrosivity (Ref: SM 2330-B) | | | |
| Test Notes The corrosivity calculation uses half of the reporting limit for any calcium and/or bicarbonate/alkalinity value that has a result of less than the reporting limit. | | | |
| Hardness, Total (Ref: EPA 200.7) | | | |
| Solids, Total Dissolved (Ref: SM 2540-C) | 30-JAN-2025 | | |
| Turbidity (Ref: EPA 180.1) | 30-JAN-2025 | 10:03 | |
| pH (Ref: SM4500-HB) | 30-JAN-2025 | 08:26 | |
| Odor, Threshold Number (Ref. Standard Methods 2150 B) | 10-FEB-2025 | 14:23 | |
| Bicarbonate (Ref: SM 2320-B) | | | |
| Microbiological Quality | | | |
| #5 Coliforms and E. coli (Ref: SM 9223)- Performed at NSF Approved Subcontract Laboratory | | | 30-JAN-2025 14:12 |
| Disinfection Residuals/Disinfection By-Products | | | |
| Bromate (Ref: EPA 300.1) | 31-JAN-2025 | | |
| Chloramines (Ref: SM 4500-Cl-G) | 30-JAN-2025 | 11:12 | |
| Chlorite (Ref: EPA 300.1) | 31-JAN-2025 | | |
| Chlorine Dioxide (Ref: SM 4500-ClO2-D) | 30-JAN-2025 | 11:12 | |
| Haloacetic Acids (Ref: EPA 552.2) | 10-FEB-2025 | | 8-FEB-2025 |
| Chlorine, Total Residual (ref. SM 4500CL-G) | 30-JAN-2025 | 11:12 | |
| Radiologicals | | | |
| Uranium in Drinking Water by ICPMS (Ref: EPA 200.8) | 3-FEB-2025 | | |
| Gross Alpha and Beta Radioactivity in Drinking Water (Ref: EPA 900.0) | 3-FEB-2025 | | |
| Inorganic Chemicals | | | |
| Aluminum (Ref: EPA 200.8) | 3-FEB-2025 | | |
| Antimony in Drinking Water by ICPMS (Ref: EPA 200.8) | 3-FEB-2025 | | |
| Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8) | 3-FEB-2025 | | |
| Barium in Drinking Water by ICPMS (Ref: EPA 200.8) | 3-FEB-2025 | | |
| Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8) | 3-FEB-2025 | | |
| Bromide (Ref: EPA 300.1) | 31-JAN-2025 | | |
| Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8) | 3-FEB-2025 | | |
| Calcium in Drinking Water by ICPAES (Ref: EPA 200.7) | 3-FEB-2025 | | |



<<Additional Information>>

Sample Id: S-0002187285

| Test Parameter | Date Analyzed | Time Analyzed | Date Prepared/ Processed |
|--|---------------|---------------|--------------------------|
| Inorganic Chemicals | | | |
| Chloride (Ref: EPA 300.0) | 4-FEB-2025 | | |
| Chromium in Drinking Water by ICPMS (Ref: EPA 200.8) | 3-FEB-2025 | | |
| Copper in Drinking Water by ICPMS (Ref: EPA 200.8) | 3-FEB-2025 | | |
| Cyanide, Total (Ref: EPA 335.4) | 5-FEB-2025 | | |
| Fluoride (Ref: SM 4500-F-C) | 4-FEB-2025 | | |
| Iron in Drinking Water by ICPAES (Ref: EPA 200.7) | 3-FEB-2025 | | |
| Lead in Drinking Water by ICPMS (Ref: EPA 200.8) | 3-FEB-2025 | | |
| Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7) | 3-FEB-2025 | | |
| Manganese in Drinking Water by ICPMS (Ref: EPA 200.8) | 3-FEB-2025 | | |
| Mercury in Drinking Water by ICPMS (Ref: EPA 200.8) | 3-FEB-2025 | | |
| Nickel in Drinking Water by ICPMS (Ref: EPA 200.8) | 3-FEB-2025 | | |
| Nitrogen, Nitrate (Ref: EPA 300.0) | 4-FEB-2025 | 11:00 | |
| Nitrogen, Nitrite (Ref: EPA 300.0) | 4-FEB-2025 | 11:00 | |
| Total Nitrite + Nitrate-Nitrogen (Ref: EPA 300.0) | | | |
| Potassium by ICPAES (Ref: EPA 200.7) | 3-FEB-2025 | | |
| Selenium in Drinking Water by ICPMS (Ref: EPA 200.8) | 3-FEB-2025 | | |
| Silver in Drinking Water by ICPMS (Ref: EPA 200.8) for BQ | 7-FEB-2025 | | 6-FEB-2025 |
| Sodium in Drinking Water by ICPAES (Ref: EPA 200.7) | 3-FEB-2025 | | |
| Sulfate as SO4 (Ref: EPA 300.0) | 4-FEB-2025 | | |
| Surfactants, Methylene Blue Active Substances (Ref: SM 5540-C) | 30-JAN-2025 | 14:34 | |
| Thallium in Drinking Water by ICPMS (Ref: EPA 200.8) | 3-FEB-2025 | | |
| Zinc in Drinking Water by ICPMS (Ref: EPA 200.8) | 3-FEB-2025 | | |
| #2 * Asbestos in Water (Ref: EPA 100.2)- EMSL | 5-FEB-2025 | 00:00 | 4-FEB-2025 10:25 |
| Organic Chemicals | | | |
| Diquat (Ref: EPA 549.2) | 4-FEB-2025 | | 4-FEB-2025 |
| Endothall (Ref: EPA 548.1) - (ug/L) | 3-FEB-2025 | | 31-JAN-2025 |
| Glyphosate (Ref: EPA 547) | 31-JAN-2025 | | |
| Perchlorate (Ref: EPA 314.0) | 19-FEB-2025 | | |
| 2,3,7,8-TCDD (Ref: EPA 1613B) | 5-FEB-2025 | | 3-FEB-2025 |
| Semivolatile Organic Compounds (Ref: EPA 525.2) | 3-FEB-2025 | | 30-JAN-2025 |
| Volatiles: EDB and DBCP (Ref: EPA 504.1) | 11-FEB-2025 | | |
| Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2) | 31-JAN-2025 | | |
| Chlorinated Pesticides and Organohalides by EPA 508.1 | 7-FEB-2025 | | |
| #3 *Perfluorinated Compounds (PFC's) by EPA 537.1 - Enthalpy | 5-FEB-2025 | | |



<<Additional Information>>

Sample Id: S-0002187285

| Test Parameter | Date Analyzed | Time Analyzed | Date Prepared/ Processed |
|--|---------------|---------------|--------------------------|
| Organic Chemicals | | | |
| * Herbicides (Ref: EPA 515.4) | 6-FEB-2025 | | 5-FEB-2025 |
| Miscellaneous | | | |
| #1 * Carbamate Pesticides (Ref. EPA 531.2) by NSF Approved Subcontract Laboratory | 4-FEB-2025 | | |
| #4 * Radium-226, Radium-228 Combined Activity - General Engineering | 11-FEB-2025 | | |
| #4 * Radium-226, Radium-228 Combined Activity - General Engineering | 18-FEB-2025 | | |
| #5 *Phenolics, Total Recoverable (EPA 420.4) National Testing Laboratories, Ltd. | 5-FEB-2025 | 00:00 | |
| #5 Heterotrophic Plate Count (Ref: SM 9215B)- Performed at NSF Approved Subcontract Laboratory | 30-JAN-2025 | 14:00 | 30-JAN-2025 14:00 |



Testing Laboratories:

| | <u>Flag</u> | <u>Id</u> | <u>Address</u> |
|--|-------------|-----------|---|
| All work performed at: (Unless otherwise specified) | → | NSF_AA | NSF 789 N. Dixboro Road Ann Arbor MI 48105 |
| | #5 | EEA | Eurofins Eaton Analytical, Inc. 750 Royal Oaks Dr, Suite 100 Monrovia, CA 91016 NY Lic. # 11320 MI Lic. # 9906 |
| | #1 | EMSL | EMSL Analytical Inc. 200 Route 130 North Cinnaminson, NJ 08077 USA NY Lic. # 10872 |
| | #2 | ENTHALPY | Enthalpy 1104 Windfield Way El Dorado Hills California 95762 USA |
| | #4 | GENENG | GEL Laboratories LLC 2040 Savage Road Charleston, SC 29407 NELAP PA certificate number 68-000485 Arizona License #AZ0668 NY Lic. # 11501 MI Lic. # 9976 |
| | #3 | NTL | National Testing Laboratories, LTD. 556 S. Mansfield Ypsilanti, MI 48197 USA NY Lic. # 11467 |

References to Testing Procedures:

| <u>NSF Reference</u> | <u>Parameter / Test Description</u> |
|----------------------|--|
| C0104 | * Radium-226, Radium-228 Combined Activity - General Engineering |
| C0842 | Gross Alpha and Beta Radioactivity in Drinking Water (Ref: EPA 900.0) |
| C1188 | Odor, Threshold Number (Ref. Standard Methods 2150 B) |
| C1295 | Silver in Drinking Water by ICPMS (Ref: EPA 200.8) for BQ |
| C1302 | * Herbicides (Ref: EPA 515.4) |
| C1361 | Bicarbonate (Ref: SM 2320-B) |
| C1536 | * Asbestos in Water (Ref: EPA 100.2)- EMSL |
| C1556 | *Perfluorinated Compounds (PFC's) by EPA 537.1 - Enthalpy |
| C1565 | *Phenolics, Total Recoverable (EPA 420.4) National Testing Laboratories, Ltd. |
| C1933 | * Carbamate Pesticides (Ref. EPA 531.2) by NSF Approved Subcontract Laboratory |
| C2015 | 2,3,7,8-TCDD (Ref: EPA 1613B) |
| C3013 | Chloride (Ref: EPA 300.0) |
| C3014 | Bromide (Ref: EPA 300.1) |
| C3015 | Bromate (Ref: EPA 300.1) |
| C3016 | Nitrogen, Nitrate (Ref: EPA 300.0) |
| C3017 | Nitrogen, Nitrite (Ref: EPA 300.0) |
| C3018 | Sulfate as SO4 (Ref: EPA 300.0) |
| C3019 | Cyanide, Total (Ref: EPA 335.4) |
| C3025 | Chlorite (Ref: EPA 300.1) |



References to Testing Procedures: (Cont'd)

| NSF Reference | Parameter / Test Description |
|---------------|---|
| C3033 | Aluminum (Ref: EPA 200.8) |
| C3036 | Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3039 | Barium in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3042 | Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3044 | Calcium in Drinking Water by ICPAES (Ref: EPA 200.7) |
| C3047 | Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3053 | Chromium in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3059 | Copper in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3064 | Iron in Drinking Water by ICPAES (Ref: EPA 200.7) |
| C3072 | Mercury in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3079 | Potassium by ICPAES (Ref: EPA 200.7) |
| C3085 | Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7) |
| C3086 | Manganese in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3091 | Sodium in Drinking Water by ICPAES (Ref: EPA 200.7) |
| C3094 | Nickel in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3101 | Lead in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3114 | Antimony in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3116 | Selenium in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3128 | Thallium in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3136 | Zinc in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3144 | Solids, Total Dissolved (Ref: SM 2540-C) |
| C3145 | Turbidity (Ref: EPA 180.1) |
| C3155 | Surfactants, Methylene Blue Active Substances (Ref: SM 5540-C) |
| C3157 | Color (Ref: SM 2120-B) |
| C3158 | Specific Conductance at 25°C (Ref: EPA 120.1) |
| C3159 | pH (Ref: SM4500-HB) |
| C3161 | Hardness, Total (Ref: EPA 200.7) |
| C3168 | Chlorine Dioxide (Ref: SM 4500-CIO2-D) |
| C3169 | Chloramines (Ref: SM 4500-CI-G) |
| C3170 | Fluoride (Ref: SM 4500-F-C) |
| C3174 | Alkalinity (Ref: SM 2320-B) |
| C3210 | Corrosivity (Ref: SM 2330-B) |
| C3342 | Total Nitrite + Nitrate-Nitrogen (Ref: EPA 300.0) |
| C3393 | Chlorine, Total Residual (ref. SM 4500CL-G) |
| C4145 | Diquat (Ref: EPA 549.2) |
| C4154 | Endothall (Ref. EPA 548.1) - (ug/L) |
| C4193 | Glyphosate (Ref: EPA 547) |
| C4198 | Haloacetic Acids (Ref: EPA 552.2) |
| C4343 | Semivolatile Organic Compounds (Ref: EPA 525.2) |
| C4411 | Volatiles: EDB and DBCP (Ref: EPA 504.1) |
| C4496 | Uranium in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C4497 | Perchlorate (Ref: EPA 314.0) |
| C4661 | Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2) |
| C4669 | Chlorinated Pesticides and Organohalides by EPA 508.1 |
| M1094 | Heterotrophic Plate Count (Ref: SM 9215B)- Performed at NSF Approved Subcontract Laboratory |
| M1115 | Coliforms and E. coli (Ref: SM 9223)- Performed at NSF Approved Subcontract Laboratory |

Laboratory Certifications:

| | | |
|----------------------------|----------------------------|-----------------------------|
| Arizona (# AZ0655) | Connecticut (# PH-0625) | Florida (# E-87752 FL) |
| Hawaii | Indiana | Maryland (# 201) |
| Michigan (# 0048) | North Carolina (# 26701) | New Jersey (# MI770) |
| Nevada (# MI000302010A) | New York (# 11206) | Pennsylvania (# 68-00312) |
| South Carolina (# 81005) | Virginia (# 00045) | Vermont (# VT 11206) |



Laboratory Certifications: (Cont'd)

Test descriptions preceded by an asterisk "*" indicate that testing has been performed per NSF requirements but is not within its 17025 scope of accreditation.

Unless otherwise indicated, method uncertainties are not applied in any determinations of conformity. Testing utilizes the requested sections of any referenced standards, which may not be the entire standard.

Dates of Laboratory Activity: 30-JAN-2025 to 20-FEB-2025

The reported result for Total Recoverable Phenolics, Potassium, Molybdenum, Silica, Total Phosphorus, Radon, Sr-89/90, Bicarbonate, Bromochloroacetic Acid, Total Haloacetic acid, Bentazon, DCPA Acid Metabolites, EPTC, Dimethylphthalate, 2,6-Dinitrotoluene, 2,4-Dinitrotoluene, Molinate, Diethylphthalate, Terbacil, Di-n-butylphthalate, p,p'-DDE (4,4'-DDE), Butylbenzylphthalate, Trichlorotrifluoroethane, Methyl Ethyl Ketone, 1,2,3-Trimethylbenzene, Epichlorohydrin, or 1,4-Dioxane if performed, cannot be used for compliance purposes within the State of Arizona. Certifications are not offered for these compounds in a drinking water matrix.

The reported results for Total Recoverable Phenolics, pH, Bicarbonate and Temperature, if performed, are not covered by New York State drinking water certifications. NSF is not certified for Carbamate Pesticides, Total Radium-226, Radium-228 Combined Activity, Chlorine Dioxide, Chloramines, Total Residual Chlorine, Total Haloacetic acid, Bentazon, DCPA Acid Metabolites, EPTC, Dimethylphthalate, 2,6-Dinitrotoluene, 2,4-Dinitrotoluene, Molinate, Diethylphthalate, Terbacil, Di-n-butylphthalate, p,p'-DDE (4,4'-DDE), Butylbenzylphthalate, Trichlorotrifluoroethane, Methyl Ethyl Ketone, 1,2,3-Trimethylbenzene, Epichlorohydrin, or 1,4-Dioxane in the State of New York.

Notes:

- 1) Bottled water sold in the United States shall not contain Fluoride in excess of the levels published by the USFDA in 21 CFR Part 165.110. These levels are based on the annual average of maximum daily air temperatures at the location where the bottled water is sold at retail. Please refer to the most current edition of the regulation to determine the Fluoride maximum level that pertains to your product.
- 2) A blank on the FDA SOQ column indicates that no maximum level has been established by the FDA for that contaminant.
- 3) An ND result means that the contaminant was not detected at or above the reporting limit.

For a list of NSF Method Detection Limits refer to

https://d2evkimvhatqav.cloudfront.net/documents/external/minimum_detection_level_spreadsheet.pdf



789 N. Dixboro Rd. Ann Arbor, MI 48105, USA
1-800.NSF.MARK | +1-734.769.8010 | www.nsf.org

TEST REPORT

Send To: 40450

Isha SAINI
Societe Anonyme des Eaux Minerales d'Evian
11 Av du General Dupas
74500 Evian-Les-Bains
France

Facility: 40451

Societe Anonyme des Eaux Minerales d'Evian
B.P. 87, Place de la Gare
74503 Evian
Cedex
France

| Result | PASS | Final Report Date | 20-FEB-2025 |
|-----------------|--|-------------------|-------------|
| Customer Name | Societe Anonyme des Eaux Minerales d'Evian | | |
| Tested To | USFDA CFR Title 21 Part 165.110 | | |
| Description | Evian Sparkling Spring Water - Line R | | |
| Test Type | Annual Collection | | |
| Job Number | A-00504669 | | |
| Project Number | W0943667 | | |
| Project Manager | Kira O'Brien | | |

Thank you for having your product tested by NSF.

Please contact your Project Manager if you have any questions or concerns pertaining to this report.

Report Authorization *Nancy F. Cole*

Nancy Cole - Director, Analysis Laboratories

Date 20-FEB-2025



General Information

Standard: USFDA CFR Title 21 Part 165.110
Collected by: Amberlin Booth
Lot Number: PRD 200125 10:47 / R EXP 2002027
Product Description: Sparkling Spring Water - Line R
Trade Name: Evian

Sample Id: **S-0002187307**
Description: Sparkling Spring Water - Line R | PRD 200125 10:47 / R EXP 2002027
Sampled Date: 01/30/2025
Received Date: 01/28/2025

| Testing Parameter | Reporting Limit | Result | FDA SOQ | Units | P / F |
|--|-----------------|----------|---------|------------|-------|
| Physical Quality | | | | | |
| Alkalinity as CaCO3 | 5 | 280 | | mg CaCO3/L | |
| Color | 5 | ND | 15 | Color Unit | Pass |
| Color Type | | Apparent | | | |
| Specific Conductance | 10 | 600 | | umhos/cm | |
| Temperature | 0 | 22 | | degrees C | |
| Corrosivity | | -83 | | | |
| Hardness, Total | 2 | 310 | | mg CaCO3/L | |
| Solids Total Dissolved | 5 | 340 | 500 | mg/L | Pass |
| Turbidity | 0.1 | ND | 5 | NTU | Pass |
| pH | 0.01 | 6.17 | | | |
| Temperature | 0 | 22 | | deg. C | |
| Odor, Threshold | 1 | 1 | 3 | TON | Pass |
| Temperature | 0 | 60 | | deg_C | |
| Bicarbonate | 5 | 281.3 | | mg CaCO3/L | |
| Microbiological Quality | | | | | |
| Coliform in Water/100 mL | | Absent | | | Pass |
| E. Coli in Water/100 mL | | Absent | | | Pass |
| Disinfection Residuals/Disinfection By-Products | | | | | |
| Bromate | 5 | ND | 10 | ug/L | Pass |
| Monochloramine | 0.05 | ND | | mg/L | |
| Dichloramine | 0.05 | ND | | mg/L | |
| Nitrogen trichloride | 0.05 | ND | | mg/L | |
| Chloramine, Total | 0.05 | ND | 4 | mg/L | Pass |
| Chlorite | 10 | ND | 1000 | ug/L | Pass |
| Chlorine Dioxide | 0.1 | ND | 0.8 | mg/L | Pass |
| Monochloroacetic Acid | 2 | ND | | ug/L | |
| Monobromoacetic Acid | 1 | ND | | ug/L | |
| Dichloroacetic Acid | 1 | ND | | ug/L | |
| Bromochloroacetic Acid | 1 | ND | | ug/L | |
| Trichloroacetic Acid | 1 | ND | | ug/L | |
| Dibromoacetic Acid | 1 | ND | | ug/L | |
| Total Haloacetic Acid | 1 | ND | 60 | ug/L | Pass |
| Chlorine, Total Residual | 0.05 | ND | 4 | mg/L | Pass |
| Radiologicals | | | | | |
| Uranium | 0.001 | 0.002 | 0.03 | mg/L | Pass |
| P1 Gross Alpha | 3 | ND | 15 | pCi/L | Pass |
| P1 Gross Beta | 4 | ND | 50 | pCi/L | Pass |
| Alpha Uncertainty +/- | 0 | 2 | | pCi/L | |
| Beta Uncertainty +/- | 0 | 1 | | pCi/L | |



Sample Id: S-0002187307

| Testing Parameter | Reporting Limit | Result | FDA SOQ | Units | P / F |
|---|-----------------|--------|---------|--------|-------|
| Inorganic Chemicals | | | | | |
| Aluminum | 0.01 | ND | 0.2 | mg/L | Pass |
| Antimony | 0.0005 | ND | 0.006 | mg/L | Pass |
| Arsenic | 0.001 | ND | 0.01 | mg/L | Pass |
| Barium | 0.002 | 0.10 | 2 | mg/L | Pass |
| Beryllium | 0.0002 | ND | 0.004 | mg/L | Pass |
| Bromide | 10 | ND | | ug/L | |
| Cadmium | 0.0002 | ND | 0.005 | mg/L | Pass |
| Calcium | 0.2 | 81 | | mg/L | |
| Chloride | 2 | 11 | 250 | mg/L | Pass |
| Chromium (includes Hexavalent Chromium) | 0.001 | ND | 0.1 | mg/L | Pass |
| Copper | 0.001 | ND | 1 | mg/L | Pass |
| Cyanide, Total | 0.005 | ND | 0.2 | mg/L | Pass |
| Fluoride | 0.1 | ND | | mg/L | |
| Iron | 0.02 | ND | 0.3 | mg/L | Pass |
| Lead | 0.0005 | ND | 0.005 | mg/L | Pass |
| Magnesium | 0.2 | 27 | | mg/L | |
| Manganese | 0.001 | ND | 0.05 | mg/L | Pass |
| Mercury | 0.0002 | ND | 0.002 | mg/L | Pass |
| Nickel | 0.0005 | 0.002 | 0.1 | mg/L | Pass |
| Nitrogen, Nitrate | 0.01 | 0.86 | 10 | mg/L N | Pass |
| Nitrogen, Nitrite | 0.004 | ND | 1 | mg/L N | Pass |
| Total Nitrate + Nitrite-Nitrogen | 0.01 | 0.86 | 10 | mg/L | Pass |
| Potassium | 0.5 | 1.0 | | mg/L | |
| Selenium | 0.001 | ND | 0.05 | mg/L | Pass |
| Silver | 0.001 | ND | 0.1 | mg/L | Pass |
| Sodium | 0.2 | 7.1 | | mg/L | |
| Sulfate as SO4 | 5 | 12 | 250 | mg/L | Pass |
| MBAS, calc. as LAS Mol.Wt. 320 | 0.2 | ND | | mg/L | |
| Thallium | 0.0002 | ND | 0.002 | mg/L | Pass |
| Zinc | 0.01 | ND | 5 | mg/L | Pass |
| Chrysotile Fibers | 0.2 | ND | | MFL | |
| Amphibole Fibers | 0.2 | ND | | MFL | |
| Single Fiber Detection Limit | 0.2 | ND | | MFL | |
| Organic Chemicals | | | | | |
| Diquat (Ref: EPA 549.2) | | | | | |
| Diquat | 0.4 | ND | 20 | ug/L | Pass |
| Endothall (Ref: EPA 548.1) - (ug/L) | | | | | |
| Endothall | 2 | ND | 100 | ug/L | Pass |
| Glyphosate (Ref: EPA 547) | | | | | |
| Glyphosate | 6 | ND | 700 | ug/L | Pass |
| Perchlorate (Ref: EPA 314.0) | | | | | |
| Perchlorate | 1 | ND | | ug/L | |
| 2,3,7,8-TCDD (Ref: EPA 1613B) | | | | | |
| 2,3,7,8-Tetrachlorodibenzo-p-dioxin | 5 | ND | 30 | pg/L | Pass |
| Semivolatile Organic Compounds (Ref: EPA 525.2) | | | | | |
| Hexachlorocyclopentadiene | 0.1 | ND | 50 | ug/L | Pass |
| EPTC | 0.5 | ND | | ug/L | |
| Dimethylphthalate | 2 | ND | | ug/L | |
| 2,6-Dinitrotoluene | 0.5 | ND | | ug/L | |



Sample Id: S-0002187307

| Testing Parameter | Reporting Limit | Result | FDA SOQ | Units | P / F |
|--|-----------------|--------|---------|-------|-------|
| Organic Chemicals | | | | | |
| 2,4 Dinitrotoluene | 0.5 | ND | | ug/L | |
| Molinate | 0.1 | ND | | ug/L | |
| Diethylphthalate | 2 | ND | | ug/L | |
| Propachlor | 0.1 | ND | | ug/L | |
| Hexachlorobenzene | 0.1 | ND | 1 | ug/L | Pass |
| Simazine | 0.07 | ND | 4 | ug/L | Pass |
| Atrazine | 0.1 | ND | 3 | ug/L | Pass |
| Lindane | 0.02 | ND | 0.2 | ug/L | Pass |
| Terbacil | 0.5 | ND | | ug/L | |
| Metribuzin | 0.1 | ND | | ug/L | |
| Alachlor | 0.1 | ND | 2 | ug/L | Pass |
| Heptachlor | 0.04 | ND | 0.4 | ug/L | Pass |
| Di-n-butylphthalate | 2 | ND | | ug/L | |
| Metolachlor | 0.1 | ND | | ug/L | |
| Aldrin | 0.08 | ND | | ug/L | |
| Heptachlor Epoxide | 0.02 | ND | 0.2 | ug/L | Pass |
| Butachlor | 0.2 | ND | | ug/L | |
| p,p'-DDE (4,4'-DDE) | 0.5 | ND | | ug/L | |
| Dieldrin | 0.5 | ND | | ug/L | |
| Endrin | 0.1 | ND | 2 | ug/L | Pass |
| Butylbenzylphthalate | 2 | ND | | ug/L | |
| bis(2-Ethylhexyl)adipate | 0.6 | ND | 400 | ug/L | Pass |
| Methoxychlor | 0.1 | ND | 40 | ug/L | Pass |
| bis(2-Ethylhexyl)phthalate (DEHP) | 0.6 | ND | 6 | ug/L | Pass |
| Benzo(a)Pyrene | 0.02 | ND | 0.2 | ug/L | Pass |
| Volatiles: EDB and DBCP (Ref: EPA 504.1) | | | | | |
| Ethylene Dibromide (EDB) | 0.01 | ND | 0.05 | ug/L | Pass |
| 1,2-Dibromo-3-Chloropropane (DBCP) | 0.01 | ND | 0.2 | ug/L | Pass |
| Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2) | | | | | |
| Dichlorodifluoromethane | 2 | ND | | ug/L | |
| Chloromethane | 2 | ND | | ug/L | |
| Vinyl Chloride | 2 | ND | 2 | ug/L | Pass |
| Bromomethane | 2 | ND | | ug/L | |
| Chloroethane | 2 | ND | | ug/L | |
| Trichlorofluoromethane | 2 | ND | | ug/L | |
| Trichlorotrifluoroethane | 2 | ND | | ug/L | |
| Methylene Chloride | 2 | ND | 5 | ug/L | Pass |
| 1,1-Dichloroethylene | 2 | ND | 7 | ug/L | Pass |
| trans-1,2-Dichloroethylene | 2 | ND | 100 | ug/L | Pass |
| 1,1-Dichloroethane | 2 | ND | | ug/L | |
| 2,2-Dichloropropane | 2 | ND | | ug/L | |
| cis-1,2-Dichloroethylene | 2 | ND | 70 | ug/L | Pass |
| Chloroform | 2 | ND | | ug/L | |
| Bromochloromethane | 2 | ND | | ug/L | |
| 1,1,1-Trichloroethane | 2 | ND | 200 | ug/L | Pass |
| 1,1-Dichloropropene | 2 | ND | | ug/L | |
| Carbon Tetrachloride | 2 | ND | 5 | ug/L | Pass |
| 1,2-Dichloroethane | 2 | ND | 5 | ug/L | Pass |
| Trichloroethylene | 2 | ND | 5 | ug/L | Pass |



Sample Id: S-0002187307

| Testing Parameter | Reporting Limit | Result | FDA SOQ | Units | P / F |
|--|-----------------|--------|---------|-------|-------|
| Organic Chemicals | | | | | |
| 1,2-Dichloropropane | 2 | ND | 5 | ug/L | Pass |
| Bromodichloromethane | 2 | ND | | ug/L | |
| Dibromomethane | 2 | ND | | ug/L | |
| cis-1,3-Dichloropropene | 2 | ND | | ug/L | |
| trans-1,3-Dichloropropene | 2 | ND | | ug/L | |
| 1,1,2-Trichloroethane | 2 | ND | 5 | ug/L | Pass |
| 1,3-Dichloropropane | 2 | ND | | ug/L | |
| Tetrachloroethylene | 2 | ND | 5 | ug/L | Pass |
| Chlorodibromomethane | 2 | ND | | ug/L | |
| Chlorobenzene | 2 | ND | 100 | ug/L | Pass |
| 1,1,1,2-Tetrachloroethane | 2 | ND | | ug/L | |
| Bromoform | 2 | ND | | ug/L | |
| 1,1,2,2-Tetrachloroethane | 2 | ND | | ug/L | |
| 1,2,3-Trichloropropane | 2 | ND | | ug/L | |
| 1,3-Dichlorobenzene | 2 | ND | | ug/L | |
| 1,4-Dichlorobenzene | 2 | ND | 75 | ug/L | Pass |
| 1,2-Dichlorobenzene | 2 | ND | 600 | ug/L | Pass |
| Methyl-tert-Butyl Ether (MTBE) | 2 | ND | | ug/L | |
| Toluene | 2 | ND | 1000 | ug/L | Pass |
| Ethyl Benzene | 2 | ND | 700 | ug/L | Pass |
| m+p-Xylenes | 4 | ND | | ug/L | |
| o-Xylene | 2 | ND | | ug/L | |
| Styrene | 2 | ND | 100 | ug/L | Pass |
| Isopropylbenzene (Cumene) | 2 | ND | | ug/L | |
| n-Propylbenzene | 2 | ND | | ug/L | |
| Bromobenzene | 2 | ND | | ug/L | |
| 2-Chlorotoluene | 2 | ND | | ug/L | |
| 4-Chlorotoluene | 2 | ND | | ug/L | |
| 1,3,5-Trimethylbenzene | 2 | ND | | ug/L | |
| tert-Butylbenzene | 2 | ND | | ug/L | |
| 1,2,4-Trimethylbenzene | 2 | ND | | ug/L | |
| sec-Butylbenzene | 2 | ND | | ug/L | |
| p-Isopropyltoluene (Cymene) | 2 | ND | | ug/L | |
| 1,2,3-Trimethylbenzene | 2 | ND | | ug/L | |
| n-Butylbenzene | 2 | ND | | ug/L | |
| 1,2,4-Trichlorobenzene | 2 | ND | 70 | ug/L | Pass |
| Hexachlorobutadiene | 2 | ND | | ug/L | |
| 1,2,3-Trichlorobenzene | 2 | ND | | ug/L | |
| Naphthalene | 2 | ND | | ug/L | |
| Benzene | 2 | ND | 5 | ug/L | Pass |
| Total Trihalomethanes | 0.5 | ND | 80 | ug/L | Pass |
| Total Xylenes | 0.5 | ND | 10000 | ug/L | Pass |
| Chlorinated Pesticides and Organohalides by EPA 508.1 | | | | | |
| Toxaphene | 0.1 | ND | 3 | ug/L | Pass |
| Chlordane | 0.1 | ND | 2 | ug/L | Pass |
| PCB 1016 | 0.08 | ND | 0.5 | ug/L | Pass |
| PCB 1221 | 0.1 | ND | 0.5 | ug/L | Pass |
| PCB 1232 | 0.1 | ND | 0.5 | ug/L | Pass |
| PCB 1242 | 0.1 | ND | 0.5 | ug/L | Pass |



Sample Id: S-0002187307

| Testing Parameter | Reporting Limit | Result | FDA SOQ | Units | P / F |
|---|-----------------|--------|---------|-------|-------|
| Organic Chemicals | | | | | |
| PCB 1248 | 0.1 | ND | 0.5 | ug/L | Pass |
| PCB 1254 | 0.1 | ND | 0.5 | ug/L | Pass |
| PCB 1260 | 0.1 | ND | 0.5 | ug/L | Pass |
| Endrin | 0.01 | ND | 2 | ug/L | Pass |
| Total PCBs | 0.1 | ND | 0.5 | ug/L | Pass |
| *Perfluorinated Compounds (PFC's) by EPA 537.1 - Enthalpy | | | | | |
| NEtFOSAA | 2 | ND | | ng/L | |
| NMeFOSAA | 2 | ND | | ng/L | |
| Perfluorobutanesulfonic acid | 2 | ND | | ng/L | |
| Perfluorodecanoic acid | 2 | ND | | ng/L | |
| Perfluorododecanoic acid | 2 | ND | | ng/L | |
| Perfluoroheptanoic acid | 2 | ND | | ng/L | |
| Perfluorohexanesulfonic acid | 2 | ND | | ng/L | |
| Perfluorohexanoic acid | 2 | ND | | ng/L | |
| Perfluorononanoic acid | 2 | ND | | ng/L | |
| Perfluorooctanesulfonic acid | 2 | ND | | ng/L | |
| Perfluorooctanoic acid | 2 | ND | | ng/L | |
| Perfluorotradecanoic acid | 2 | ND | | ng/L | |
| Perfluorotridecanoic acid | 2 | ND | | ng/L | |
| Perfluoroundecanoic acid | 2 | ND | | ng/L | |
| HFPO-DA/GenX | 2 | ND | | ng/L | |
| ADONA | 2 | ND | | ng/L | |
| 9Cl-PF3ONS/F-53B Major | 2 | ND | | ng/L | |
| 11Cl-PF3OUdS/F-53B Minor | 2 | ND | | ng/L | |
| * Herbicides (Ref: EPA 515.4) | | | | | |
| Dalapon | 1 | ND | 200 | ug/L | Pass |
| Dicamba | 0.1 | ND | | ug/L | |
| 2,4-D | 0.1 | ND | 70 | ug/L | Pass |
| Pentachlorophenol | 0.04 | ND | 1 | ug/L | Pass |
| 2,4,5-TP | 0.2 | ND | 50 | ug/L | Pass |
| Dinoseb | 0.2 | ND | 7 | ug/L | Pass |
| Picloram | 0.1 | ND | 500 | ug/L | Pass |
| Bentazon | 0.2 | ND | | ug/L | |
| DCPA Acid Metabolites | 0.2 | ND | | ug/L | |
| Miscellaneous | | | | | |
| Radium-226 | 5 | ND | | pCi/L | |
| Radium-228 | 5 | ND | | pCi/L | |
| Radium-226, Radium-228 Combined | 5 | ND | 5 | pCi/L | Pass |
| Radium 226 Uncertainty +/- | 0 | 0.2 | | pCi/L | |
| Radium 228 Uncertainty +/- | 0 | 0.5 | | pCi/L | |
| Phenolics | 0.001 | ND | 0.001 | mg/L | Pass |
| 3-Hydroxycarbofuran | 0.5 | ND | | ug/L | |
| Aldicarb | 0.5 | ND | | ug/L | |
| Aldicarb sulfone | 0.7 | ND | | ug/L | |
| Aldicarb sulfoxide | 0.5 | ND | | ug/L | |
| Carbaryl | 0.5 | ND | | ug/L | |
| Carbofuran | 0.9 | ND | 40 | ug/L | Pass |
| Methomyl | 0.5 | ND | | ug/L | |
| Oxamyl | 1 | ND | 200 | ug/L | Pass |



Sample Id: **S-0002187307**

| Testing Parameter | Reporting Limit | Result | FDA SOQ | Units | P / F |
|--|-----------------|--------|---------|--------|-------|
| Miscellaneous | | | | | |
| Heterotrophic Plate Count- 35C, 48 hours | 0 | <1 | | CFU/mL | |
| Heterotrophic Plate Count- 35C, 72 hours | 0 | <1 | | CFU/mL | |



<<Additional Information>>

Sample Id: S-0002187307

| Test Parameter | Date Analyzed | Time Analyzed | Date Prepared/ Processed |
|--|---------------|---------------|--------------------------|
| Physical Quality | | | |
| Alkalinity (Ref: SM 2320-B) | 4-FEB-2025 | | |
| Test Notes | | | |
| For alkalinity greater than or equal to 20mg CaCO3/L, the pH endpoint is 4.5. | | | |
| Color (Ref: SM 2120-B) | 30-JAN-2025 | 12:10 | |
| Specific Conductance at 25°C (Ref: EPA 120.1) | 30-JAN-2025 | | |
| Corrosivity (Ref: SM 2330-B) | | | |
| Test Notes | | | |
| The corrosivity calculation uses half of the reporting limit for any calcium and/or bicarbonate/alkalinity value that has a result of less than the reporting limit. | | | |
| Hardness, Total (Ref: EPA 200.7) | | | |
| Solids, Total Dissolved (Ref: SM 2540-C) | 4-FEB-2025 | | |
| Turbidity (Ref: EPA 180.1) | 30-JAN-2025 | 10:10 | |
| pH (Ref: SM4500-HB) | 30-JAN-2025 | 08:40 | |
| Odor, Threshold Number (Ref. Standard Methods 2150 B) | 10-FEB-2025 | 14:23 | |
| Bicarbonate (Ref: SM 2320-B) | | | |
| Microbiological Quality | | | |
| #5 Coliforms and E. coli (Ref: SM 9223)- Performed at NSF Approved Subcontract Laboratory | | | 30-JAN-2025 14:12 |
| Disinfection Residuals/Disinfection By-Products | | | |
| Bromate (Ref: EPA 300.1) | 7-FEB-2025 | | |
| Chloramines (Ref: SM 4500-Cl-G) | 30-JAN-2025 | 10:51 | |
| Chlorite (Ref: EPA 300.1) | 7-FEB-2025 | | |
| Chlorine Dioxide (Ref: SM 4500-ClO2-D) | 30-JAN-2025 | 10:51 | |
| Haloacetic Acids (Ref: EPA 552.2) | 10-FEB-2025 | | 8-FEB-2025 |
| Chlorine, Total Residual (ref. SM 4500CL-G) | 30-JAN-2025 | 10:51 | |
| Radiologicals | | | |
| Uranium in Drinking Water by ICPMS (Ref: EPA 200.8) | 3-FEB-2025 | | |
| Gross Alpha and Beta Radioactivity in Drinking Water (Ref: EPA 900.0) | 3-FEB-2025 | | |
| Inorganic Chemicals | | | |
| Aluminum (Ref: EPA 200.8) | 3-FEB-2025 | | |
| Antimony in Drinking Water by ICPMS (Ref: EPA 200.8) | 3-FEB-2025 | | |
| Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8) | 3-FEB-2025 | | |
| Barium in Drinking Water by ICPMS (Ref: EPA 200.8) | 3-FEB-2025 | | |
| Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8) | 3-FEB-2025 | | |
| Bromide (Ref: EPA 300.1) | 7-FEB-2025 | | |
| Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8) | 3-FEB-2025 | | |
| Calcium in Drinking Water by ICPAES (Ref: EPA 200.7) | 3-FEB-2025 | | |



<<Additional Information>>

Sample Id: S-0002187307

| Test Parameter | Date Analyzed | Time Analyzed | Date Prepared/ Processed |
|--|---------------|---------------|--------------------------|
| Inorganic Chemicals | | | |
| Chloride (Ref: EPA 300.0) | 4-FEB-2025 | | |
| Chromium in Drinking Water by ICPMS (Ref: EPA 200.8) | 3-FEB-2025 | | |
| Copper in Drinking Water by ICPMS (Ref: EPA 200.8) | 3-FEB-2025 | | |
| Cyanide, Total (Ref: EPA 335.4) | 5-FEB-2025 | | |
| Fluoride (Ref: SM 4500-F-C) | 4-FEB-2025 | | |
| Iron in Drinking Water by ICPAES (Ref: EPA 200.7) | 3-FEB-2025 | | |
| Lead in Drinking Water by ICPMS (Ref: EPA 200.8) | 3-FEB-2025 | | |
| Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7) | 3-FEB-2025 | | |
| Manganese in Drinking Water by ICPMS (Ref: EPA 200.8) | 3-FEB-2025 | | |
| Mercury in Drinking Water by ICPMS (Ref: EPA 200.8) | 3-FEB-2025 | | |
| Nickel in Drinking Water by ICPMS (Ref: EPA 200.8) | 3-FEB-2025 | | |
| Nitrogen, Nitrate (Ref: EPA 300.0) | 4-FEB-2025 | 11:52 | |
| Nitrogen, Nitrite (Ref: EPA 300.0) | 4-FEB-2025 | 11:52 | |
| Total Nitrite + Nitrate-Nitrogen (Ref: EPA 300.0) | | | |
| Potassium by ICPAES (Ref: EPA 200.7) | 3-FEB-2025 | | |
| Selenium in Drinking Water by ICPMS (Ref: EPA 200.8) | 3-FEB-2025 | | |
| Silver in Drinking Water by ICPMS (Ref: EPA 200.8) for BQ | 7-FEB-2025 | | 6-FEB-2025 |
| Sodium in Drinking Water by ICPAES (Ref: EPA 200.7) | 3-FEB-2025 | | |
| Sulfate as SO4 (Ref: EPA 300.0) | 4-FEB-2025 | | |
| Surfactants, Methylene Blue Active Substances (Ref: SM 5540-C) | 30-JAN-2025 | 14:34 | |
| Thallium in Drinking Water by ICPMS (Ref: EPA 200.8) | 3-FEB-2025 | | |
| Zinc in Drinking Water by ICPMS (Ref: EPA 200.8) | 3-FEB-2025 | | |
| #2 * Asbestos in Water (Ref: EPA 100.2)- EMSL | 5-FEB-2025 | 00:00 | 4-FEB-2025 10:37 |
| Organic Chemicals | | | |
| Diquat (Ref: EPA 549.2) | 4-FEB-2025 | | 4-FEB-2025 |
| Endothall (Ref: EPA 548.1) - (ug/L) | 3-FEB-2025 | | 31-JAN-2025 |
| Glyphosate (Ref: EPA 547) | 31-JAN-2025 | | |
| Perchlorate (Ref: EPA 314.0) | 19-FEB-2025 | | |
| 2,3,7,8-TCDD (Ref: EPA 1613B) | 5-FEB-2025 | | 3-FEB-2025 |
| Semivolatile Organic Compounds (Ref: EPA 525.2) | 3-FEB-2025 | | 30-JAN-2025 |
| Volatiles: EDB and DBCP (Ref: EPA 504.1) | 11-FEB-2025 | | |
| Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2) | 31-JAN-2025 | | |
| Chlorinated Pesticides and Organohalides by EPA 508.1 | 7-FEB-2025 | | |
| #3 *Perfluorinated Compounds (PFC's) by EPA 537.1 - Enthalpy | 5-FEB-2025 | | |



<<Additional Information>>

Sample Id: S-0002187307

| Test Parameter | Date Analyzed | Time Analyzed | Date Prepared/ Processed |
|--|---------------|---------------|--------------------------|
| Organic Chemicals | | | |
| * Herbicides (Ref: EPA 515.4) | 6-FEB-2025 | | 5-FEB-2025 |
| Miscellaneous | | | |
| #1 * Carbamate Pesticides (Ref. EPA 531.2) by NSF Approved Subcontract Laboratory | 4-FEB-2025 | | |
| #4 * Radium-226, Radium-228 Combined Activity - General Engineering | 11-FEB-2025 | | |
| #4 * Radium-226, Radium-228 Combined Activity - General Engineering | 18-FEB-2025 | | |
| #5 *Phenolics, Total Recoverable (EPA 420.4) National Testing Laboratories, Ltd. | 5-FEB-2025 | 00:00 | |
| #5 Heterotrophic Plate Count (Ref: SM 9215B)- Performed at NSF Approved Subcontract Laboratory | 30-JAN-2025 | 14:00 | 30-JAN-2025 14:00 |



Job Notes:

The NSF Ann Arbor Laboratory is currently in applied status for certification for the state of California (#03214 CA). The applied status is based on a recent change in the CA reciprocity certification requirements and is not reflective of any change in quality for the NSF Ann Arbor Laboratory.



Testing Laboratories:

| Flag | Id | Address |
|--|----------|---|
| All work performed at: (Unless otherwise specified) | NSF_AA | NSF 789 N. Dixboro Road Ann Arbor MI 48105 |
| #5 | EEA | Eurofins Eaton Analytical, Inc. 750 Royal Oaks Dr, Suite 100 Monrovia, CA 91016 NY Lic. # 11320 MI Lic. # 9906 |
| #1 | EMSL | EMSL Analytical Inc. 200 Route 130 North Cinnaminson, NJ 08077 USA NY Lic. # 10872 |
| #2 | ENTHALPY | Enthalpy 1104 Windfield Way El Dorado Hills California 95762 USA |
| #4 | GENENG | GEL Laboratories LLC 2040 Savage Road Charleston, SC 29407 NELAP PA certificate number 68-000485 Arizona License #AZ0668 NY Lic. # 11501 MI Lic. # 9976 |
| #3 | NTL | National Testing Laboratories, LTD. 556 S. Mansfield Ypsilanti, MI 48197 USA NY Lic. # 11467 |

References to Testing Procedures:

| NSF Reference | Parameter / Test Description |
|---------------|--|
| C0104 | * Radium-226, Radium-228 Combined Activity - General Engineering |
| C0842 | Gross Alpha and Beta Radioactivity in Drinking Water (Ref: EPA 900.0) |
| C1188 | Odor, Threshold Number (Ref. Standard Methods 2150 B) |
| C1295 | Silver in Drinking Water by ICPMS (Ref: EPA 200.8) for BQ |
| C1302 | * Herbicides (Ref: EPA 515.4) |
| C1361 | Bicarbonate (Ref: SM 2320-B) |
| C1536 | * Asbestos in Water (Ref: EPA 100.2)- EMSL |
| C1556 | *Perfluorinated Compounds (PFC's) by EPA 537.1 - Enthalpy |
| C1565 | *Phenolics, Total Recoverable (EPA 420.4) National Testing Laboratories, Ltd. |
| C1933 | * Carbamate Pesticides (Ref. EPA 531.2) by NSF Approved Subcontract Laboratory |
| C2015 | 2,3,7,8-TCDD (Ref: EPA 1613B) |
| C3013 | Chloride (Ref: EPA 300.0) |
| C3014 | Bromide (Ref: EPA 300.1) |
| C3015 | Bromate (Ref: EPA 300.1) |
| C3016 | Nitrogen, Nitrate (Ref: EPA 300.0) |
| C3017 | Nitrogen, Nitrite (Ref: EPA 300.0) |
| C3018 | Sulfate as SO4 (Ref: EPA 300.0) |
| C3019 | Cyanide, Total (Ref: EPA 335.4) |
| C3025 | Chlorite (Ref: EPA 300.1) |



References to Testing Procedures: (Cont'd)

| NSF Reference | Parameter / Test Description |
|----------------------|---|
| C3033 | Aluminum (Ref: EPA 200.8) |
| C3036 | Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3039 | Barium in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3042 | Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3044 | Calcium in Drinking Water by ICPAES (Ref: EPA 200.7) |
| C3047 | Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3053 | Chromium in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3059 | Copper in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3064 | Iron in Drinking Water by ICPAES (Ref: EPA 200.7) |
| C3072 | Mercury in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3079 | Potassium by ICPAES (Ref: EPA 200.7) |
| C3085 | Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7) |
| C3086 | Manganese in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3091 | Sodium in Drinking Water by ICPAES (Ref: EPA 200.7) |
| C3094 | Nickel in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3101 | Lead in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3114 | Antimony in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3116 | Selenium in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3128 | Thallium in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3136 | Zinc in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3144 | Solids, Total Dissolved (Ref: SM 2540-C) |
| C3145 | Turbidity (Ref: EPA 180.1) |
| C3155 | Surfactants, Methylene Blue Active Substances (Ref: SM 5540-C) |
| C3157 | Color (Ref: SM 2120-B) |
| C3158 | Specific Conductance at 25°C (Ref: EPA 120.1) |
| C3159 | pH (Ref: SM4500-HB) |
| C3161 | Hardness, Total (Ref: EPA 200.7) |
| C3168 | Chlorine Dioxide (Ref: SM 4500-CIO2-D) |
| C3169 | Chloramines (Ref: SM 4500-CI-G) |
| C3170 | Fluoride (Ref: SM 4500-F-C) |
| C3174 | Alkalinity (Ref: SM 2320-B) |
| C3210 | Corrosivity (Ref: SM 2330-B) |
| C3342 | Total Nitrite + Nitrate-Nitrogen (Ref: EPA 300.0) |
| C3393 | Chlorine, Total Residual (ref. SM 4500CL-G) |
| C4145 | Diquat (Ref: EPA 549.2) |
| C4154 | Endothall (Ref. EPA 548.1) - (ug/L) |
| C4193 | Glyphosate (Ref: EPA 547) |
| C4198 | Haloacetic Acids (Ref: EPA 552.2) |
| C4343 | Semivolatile Organic Compounds (Ref: EPA 525.2) |
| C4411 | Volatiles: EDB and DBCP (Ref: EPA 504.1) |
| C4496 | Uranium in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C4497 | Perchlorate (Ref: EPA 314.0) |
| C4661 | Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2) |
| C4669 | Chlorinated Pesticides and Organohalides by EPA 508.1 |
| M1094 | Heterotrophic Plate Count (Ref: SM 9215B)- Performed at NSF Approved Subcontract Laboratory |
| M1115 | Coliforms and E. coli (Ref: SM 9223)- Performed at NSF Approved Subcontract Laboratory |

Laboratory Certifications:

| | | |
|----------------------------|----------------------------|-----------------------------|
| Arizona (# AZ0655) | Connecticut (# PH-0625) | Florida (# E-87752 FL) |
| Hawaii | Indiana | Maryland (# 201) |
| Michigan (# 0048) | North Carolina (# 26701) | New Jersey (# MI770) |
| Nevada (# MI000302010A) | New York (# 11206) | Pennsylvania (# 68-00312) |
| South Carolina (# 81005) | Virginia (# 00045) | Vermont (# VT 11206) |



Laboratory Certifications: (Cont'd)

Test descriptions preceded by an asterisk "*" indicate that testing has been performed per NSF requirements but is not within its 17025 scope of accreditation.

Unless otherwise indicated, method uncertainties are not applied in any determinations of conformity. Testing utilizes the requested sections of any referenced standards, which may not be the entire standard.

Dates of Laboratory Activity: 30-JAN-2025 to 20-FEB-2025

The reported result for Total Recoverable Phenolics, Potassium, Molybdenum, Silica, Total Phosphorus, Radon, Sr-89/90, Bicarbonate, Bromochloroacetic Acid, Total Haloacetic acid, Bentazon, DCPA Acid Metabolites, EPTC, Dimethylphthalate, 2,6-Dinitrotoluene, 2,4-Dinitrotoluene, Molinate, Diethylphthalate, Terbacil, Di-n-butylphthalate, p,p'-DDE (4,4'-DDE), Butylbenzylphthalate, Trichlorotrifluoroethane, Methyl Ethyl Ketone, 1,2,3-Trimethylbenzene, Epichlorohydrin, or 1,4-Dioxane if performed, cannot be used for compliance purposes within the State of Arizona. Certifications are not offered for these compounds in a drinking water matrix.

The reported results for Total Recoverable Phenolics, pH, Bicarbonate and Temperature, if performed, are not covered by New York State drinking water certifications. NSF is not certified for Carbamate Pesticides, Total Radium-226, Radium-228 Combined Activity, Chlorine Dioxide, Chloramines, Total Residual Chlorine, Total Haloacetic acid, Bentazon, DCPA Acid Metabolites, EPTC, Dimethylphthalate, 2,6-Dinitrotoluene, 2,4-Dinitrotoluene, Molinate, Diethylphthalate, Terbacil, Di-n-butylphthalate, p,p'-DDE (4,4'-DDE), Butylbenzylphthalate, Trichlorotrifluoroethane, Methyl Ethyl Ketone, 1,2,3-Trimethylbenzene, Epichlorohydrin, or 1,4-Dioxane in the State of New York.

Notes:

- 1) Bottled water sold in the United States shall not contain Fluoride in excess of the levels published by the USFDA in 21 CFR Part 165.110. These levels are based on the annual average of maximum daily air temperatures at the location where the bottled water is sold at retail. Please refer to the most current edition of the regulation to determine the Fluoride maximum level that pertains to your product.
- 2) A blank on the FDA SOQ column indicates that no maximum level has been established by the FDA for that contaminant.
- 3) An ND result means that the contaminant was not detected at or above the reporting limit.

For a list of NSF Method Detection Limits refer to

https://d2evkimvhatqav.cloudfront.net/documents/external/minimum_detection_level_spreadsheet.pdf