



## **Evian, agua natural de manantial – Informe anual de la calidad del agua**

En Evian, estamos orgullosos de la calidad de nuestros productos. El agua de manantial natural Evian se distribuye a nivel nacional y cumple con o supera todos los estándares de calidad y seguridad para el agua embotellada, tanto a nivel federal como estatal. *La Administración de Alimentos y Medicamentos de los Estados Unidos (FDA)* regula el agua embotellada como un alimento. Nuestros científicos y laboratorios certificados independientes realizan exhaustivas pruebas tanto en la fuente de agua como en el producto embotellado final, para garantizar que superamos o cumplimos con todos los requisitos federales y estatales aplicables al agua embotellada.

Nos enorgullece el hecho de que nuestra planta de producción de agua embotellada sea inspeccionada anualmente, sin previo aviso, por una organización de pruebas independiente: NSF International (NSF). NSF certifica que el agua de manantial natural Evian cumple con las normativas federales y estatales sobre agua embotellada. NSF tiene su sede en Ann Arbor, Michigan. Para obtener más información sobre NSF, visite su sitio web en <http://www.nsf.org> o llame a NSF al 1-800-673-6275.

### **Fuente de agua de manantial natural Evian**

El agua de manantial natural Evian comienza su viaje en forma de lluvia y nieve en la cima de los Alpes franceses. Cada gota de Evian tarda al menos 15 años en filtrarse a través de las formaciones de arena glacial de los Alpes franceses. Es también durante este largo viaje que Evian adquiere su composición mineral única y equilibrada. La composición mineral del agua de manantial Evian ha permanecido inalterada desde que se registró por primera vez en 1807, lo cual constituye una prueba adicional de su calidad.

### **Embotellamiento de Evian, Agua Natural de Manantial**

El agua mineral natural Evian se embotella exclusivamente en su manantial natural protegido (el Manantial Cachat),

situado justo al pie de los Alpes franceses, lejos de cualquier desarrollo urbano o industrial. El nombre del manantial Cachat figura claramente en la etiqueta de Evian. La fuente de Evian ha sido aprobada por diversas agencias reguladoras tras una revisión detallada y exhaustiva.

La alta calidad de Evian, tanto en el manantial como después del embotellado, se controla mediante pruebas analíticas. Estas pruebas verifican que el agua cumpla o supere todos los estándares de calidad para el agua embotellada. Diariamente se realizan varios cientos de pruebas, tanto en el manantial —antes de que el agua sea embotellada— como en el producto terminado, para verificar la constancia de la composición mineral, la ausencia de contaminación y la calidad de las botellas de plástico. Las tuberías de acero inoxidable que conectan directamente el manantial con la planta, así como los equipos de llenado, están diseñados para proteger la calidad del agua de manantial Evian; a estos se suma el equipo de embotellado automatizado.

### **Datos sobre la calidad del agua**

Se adjunta una copia de nuestros análisis exhaustivos más recientes sobre la calidad del agua, realizados por NSF. El informe de NSF detalla los resultados de las pruebas de calidad del agua para más de 175 sustancias, incluyendo compuestos inorgánicos (metales, minerales, etc.), compuestos orgánicos (pesticidas, herbicidas, etc.) y agentes microbianos, así como parámetros físicos. Este informe incluye las sustancias analizadas, el método de prueba aprobado utilizado, el resultado de la prueba, el límite mínimo de detección, la unidad de medida, la fecha del análisis y el estándar de calidad de la FDA para el agua embotellada, cuando corresponda. Los estándares de calidad de la FDA establecen los niveles máximos permitidos para más de 80 sustancias en el agua embotellada.

**Evian, Agua Natural de manantial, se encuentra en pleno cumplimiento de todas leyes federal, estatales.**

**Para obtener más información acerca de Evian Agua natural de manantial, llame al 1-800-633-3363 o escríbanos a Evian Consumer Care, 1 Maple Avenue, White Plains NY 10605**

VS2018



789 N. Dixboro Rd. Ann Arbor, MI 48105, USA  
1-800.NSF.MARK | +1-734.769.8010 | www.nsf.org

# TEST REPORT

**Send To: 40450**

Isha SAINI  
Societe Anonyme des Eaux Minerales d'Evian  
11 Av du General Dupas  
74500 Evian-Les-Bains  
France

**Facility: 40451**

Societe Anonyme des Eaux Minerales d'Evian  
B.P. 87, Place de la Gare  
74503 Evian  
Cedex  
France

Result	PASS	Final Report Date	20-FEB-2025
Customer Name	Societe Anonyme des Eaux Minerales d'Evian		
Tested To	USFDA CFR Title 21 Part 165.110		
Description	Evian   Natural Spring Water - Line 4		
Test Type	Annual Collection		
Job Number	A-00504667		
Project Number	W0943667		
Project Manager	Kira O'Brien		

**Thank you for having your product tested by NSF.**

Please contact your Project Manager if you have any questions or concerns pertaining to this report.

**Report Authorization** *Nancy F. Cole*

Nancy Cole - Director, Analysis Laboratories

**Date** 20-FEB-2025



**General Information**

Standard: USFDA CFR Title 21 Part 165.110  
Collected by: Amberlin Booth  
Lot Number: 17 01 2027 L4 10:42  
Product Description: Natural Spring Water - Line 4  
Trade Name: Evian

Sample Id: **S-0002187285**  
Description: Natural Spring Water - Line 4 | 17 01 2027 L4 10:42  
Sampled Date: 01/30/2025  
Received Date: 01/28/2025

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
<b>Physical Quality</b>					
Alkalinity as CaCO3	5	290		mg CaCO3/L	
Color	5	ND	15	Color Unit	Pass
Color Type		Apparent			
Specific Conductance	10	600		umhos/cm	
Temperature	0	22		degrees C	
Corrosivity		0.95			
Hardness, Total	2	310		mg CaCO3/L	
Solids Total Dissolved	5	340	500	mg/L	Pass
Turbidity	0.1	ND	5	NTU	Pass
pH	0.01	7.95			
Temperature	0	23		deg. C	
Odor, Threshold	1	ND	3	TON	Pass
Temperature	0	60		deg_C	
Bicarbonate	5	283.3		mg CaCO3/L	
<b>Microbiological Quality</b>					
Coliform in Water/100 mL		Absent			Pass
E. Coli in Water/100 mL		Absent			Pass
<b>Disinfection Residuals/Disinfection By-Products</b>					
Bromate	5	ND	10	ug/L	Pass
Monochloramine	0.05	ND		mg/L	
Dichloramine	0.05	ND		mg/L	
Nitrogen trichloride	0.05	ND		mg/L	
Chloramine, Total	0.05	ND	4	mg/L	Pass
Chlorite	10	ND	1000	ug/L	Pass
Chlorine Dioxide	0.1	ND	0.8	mg/L	Pass
Monochloroacetic Acid	2	ND		ug/L	
Monobromoacetic Acid	1	ND		ug/L	
Dichloroacetic Acid	1	ND		ug/L	
Bromochloroacetic Acid	1	ND		ug/L	
Trichloroacetic Acid	1	ND		ug/L	
Dibromoacetic Acid	1	ND		ug/L	
Total Haloacetic Acid	1	ND	60	ug/L	Pass
Chlorine, Total Residual	0.05	ND	4	mg/L	Pass
<b>Radiologicals</b>					
Uranium	0.001	0.002	0.03	mg/L	Pass
P1 Gross Alpha	3	3	15	pCi/L	Pass
P1 Gross Beta	4	ND	50	pCi/L	Pass
Alpha Uncertainty +/-	0	2		pCi/L	
Beta Uncertainty +/-	0	1		pCi/L	



Sample Id: S-0002187285

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
<b>Inorganic Chemicals</b>					
Aluminum	0.01	ND	0.2	mg/L	Pass
Antimony	0.0005	ND	0.006	mg/L	Pass
Arsenic	0.001	ND	0.01	mg/L	Pass
Barium	0.002	0.12	2	mg/L	Pass
Beryllium	0.0002	ND	0.004	mg/L	Pass
Bromide	10	10		ug/L	
Cadmium	0.0002	ND	0.005	mg/L	Pass
Calcium	0.2	81		mg/L	
Chloride	2	11	250	mg/L	Pass
Chromium (includes Hexavalent Chromium)	0.001	0.001	0.1	mg/L	Pass
Copper	0.001	ND	1	mg/L	Pass
Cyanide, Total	0.005	ND	0.2	mg/L	Pass
Fluoride	0.1	ND		mg/L	
Iron	0.02	ND	0.3	mg/L	Pass
Lead	0.0005	ND	0.005	mg/L	Pass
Magnesium	0.2	26		mg/L	
Manganese	0.001	ND	0.05	mg/L	Pass
Mercury	0.0002	ND	0.002	mg/L	Pass
Nickel	0.0005	0.002	0.1	mg/L	Pass
Nitrogen, Nitrate	0.01	0.88	10	mg/L N	Pass
Nitrogen, Nitrite	0.004	ND	1	mg/L N	Pass
Total Nitrate + Nitrite-Nitrogen	0.01	0.88	10	mg/L	Pass
Potassium	0.5	1.1		mg/L	
Selenium	0.001	ND	0.05	mg/L	Pass
Silver	0.001	ND	0.1	mg/L	Pass
Sodium	0.2	7.1		mg/L	
Sulfate as SO4	5	13	250	mg/L	Pass
MBAS, calc. as LAS Mol.Wt. 320	0.2	ND		mg/L	
Thallium	0.0002	ND	0.002	mg/L	Pass
Zinc	0.01	ND	5	mg/L	Pass
Chrysotile Fibers	0.2	ND		MFL	
Amphibole Fibers	0.2	ND		MFL	
Single Fiber Detection Limit	0.2	ND		MFL	
<b>Organic Chemicals</b>					
Diquat (Ref: EPA 549.2)					
Diquat	0.4	ND	20	ug/L	Pass
Endothall (Ref: EPA 548.1) - (ug/L)					
Endothall	2	ND	100	ug/L	Pass
Glyphosate (Ref: EPA 547)					
Glyphosate	6	ND	700	ug/L	Pass
Perchlorate (Ref: EPA 314.0)					
Perchlorate	1	ND		ug/L	
2,3,7,8-TCDD (Ref: EPA 1613B)					
2,3,7,8-Tetrachlorodibenzo-p-dioxin	5	ND	30	pg/L	Pass
Semivolatile Organic Compounds (Ref: EPA 525.2)					
Hexachlorocyclopentadiene	0.1	ND	50	ug/L	Pass
EPTC	0.5	ND		ug/L	
Dimethylphthalate	2	ND		ug/L	
2,6-Dinitrotoluene	0.5	ND		ug/L	



Sample Id: S-0002187285

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
<b>Organic Chemicals</b>					
2,4 Dinitrotoluene	0.5	ND		ug/L	
Molinate	0.1	ND		ug/L	
Diethylphthalate	2	ND		ug/L	
Propachlor	0.1	ND		ug/L	
Hexachlorobenzene	0.1	ND	1	ug/L	Pass
Simazine	0.07	ND	4	ug/L	Pass
Atrazine	0.1	ND	3	ug/L	Pass
Lindane	0.02	ND	0.2	ug/L	Pass
Terbacil	0.5	ND		ug/L	
Metribuzin	0.1	ND		ug/L	
Alachlor	0.1	ND	2	ug/L	Pass
Heptachlor	0.04	ND	0.4	ug/L	Pass
Di-n-butylphthalate	2	ND		ug/L	
Metolachlor	0.1	ND		ug/L	
Aldrin	0.08	ND		ug/L	
Heptachlor Epoxide	0.02	ND	0.2	ug/L	Pass
Butachlor	0.2	ND		ug/L	
p,p'-DDE (4,4'-DDE)	0.5	ND		ug/L	
Dieldrin	0.5	ND		ug/L	
Endrin	0.1	ND	2	ug/L	Pass
Butylbenzylphthalate	2	ND		ug/L	
bis(2-Ethylhexyl)adipate	0.6	ND	400	ug/L	Pass
Methoxychlor	0.1	ND	40	ug/L	Pass
bis(2-Ethylhexyl)phthalate (DEHP)	0.6	ND	6	ug/L	Pass
Benzo(a)Pyrene	0.02	ND	0.2	ug/L	Pass
Volatiles: EDB and DBCP (Ref: EPA 504.1)					
Ethylene Dibromide (EDB)	0.01	ND	0.05	ug/L	Pass
1,2-Dibromo-3-Chloropropane (DBCP)	0.01	ND	0.2	ug/L	Pass
Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)					
Dichlorodifluoromethane	0.5	ND		ug/L	
Chloromethane	0.5	ND		ug/L	
Vinyl Chloride	0.5	ND	2	ug/L	Pass
Bromomethane	0.5	ND		ug/L	
Chloroethane	0.5	ND		ug/L	
Trichlorofluoromethane	0.5	ND		ug/L	
Trichlorotrifluoroethane	0.5	ND		ug/L	
Methylene Chloride	0.5	ND	5	ug/L	Pass
1,1-Dichloroethylene	0.5	ND	7	ug/L	Pass
trans-1,2-Dichloroethylene	0.5	ND	100	ug/L	Pass
1,1-Dichloroethane	0.5	ND		ug/L	
2,2-Dichloropropane	0.5	ND		ug/L	
cis-1,2-Dichloroethylene	0.5	ND	70	ug/L	Pass
Chloroform	0.5	ND		ug/L	
Bromochloromethane	0.5	ND		ug/L	
1,1,1-Trichloroethane	0.5	ND	200	ug/L	Pass
1,1-Dichloropropene	0.5	ND		ug/L	
Carbon Tetrachloride	0.5	ND	5	ug/L	Pass
1,2-Dichloroethane	0.5	ND	5	ug/L	Pass
Trichloroethylene	0.5	ND	5	ug/L	Pass



Sample Id: S-0002187285

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
<b>Organic Chemicals</b>					
1,2-Dichloropropane	0.5	ND	5	ug/L	Pass
Bromodichloromethane	0.5	ND		ug/L	
Dibromomethane	0.5	ND		ug/L	
cis-1,3-Dichloropropene	0.5	ND		ug/L	
trans-1,3-Dichloropropene	0.5	ND		ug/L	
1,1,2-Trichloroethane	0.5	ND	5	ug/L	Pass
1,3-Dichloropropane	0.5	ND		ug/L	
Tetrachloroethylene	0.5	ND	5	ug/L	Pass
Chlorodibromomethane	0.5	ND		ug/L	
Chlorobenzene	0.5	ND	100	ug/L	Pass
1,1,1,2-Tetrachloroethane	0.5	ND		ug/L	
Bromoform	0.5	ND		ug/L	
1,1,2,2-Tetrachloroethane	0.5	ND		ug/L	
1,2,3-Trichloropropane	0.5	ND		ug/L	
1,3-Dichlorobenzene	0.5	ND		ug/L	
1,4-Dichlorobenzene	0.5	ND	75	ug/L	Pass
1,2-Dichlorobenzene	0.5	ND	600	ug/L	Pass
Methyl-tert-Butyl Ether (MTBE)	0.5	ND		ug/L	
Toluene	0.5	ND	1000	ug/L	Pass
Ethyl Benzene	0.5	ND	700	ug/L	Pass
m+p-Xylenes	1	ND		ug/L	
o-Xylene	0.5	ND		ug/L	
Styrene	0.5	ND	100	ug/L	Pass
Isopropylbenzene (Cumene)	0.5	ND		ug/L	
n-Propylbenzene	0.5	ND		ug/L	
Bromobenzene	0.5	ND		ug/L	
2-Chlorotoluene	0.5	ND		ug/L	
4-Chlorotoluene	0.5	ND		ug/L	
1,3,5-Trimethylbenzene	0.5	ND		ug/L	
tert-Butylbenzene	0.5	ND		ug/L	
1,2,4-Trimethylbenzene	0.5	ND		ug/L	
sec-Butylbenzene	0.5	ND		ug/L	
p-Isopropyltoluene (Cymene)	0.5	ND		ug/L	
1,2,3-Trimethylbenzene	0.5	ND		ug/L	
n-Butylbenzene	0.5	ND		ug/L	
1,2,4-Trichlorobenzene	0.5	ND	70	ug/L	Pass
Hexachlorobutadiene	0.5	ND		ug/L	
1,2,3-Trichlorobenzene	0.5	ND		ug/L	
Naphthalene	0.5	ND		ug/L	
Benzene	0.5	ND	5	ug/L	Pass
Total Trihalomethanes	0.5	ND	80	ug/L	Pass
Total Xylenes	0.5	ND	10000	ug/L	Pass
<b>Chlorinated Pesticides and Organohalides by EPA 508.1</b>					
Toxaphene	0.1	ND	3	ug/L	Pass
Chlordane	0.1	ND	2	ug/L	Pass
PCB 1016	0.08	ND	0.5	ug/L	Pass
PCB 1221	0.1	ND	0.5	ug/L	Pass
PCB 1232	0.1	ND	0.5	ug/L	Pass
PCB 1242	0.1	ND	0.5	ug/L	Pass



Sample Id: S-0002187285

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
<b>Organic Chemicals</b>					
PCB 1248	0.1	ND	0.5	ug/L	Pass
PCB 1254	0.1	ND	0.5	ug/L	Pass
PCB 1260	0.1	ND	0.5	ug/L	Pass
Endrin	0.01	ND	2	ug/L	Pass
Total PCBs	0.1	ND	0.5	ug/L	Pass
*Perfluorinated Compounds (PFC's) by EPA 537.1 - Enthalpy					
NEtFOSAA	2	ND		ng/L	
NMeFOSAA	2	ND		ng/L	
Perfluorobutanesulfonic acid	2	ND		ng/L	
Perfluorodecanoic acid	2	ND		ng/L	
Perfluorododecanoic acid	2	ND		ng/L	
Perfluoroheptanoic acid	2	ND		ng/L	
Perfluorohexanesulfonic acid	2	ND		ng/L	
Perfluorohexanoic acid	2	ND		ng/L	
Perfluorononanoic acid	2	ND		ng/L	
Perfluorooctanesulfonic acid	2	ND		ng/L	
Perfluorooctanoic acid	2	ND		ng/L	
Perfluorotradecanoic acid	2	ND		ng/L	
Perfluorotridecanoic acid	2	ND		ng/L	
Perfluoroundecanoic acid	2	ND		ng/L	
HFPO-DA/GenX	2	ND		ng/L	
ADONA	2	ND		ng/L	
9Cl-PF3ONS/F-53B Major	2	ND		ng/L	
11Cl-PF3OUdS/F-53B Minor	2	ND		ng/L	
* Herbicides (Ref: EPA 515.4)					
Dalapon	1	ND	200	ug/L	Pass
Dicamba	0.1	ND		ug/L	
2,4-D	0.1	ND	70	ug/L	Pass
Pentachlorophenol	0.04	ND	1	ug/L	Pass
2,4,5-TP	0.2	ND	50	ug/L	Pass
Dinoseb	0.2	ND	7	ug/L	Pass
Picloram	0.1	ND	500	ug/L	Pass
Bentazon	0.2	ND		ug/L	
DCPA Acid Metabolites	0.2	ND		ug/L	
<b>Miscellaneous</b>					
Radium-226	5	ND		pCi/L	
Radium-228	5	ND		pCi/L	
Radium-226, Radium-228 Combined	5	ND	5	pCi/L	Pass
Radium 226 Uncertainty +/-	0	0.2		pCi/L	
Radium 228 Uncertainty +/-	0	0.5		pCi/L	
Phenolics	0.001	ND	0.001	mg/L	Pass
3-Hydroxycarbofuran	0.5	ND		ug/L	
Aldicarb	0.5	ND		ug/L	
Aldicarb sulfone	0.7	ND		ug/L	
Aldicarb sulfoxide	0.5	ND		ug/L	
Carbaryl	0.5	ND		ug/L	
Carbofuran	0.9	ND	40	ug/L	Pass
Methomyl	0.5	ND		ug/L	
Oxamyl	1	ND	200	ug/L	Pass



Sample Id: **S-0002187285**

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
<b>Miscellaneous</b>					
Heterotrophic Plate Count- 35C, 48 hours	0	<1		CFU/mL	
Heterotrophic Plate Count- 35C, 72 hours	0	<1		CFU/mL	



<<Additional Information>>

Sample Id: S-0002187285

Test Parameter	Date Analyzed	Time Analyzed	Date Prepared/ Processed
<b>Physical Quality</b>			
Alkalinity (Ref: SM 2320-B)	4-FEB-2025		
<b>Test Notes</b> For alkalinity greater than or equal to 20mg CaCO3/L, the pH endpoint is 4.5.			
Color (Ref: SM 2120-B)	30-JAN-2025	12:10	
Specific Conductance at 25°C (Ref: EPA 120.1)	30-JAN-2025		
<b>Corrosivity (Ref: SM 2330-B)</b>			
<b>Test Notes</b> The corrosivity calculation uses half of the reporting limit for any calcium and/or bicarbonate/alkalinity value that has a result of less than the reporting limit.			
Hardness, Total (Ref: EPA 200.7)			
Solids, Total Dissolved (Ref: SM 2540-C)	30-JAN-2025		
Turbidity (Ref: EPA 180.1)	30-JAN-2025	10:03	
pH (Ref: SM4500-HB)	30-JAN-2025	08:26	
Odor, Threshold Number ( Ref. Standard Methods 2150 B)	10-FEB-2025	14:23	
Bicarbonate (Ref: SM 2320-B)			
<b>Microbiological Quality</b>			
#5 Coliforms and E. coli (Ref: SM 9223)- Performed at NSF Approved Subcontract Laboratory			30-JAN-2025 14:12
<b>Disinfection Residuals/Disinfection By-Products</b>			
Bromate (Ref: EPA 300.1)	31-JAN-2025		
Chloramines (Ref: SM 4500-Cl-G)	30-JAN-2025	11:12	
Chlorite (Ref: EPA 300.1)	31-JAN-2025		
Chlorine Dioxide (Ref: SM 4500-ClO2-D)	30-JAN-2025	11:12	
Haloacetic Acids (Ref: EPA 552.2)	10-FEB-2025		8-FEB-2025
Chlorine, Total Residual (ref. SM 4500CL-G)	30-JAN-2025	11:12	
<b>Radiologicals</b>			
Uranium in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Gross Alpha and Beta Radioactivity in Drinking Water (Ref: EPA 900.0)	3-FEB-2025		
<b>Inorganic Chemicals</b>			
Aluminum (Ref: EPA 200.8)	3-FEB-2025		
Antimony in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Barium in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Bromide (Ref: EPA 300.1)	31-JAN-2025		
Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Calcium in Drinking Water by ICPAES (Ref: EPA 200.7)	3-FEB-2025		



<<Additional Information>>

Sample Id: S-0002187285

Test Parameter	Date Analyzed	Time Analyzed	Date Prepared/ Processed
<b>Inorganic Chemicals</b>			
Chloride (Ref: EPA 300.0)	4-FEB-2025		
Chromium in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Copper in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Cyanide, Total (Ref: EPA 335.4)	5-FEB-2025		
Fluoride (Ref: SM 4500-F-C)	4-FEB-2025		
Iron in Drinking Water by ICPAES (Ref: EPA 200.7)	3-FEB-2025		
Lead in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7)	3-FEB-2025		
Manganese in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Mercury in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Nickel in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Nitrogen, Nitrate (Ref: EPA 300.0)	4-FEB-2025	11:00	
Nitrogen, Nitrite (Ref: EPA 300.0)	4-FEB-2025	11:00	
Total Nitrite + Nitrate-Nitrogen (Ref: EPA 300.0)			
Potassium by ICPAES (Ref: EPA 200.7)	3-FEB-2025		
Selenium in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Silver in Drinking Water by ICPMS (Ref: EPA 200.8) for BQ	7-FEB-2025		6-FEB-2025
Sodium in Drinking Water by ICPAES (Ref: EPA 200.7)	3-FEB-2025		
Sulfate as SO4 (Ref: EPA 300.0)	4-FEB-2025		
Surfactants, Methylene Blue Active Substances (Ref: SM 5540-C)	30-JAN-2025	14:34	
Thallium in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Zinc in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
#2 * Asbestos in Water (Ref: EPA 100.2)- EMSL	5-FEB-2025	00:00	4-FEB-2025 10:25
<b>Organic Chemicals</b>			
Diquat (Ref: EPA 549.2)	4-FEB-2025		4-FEB-2025
Endothall (Ref: EPA 548.1) - (ug/L)	3-FEB-2025		31-JAN-2025
Glyphosate (Ref: EPA 547)	31-JAN-2025		
Perchlorate (Ref: EPA 314.0)	19-FEB-2025		
2,3,7,8-TCDD (Ref: EPA 1613B)	5-FEB-2025		3-FEB-2025
Semivolatile Organic Compounds (Ref: EPA 525.2)	3-FEB-2025		30-JAN-2025
Volatiles: EDB and DBCP (Ref: EPA 504.1)	11-FEB-2025		
Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)	31-JAN-2025		
Chlorinated Pesticides and Organohalides by EPA 508.1	7-FEB-2025		
#3 *Perfluorinated Compounds (PFC's) by EPA 537.1 - Enthalpy	5-FEB-2025		



<<Additional Information>>

Sample Id: S-0002187285

Test Parameter	Date Analyzed	Time Analyzed	Date Prepared/ Processed
<b>Organic Chemicals</b>			
* Herbicides (Ref: EPA 515.4)	6-FEB-2025		5-FEB-2025
<b>Miscellaneous</b>			
#1 * Carbamate Pesticides (Ref. EPA 531.2) by NSF Approved Subcontract Laboratory	4-FEB-2025		
#4 * Radium-226, Radium-228 Combined Activity - General Engineering	11-FEB-2025		
#4 * Radium-226, Radium-228 Combined Activity - General Engineering	18-FEB-2025		
#5 *Phenolics, Total Recoverable (EPA 420.4) National Testing Laboratories, Ltd.	5-FEB-2025	00:00	
#5 Heterotrophic Plate Count (Ref: SM 9215B)- Performed at NSF Approved Subcontract Laboratory	30-JAN-2025	14:00	30-JAN-2025 14:00



**Testing Laboratories:**

	<u>Flag</u>	<u>Id</u>	<u>Address</u>
All work performed at: (Unless otherwise specified)	→	NSF_AA	NSF 789 N. Dixboro Road Ann Arbor MI 48105
	#5	EEA	Eurofins Eaton Analytical, Inc. 750 Royal Oaks Dr, Suite 100 Monrovia, CA 91016 NY Lic. # 11320 MI Lic. # 9906
	#1	EMSL	EMSL Analytical Inc. 200 Route 130 North Cinnaminson, NJ 08077 USA NY Lic. # 10872
	#2	ENTHALPY	Enthalpy 1104 Windfield Way El Dorado Hills California 95762 USA
	#4	GENENG	GEL Laboratories LLC 2040 Savage Road Charleston, SC 29407 NELAP PA certificate number 68-000485 Arizona License #AZ0668 NY Lic. # 11501 MI Lic. # 9976
	#3	NTL	National Testing Laboratories, LTD. 556 S. Mansfield Ypsilanti, MI 48197 USA NY Lic. # 11467

**References to Testing Procedures:**

<u>NSF Reference</u>	<u>Parameter / Test Description</u>
C0104	* Radium-226, Radium-228 Combined Activity - General Engineering
C0842	Gross Alpha and Beta Radioactivity in Drinking Water (Ref: EPA 900.0)
C1188	Odor, Threshold Number ( Ref. Standard Methods 2150 B)
C1295	Silver in Drinking Water by ICPMS (Ref: EPA 200.8) for BQ
C1302	* Herbicides (Ref: EPA 515.4)
C1361	Bicarbonate (Ref: SM 2320-B)
C1536	* Asbestos in Water (Ref: EPA 100.2)- EMSL
C1556	*Perfluorinated Compounds (PFC's) by EPA 537.1 - Enthalpy
C1565	*Phenolics, Total Recoverable (EPA 420.4) National Testing Laboratories, Ltd.
C1933	* Carbamate Pesticides (Ref. EPA 531.2) by NSF Approved Subcontract Laboratory
C2015	2,3,7,8-TCDD (Ref: EPA 1613B)
C3013	Chloride (Ref: EPA 300.0)
C3014	Bromide (Ref: EPA 300.1)
C3015	Bromate (Ref: EPA 300.1)
C3016	Nitrogen, Nitrate (Ref: EPA 300.0)
C3017	Nitrogen, Nitrite (Ref: EPA 300.0)
C3018	Sulfate as SO4 (Ref: EPA 300.0)
C3019	Cyanide, Total (Ref: EPA 335.4)
C3025	Chlorite (Ref: EPA 300.1)



References to Testing Procedures: (Cont'd)

NSF Reference	Parameter / Test Description
C3033	Aluminum (Ref: EPA 200.8)
C3036	Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8)
C3039	Barium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3042	Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3044	Calcium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3047	Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3053	Chromium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3059	Copper in Drinking Water by ICPMS (Ref: EPA 200.8)
C3064	Iron in Drinking Water by ICPAES (Ref: EPA 200.7)
C3072	Mercury in Drinking Water by ICPMS (Ref: EPA 200.8)
C3079	Potassium by ICPAES (Ref: EPA 200.7)
C3085	Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3086	Manganese in Drinking Water by ICPMS (Ref: EPA 200.8)
C3091	Sodium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3094	Nickel in Drinking Water by ICPMS (Ref: EPA 200.8)
C3101	Lead in Drinking Water by ICPMS (Ref: EPA 200.8)
C3114	Antimony in Drinking Water by ICPMS (Ref: EPA 200.8)
C3116	Selenium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3128	Thallium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3136	Zinc in Drinking Water by ICPMS (Ref: EPA 200.8)
C3144	Solids, Total Dissolved (Ref: SM 2540-C)
C3145	Turbidity (Ref: EPA 180.1)
C3155	Surfactants, Methylene Blue Active Substances (Ref: SM 5540-C)
C3157	Color (Ref: SM 2120-B)
C3158	Specific Conductance at 25°C (Ref: EPA 120.1)
C3159	pH (Ref: SM4500-HB)
C3161	Hardness, Total (Ref: EPA 200.7)
C3168	Chlorine Dioxide (Ref: SM 4500-CIO2-D)
C3169	Chloramines (Ref: SM 4500-CI-G)
C3170	Fluoride (Ref: SM 4500-F-C)
C3174	Alkalinity (Ref: SM 2320-B)
C3210	Corrosivity (Ref: SM 2330-B)
C3342	Total Nitrite + Nitrate-Nitrogen (Ref: EPA 300.0)
C3393	Chlorine, Total Residual (ref. SM 4500CL-G)
C4145	Diquat (Ref: EPA 549.2)
C4154	Endothall (Ref. EPA 548.1) - (ug/L)
C4193	Glyphosate (Ref: EPA 547)
C4198	Haloacetic Acids (Ref: EPA 552.2)
C4343	Semivolatile Organic Compounds (Ref: EPA 525.2)
C4411	Volatiles: EDB and DBCP (Ref: EPA 504.1)
C4496	Uranium in Drinking Water by ICPMS (Ref: EPA 200.8)
C4497	Perchlorate (Ref: EPA 314.0)
C4661	Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)
C4669	Chlorinated Pesticides and Organohalides by EPA 508.1
M1094	Heterotrophic Plate Count (Ref: SM 9215B)- Performed at NSF Approved Subcontract Laboratory
M1115	Coliforms and E. coli (Ref: SM 9223)- Performed at NSF Approved Subcontract Laboratory

Laboratory Certifications:

Arizona ( # AZ0655 )	Connecticut ( # PH-0625 )	Florida ( # E-87752 FL )
Hawaii	Indiana	Maryland ( # 201 )
Michigan ( # 0048 )	North Carolina ( # 26701 )	New Jersey ( # MI770 )
Nevada ( # MI000302010A )	New York ( # 11206 )	Pennsylvania ( # 68-00312 )
South Carolina ( # 81005 )	Virginia ( # 00045 )	Vermont ( # VT 11206 )



**Laboratory Certifications:** ( Cont'd )

---

---

Test descriptions preceded by an asterisk "\*" indicate that testing has been performed per NSF requirements but is not within its 17025 scope of accreditation.

Unless otherwise indicated, method uncertainties are not applied in any determinations of conformity. Testing utilizes the requested sections of any referenced standards, which may not be the entire standard.

**Dates of Laboratory Activity: 30-JAN-2025 to 20-FEB-2025**

The reported result for Total Recoverable Phenolics, Potassium, Molybdenum, Silica, Total Phosphorus, Radon, Sr-89/90, Bicarbonate, Bromochloroacetic Acid, Total Haloacetic acid, Bentazon, DCPA Acid Metabolites, EPTC, Dimethylphthalate, 2,6-Dinitrotoluene, 2,4-Dinitrotoluene, Molinate, Diethylphthalate, Terbacil, Di-n-butylphthalate, p,p'-DDE (4,4'-DDE), Butylbenzylphthalate, Trichlorotrifluoroethane, Methyl Ethyl Ketone, 1,2,3-Trimethylbenzene, Epichlorohydrin, or 1,4-Dioxane if performed, cannot be used for compliance purposes within the State of Arizona. Certifications are not offered for these compounds in a drinking water matrix.

The reported results for Total Recoverable Phenolics, pH, Bicarbonate and Temperature, if performed, are not covered by New York State drinking water certifications. NSF is not certified for Carbamate Pesticides, Total Radium-226, Radium-228 Combined Activity, Chlorine Dioxide, Chloramines, Total Residual Chlorine, Total Haloacetic acid, Bentazon, DCPA Acid Metabolites, EPTC, Dimethylphthalate, 2,6-Dinitrotoluene, 2,4-Dinitrotoluene, Molinate, Diethylphthalate, Terbacil, Di-n-butylphthalate, p,p'-DDE (4,4'-DDE), Butylbenzylphthalate, Trichlorotrifluoroethane, Methyl Ethyl Ketone, 1,2,3-Trimethylbenzene, Epichlorohydrin, or 1,4-Dioxane in the State of New York.

Notes:

- 1) Bottled water sold in the United States shall not contain Fluoride in excess of the levels published by the USFDA in 21 CFR Part 165.110. These levels are based on the annual average of maximum daily air temperatures at the location where the bottled water is sold at retail. Please refer to the most current edition of the regulation to determine the Fluoride maximum level that pertains to your product.
- 2) A blank on the FDA SOQ column indicates that no maximum level has been established by the FDA for that contaminant.
- 3) An ND result means that the contaminant was not detected at or above the reporting limit.

For a list of NSF Method Detection Limits refer to

[https://d2evkimvhatqav.cloudfront.net/documents/external/minimum\\_detection\\_level\\_spreadsheet.pdf](https://d2evkimvhatqav.cloudfront.net/documents/external/minimum_detection_level_spreadsheet.pdf)



789 N. Dixboro Rd. Ann Arbor, MI 48105, USA  
1-800.NSF.MARK | +1-734.769.8010 | www.nsf.org

# TEST REPORT

**Send To: 40450**

Isha SAINI  
Societe Anonyme des Eaux Minerales d'Evian  
11 Av du General Dupas  
74500 Evian-Les-Bains  
France

**Facility: 40451**

Societe Anonyme des Eaux Minerales d'Evian  
B.P. 87, Place de la Gare  
74503 Evian  
Cedex  
France

Result	PASS	Final Report Date	20-FEB-2025
Customer Name	Societe Anonyme des Eaux Minerales d'Evian		
Tested To	USFDA CFR Title 21 Part 165.110		
Description	Evian   Sparkling Spring Water - Line R		
Test Type	Annual Collection		
Job Number	A-00504669		
Project Number	W0943667		
Project Manager	Kira O'Brien		

**Thank you for having your product tested by NSF.**

Please contact your Project Manager if you have any questions or concerns pertaining to this report.

**Report Authorization** *Nancy F. Cole*

Nancy Cole - Director, Analysis Laboratories

**Date** 20-FEB-2025



**General Information**

Standard: USFDA CFR Title 21 Part 165.110  
Collected by: Amberlin Booth  
Lot Number: PRD 200125 10:47 / R EXP 2002027  
Product Description: Sparkling Spring Water - Line R  
Trade Name: Evian

Sample Id: **S-0002187307**  
Description: Sparkling Spring Water - Line R | PRD 200125 10:47 / R EXP 2002027  
Sampled Date: 01/30/2025  
Received Date: 01/28/2025

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
<b>Physical Quality</b>					
Alkalinity as CaCO3	5	280		mg CaCO3/L	
Color	5	ND	15	Color Unit	Pass
Color Type		Apparent			
Specific Conductance	10	600		umhos/cm	
Temperature	0	22		degrees C	
Corrosivity		-83			
Hardness, Total	2	310		mg CaCO3/L	
Solids Total Dissolved	5	340	500	mg/L	Pass
Turbidity	0.1	ND	5	NTU	Pass
pH	0.01	6.17			
Temperature	0	22		deg. C	
Odor, Threshold	1	1	3	TON	Pass
Temperature	0	60		deg_C	
Bicarbonate	5	281.3		mg CaCO3/L	
<b>Microbiological Quality</b>					
Coliform in Water/100 mL		Absent			Pass
E. Coli in Water/100 mL		Absent			Pass
<b>Disinfection Residuals/Disinfection By-Products</b>					
Bromate	5	ND	10	ug/L	Pass
Monochloramine	0.05	ND		mg/L	
Dichloramine	0.05	ND		mg/L	
Nitrogen trichloride	0.05	ND		mg/L	
Chloramine, Total	0.05	ND	4	mg/L	Pass
Chlorite	10	ND	1000	ug/L	Pass
Chlorine Dioxide	0.1	ND	0.8	mg/L	Pass
Monochloroacetic Acid	2	ND		ug/L	
Monobromoacetic Acid	1	ND		ug/L	
Dichloroacetic Acid	1	ND		ug/L	
Bromochloroacetic Acid	1	ND		ug/L	
Trichloroacetic Acid	1	ND		ug/L	
Dibromoacetic Acid	1	ND		ug/L	
Total Haloacetic Acid	1	ND	60	ug/L	Pass
Chlorine, Total Residual	0.05	ND	4	mg/L	Pass
<b>Radiologicals</b>					
Uranium	0.001	0.002	0.03	mg/L	Pass
P1 Gross Alpha	3	ND	15	pCi/L	Pass
P1 Gross Beta	4	ND	50	pCi/L	Pass
Alpha Uncertainty +/-	0	2		pCi/L	
Beta Uncertainty +/-	0	1		pCi/L	



Sample Id: S-0002187307

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
<b>Inorganic Chemicals</b>					
Aluminum	0.01	ND	0.2	mg/L	Pass
Antimony	0.0005	ND	0.006	mg/L	Pass
Arsenic	0.001	ND	0.01	mg/L	Pass
Barium	0.002	0.10	2	mg/L	Pass
Beryllium	0.0002	ND	0.004	mg/L	Pass
Bromide	10	ND		ug/L	
Cadmium	0.0002	ND	0.005	mg/L	Pass
Calcium	0.2	81		mg/L	
Chloride	2	11	250	mg/L	Pass
Chromium (includes Hexavalent Chromium)	0.001	ND	0.1	mg/L	Pass
Copper	0.001	ND	1	mg/L	Pass
Cyanide, Total	0.005	ND	0.2	mg/L	Pass
Fluoride	0.1	ND		mg/L	
Iron	0.02	ND	0.3	mg/L	Pass
Lead	0.0005	ND	0.005	mg/L	Pass
Magnesium	0.2	27		mg/L	
Manganese	0.001	ND	0.05	mg/L	Pass
Mercury	0.0002	ND	0.002	mg/L	Pass
Nickel	0.0005	0.002	0.1	mg/L	Pass
Nitrogen, Nitrate	0.01	0.86	10	mg/L N	Pass
Nitrogen, Nitrite	0.004	ND	1	mg/L N	Pass
Total Nitrate + Nitrite-Nitrogen	0.01	0.86	10	mg/L	Pass
Potassium	0.5	1.0		mg/L	
Selenium	0.001	ND	0.05	mg/L	Pass
Silver	0.001	ND	0.1	mg/L	Pass
Sodium	0.2	7.1		mg/L	
Sulfate as SO4	5	12	250	mg/L	Pass
MBAS, calc. as LAS Mol.Wt. 320	0.2	ND		mg/L	
Thallium	0.0002	ND	0.002	mg/L	Pass
Zinc	0.01	ND	5	mg/L	Pass
Chrysotile Fibers	0.2	ND		MFL	
Amphibole Fibers	0.2	ND		MFL	
Single Fiber Detection Limit	0.2	ND		MFL	
<b>Organic Chemicals</b>					
Diquat (Ref: EPA 549.2)					
Diquat	0.4	ND	20	ug/L	Pass
Endothall (Ref: EPA 548.1) - (ug/L)					
Endothall	2	ND	100	ug/L	Pass
Glyphosate (Ref: EPA 547)					
Glyphosate	6	ND	700	ug/L	Pass
Perchlorate (Ref: EPA 314.0)					
Perchlorate	1	ND		ug/L	
2,3,7,8-TCDD (Ref: EPA 1613B)					
2,3,7,8-Tetrachlorodibenzo-p-dioxin	5	ND	30	pg/L	Pass
Semivolatile Organic Compounds (Ref: EPA 525.2)					
Hexachlorocyclopentadiene	0.1	ND	50	ug/L	Pass
EPTC	0.5	ND		ug/L	
Dimethylphthalate	2	ND		ug/L	
2,6-Dinitrotoluene	0.5	ND		ug/L	



Sample Id: S-0002187307

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
<b>Organic Chemicals</b>					
2,4 Dinitrotoluene	0.5	ND		ug/L	
Molinate	0.1	ND		ug/L	
Diethylphthalate	2	ND		ug/L	
Propachlor	0.1	ND		ug/L	
Hexachlorobenzene	0.1	ND	1	ug/L	Pass
Simazine	0.07	ND	4	ug/L	Pass
Atrazine	0.1	ND	3	ug/L	Pass
Lindane	0.02	ND	0.2	ug/L	Pass
Terbacil	0.5	ND		ug/L	
Metribuzin	0.1	ND		ug/L	
Alachlor	0.1	ND	2	ug/L	Pass
Heptachlor	0.04	ND	0.4	ug/L	Pass
Di-n-butylphthalate	2	ND		ug/L	
Metolachlor	0.1	ND		ug/L	
Aldrin	0.08	ND		ug/L	
Heptachlor Epoxide	0.02	ND	0.2	ug/L	Pass
Butachlor	0.2	ND		ug/L	
p,p'-DDE (4,4'-DDE)	0.5	ND		ug/L	
Dieldrin	0.5	ND		ug/L	
Endrin	0.1	ND	2	ug/L	Pass
Butylbenzylphthalate	2	ND		ug/L	
bis(2-Ethylhexyl)adipate	0.6	ND	400	ug/L	Pass
Methoxychlor	0.1	ND	40	ug/L	Pass
bis(2-Ethylhexyl)phthalate (DEHP)	0.6	ND	6	ug/L	Pass
Benzo(a)Pyrene	0.02	ND	0.2	ug/L	Pass
Volatiles: EDB and DBCP (Ref: EPA 504.1)					
Ethylene Dibromide (EDB)	0.01	ND	0.05	ug/L	Pass
1,2-Dibromo-3-Chloropropane (DBCP)	0.01	ND	0.2	ug/L	Pass
Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)					
Dichlorodifluoromethane	2	ND		ug/L	
Chloromethane	2	ND		ug/L	
Vinyl Chloride	2	ND	2	ug/L	Pass
Bromomethane	2	ND		ug/L	
Chloroethane	2	ND		ug/L	
Trichlorofluoromethane	2	ND		ug/L	
Trichlorotrifluoroethane	2	ND		ug/L	
Methylene Chloride	2	ND	5	ug/L	Pass
1,1-Dichloroethylene	2	ND	7	ug/L	Pass
trans-1,2-Dichloroethylene	2	ND	100	ug/L	Pass
1,1-Dichloroethane	2	ND		ug/L	
2,2-Dichloropropane	2	ND		ug/L	
cis-1,2-Dichloroethylene	2	ND	70	ug/L	Pass
Chloroform	2	ND		ug/L	
Bromochloromethane	2	ND		ug/L	
1,1,1-Trichloroethane	2	ND	200	ug/L	Pass
1,1-Dichloropropene	2	ND		ug/L	
Carbon Tetrachloride	2	ND	5	ug/L	Pass
1,2-Dichloroethane	2	ND	5	ug/L	Pass
Trichloroethylene	2	ND	5	ug/L	Pass



Sample Id: S-0002187307

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
<b>Organic Chemicals</b>					
1,2-Dichloropropane	2	ND	5	ug/L	Pass
Bromodichloromethane	2	ND		ug/L	
Dibromomethane	2	ND		ug/L	
cis-1,3-Dichloropropene	2	ND		ug/L	
trans-1,3-Dichloropropene	2	ND		ug/L	
1,1,2-Trichloroethane	2	ND	5	ug/L	Pass
1,3-Dichloropropane	2	ND		ug/L	
Tetrachloroethylene	2	ND	5	ug/L	Pass
Chlorodibromomethane	2	ND		ug/L	
Chlorobenzene	2	ND	100	ug/L	Pass
1,1,1,2-Tetrachloroethane	2	ND		ug/L	
Bromoform	2	ND		ug/L	
1,1,2,2-Tetrachloroethane	2	ND		ug/L	
1,2,3-Trichloropropane	2	ND		ug/L	
1,3-Dichlorobenzene	2	ND		ug/L	
1,4-Dichlorobenzene	2	ND	75	ug/L	Pass
1,2-Dichlorobenzene	2	ND	600	ug/L	Pass
Methyl-tert-Butyl Ether (MTBE)	2	ND		ug/L	
Toluene	2	ND	1000	ug/L	Pass
Ethyl Benzene	2	ND	700	ug/L	Pass
m+p-Xylenes	4	ND		ug/L	
o-Xylene	2	ND		ug/L	
Styrene	2	ND	100	ug/L	Pass
Isopropylbenzene (Cumene)	2	ND		ug/L	
n-Propylbenzene	2	ND		ug/L	
Bromobenzene	2	ND		ug/L	
2-Chlorotoluene	2	ND		ug/L	
4-Chlorotoluene	2	ND		ug/L	
1,3,5-Trimethylbenzene	2	ND		ug/L	
tert-Butylbenzene	2	ND		ug/L	
1,2,4-Trimethylbenzene	2	ND		ug/L	
sec-Butylbenzene	2	ND		ug/L	
p-Isopropyltoluene (Cymene)	2	ND		ug/L	
1,2,3-Trimethylbenzene	2	ND		ug/L	
n-Butylbenzene	2	ND		ug/L	
1,2,4-Trichlorobenzene	2	ND	70	ug/L	Pass
Hexachlorobutadiene	2	ND		ug/L	
1,2,3-Trichlorobenzene	2	ND		ug/L	
Naphthalene	2	ND		ug/L	
Benzene	2	ND	5	ug/L	Pass
Total Trihalomethanes	0.5	ND	80	ug/L	Pass
Total Xylenes	0.5	ND	10000	ug/L	Pass
<b>Chlorinated Pesticides and Organohalides by EPA 508.1</b>					
Toxaphene	0.1	ND	3	ug/L	Pass
Chlordane	0.1	ND	2	ug/L	Pass
PCB 1016	0.08	ND	0.5	ug/L	Pass
PCB 1221	0.1	ND	0.5	ug/L	Pass
PCB 1232	0.1	ND	0.5	ug/L	Pass
PCB 1242	0.1	ND	0.5	ug/L	Pass



Sample Id: S-0002187307

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
<b>Organic Chemicals</b>					
PCB 1248	0.1	ND	0.5	ug/L	Pass
PCB 1254	0.1	ND	0.5	ug/L	Pass
PCB 1260	0.1	ND	0.5	ug/L	Pass
Endrin	0.01	ND	2	ug/L	Pass
Total PCBs	0.1	ND	0.5	ug/L	Pass
*Perfluorinated Compounds (PFC's) by EPA 537.1 - Enthalpy					
NEtFOSAA	2	ND		ng/L	
NMeFOSAA	2	ND		ng/L	
Perfluorobutanesulfonic acid	2	ND		ng/L	
Perfluorodecanoic acid	2	ND		ng/L	
Perfluorododecanoic acid	2	ND		ng/L	
Perfluoroheptanoic acid	2	ND		ng/L	
Perfluorohexanesulfonic acid	2	ND		ng/L	
Perfluorohexanoic acid	2	ND		ng/L	
Perfluorononanoic acid	2	ND		ng/L	
Perfluorooctanesulfonic acid	2	ND		ng/L	
Perfluorooctanoic acid	2	ND		ng/L	
Perfluorotradecanoic acid	2	ND		ng/L	
Perfluorotridecanoic acid	2	ND		ng/L	
Perfluoroundecanoic acid	2	ND		ng/L	
HFPO-DA/GenX	2	ND		ng/L	
ADONA	2	ND		ng/L	
9Cl-PF3ONS/F-53B Major	2	ND		ng/L	
11Cl-PF3OUdS/F-53B Minor	2	ND		ng/L	
* Herbicides (Ref: EPA 515.4)					
Dalapon	1	ND	200	ug/L	Pass
Dicamba	0.1	ND		ug/L	
2,4-D	0.1	ND	70	ug/L	Pass
Pentachlorophenol	0.04	ND	1	ug/L	Pass
2,4,5-TP	0.2	ND	50	ug/L	Pass
Dinoseb	0.2	ND	7	ug/L	Pass
Picloram	0.1	ND	500	ug/L	Pass
Bentazon	0.2	ND		ug/L	
DCPA Acid Metabolites	0.2	ND		ug/L	
<b>Miscellaneous</b>					
Radium-226	5	ND		pCi/L	
Radium-228	5	ND		pCi/L	
Radium-226, Radium-228 Combined	5	ND	5	pCi/L	Pass
Radium 226 Uncertainty +/-	0	0.2		pCi/L	
Radium 228 Uncertainty +/-	0	0.5		pCi/L	
Phenolics	0.001	ND	0.001	mg/L	Pass
3-Hydroxycarbofuran	0.5	ND		ug/L	
Aldicarb	0.5	ND		ug/L	
Aldicarb sulfone	0.7	ND		ug/L	
Aldicarb sulfoxide	0.5	ND		ug/L	
Carbaryl	0.5	ND		ug/L	
Carbofuran	0.9	ND	40	ug/L	Pass
Methomyl	0.5	ND		ug/L	
Oxamyl	1	ND	200	ug/L	Pass



Sample Id: **S-0002187307**

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
<b>Miscellaneous</b>					
Heterotrophic Plate Count- 35C, 48 hours	0	<1		CFU/mL	
Heterotrophic Plate Count- 35C, 72 hours	0	<1		CFU/mL	



<<Additional Information>>

Sample Id: S-0002187307

Test Parameter	Date Analyzed	Time Analyzed	Date Prepared/ Processed
<b>Physical Quality</b>			
Alkalinity (Ref: SM 2320-B)	4-FEB-2025		
<b>Test Notes</b> For alkalinity greater than or equal to 20mg CaCO3/L, the pH endpoint is 4.5.			
Color (Ref: SM 2120-B)	30-JAN-2025	12:10	
Specific Conductance at 25°C (Ref: EPA 120.1)	30-JAN-2025		
<b>Corrosivity (Ref: SM 2330-B)</b>			
<b>Test Notes</b> The corrosivity calculation uses half of the reporting limit for any calcium and/or bicarbonate/alkalinity value that has a result of less than the reporting limit.			
Hardness, Total (Ref: EPA 200.7)			
Solids, Total Dissolved (Ref: SM 2540-C)	4-FEB-2025		
Turbidity (Ref: EPA 180.1)	30-JAN-2025	10:10	
pH (Ref: SM4500-HB)	30-JAN-2025	08:40	
Odor, Threshold Number ( Ref. Standard Methods 2150 B)	10-FEB-2025	14:23	
Bicarbonate (Ref: SM 2320-B)			
<b>Microbiological Quality</b>			
#5 Coliforms and E. coli (Ref: SM 9223)- Performed at NSF Approved Subcontract Laboratory			30-JAN-2025 14:12
<b>Disinfection Residuals/Disinfection By-Products</b>			
Bromate (Ref: EPA 300.1)	7-FEB-2025		
Chloramines (Ref: SM 4500-Cl-G)	30-JAN-2025	10:51	
Chlorite (Ref: EPA 300.1)	7-FEB-2025		
Chlorine Dioxide (Ref: SM 4500-ClO2-D)	30-JAN-2025	10:51	
Haloacetic Acids (Ref: EPA 552.2)	10-FEB-2025		8-FEB-2025
Chlorine, Total Residual (ref. SM 4500CL-G)	30-JAN-2025	10:51	
<b>Radiologicals</b>			
Uranium in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Gross Alpha and Beta Radioactivity in Drinking Water (Ref: EPA 900.0)	3-FEB-2025		
<b>Inorganic Chemicals</b>			
Aluminum (Ref: EPA 200.8)	3-FEB-2025		
Antimony in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Barium in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Bromide (Ref: EPA 300.1)	7-FEB-2025		
Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Calcium in Drinking Water by ICPAES (Ref: EPA 200.7)	3-FEB-2025		



<<Additional Information>>

Sample Id: S-0002187307

Test Parameter	Date Analyzed	Time Analyzed	Date Prepared/ Processed
<b>Inorganic Chemicals</b>			
Chloride (Ref: EPA 300.0)	4-FEB-2025		
Chromium in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Copper in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Cyanide, Total (Ref: EPA 335.4)	5-FEB-2025		
Fluoride (Ref: SM 4500-F-C)	4-FEB-2025		
Iron in Drinking Water by ICPAES (Ref: EPA 200.7)	3-FEB-2025		
Lead in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7)	3-FEB-2025		
Manganese in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Mercury in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Nickel in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Nitrogen, Nitrate (Ref: EPA 300.0)	4-FEB-2025	11:52	
Nitrogen, Nitrite (Ref: EPA 300.0)	4-FEB-2025	11:52	
Total Nitrite + Nitrate-Nitrogen (Ref: EPA 300.0)			
Potassium by ICPAES (Ref: EPA 200.7)	3-FEB-2025		
Selenium in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Silver in Drinking Water by ICPMS (Ref: EPA 200.8) for BQ	7-FEB-2025		6-FEB-2025
Sodium in Drinking Water by ICPAES (Ref: EPA 200.7)	3-FEB-2025		
Sulfate as SO4 (Ref: EPA 300.0)	4-FEB-2025		
Surfactants, Methylene Blue Active Substances (Ref: SM 5540-C)	30-JAN-2025	14:34	
Thallium in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Zinc in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
#2 * Asbestos in Water (Ref: EPA 100.2)- EMSL	5-FEB-2025	00:00	4-FEB-2025 10:37
<b>Organic Chemicals</b>			
Diquat (Ref: EPA 549.2)	4-FEB-2025		4-FEB-2025
Endothall (Ref: EPA 548.1) - (ug/L)	3-FEB-2025		31-JAN-2025
Glyphosate (Ref: EPA 547)	31-JAN-2025		
Perchlorate (Ref: EPA 314.0)	19-FEB-2025		
2,3,7,8-TCDD (Ref: EPA 1613B)	5-FEB-2025		3-FEB-2025
Semivolatile Organic Compounds (Ref: EPA 525.2)	3-FEB-2025		30-JAN-2025
Volatiles: EDB and DBCP (Ref: EPA 504.1)	11-FEB-2025		
Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)	31-JAN-2025		
Chlorinated Pesticides and Organohalides by EPA 508.1	7-FEB-2025		
#3 *Perfluorinated Compounds (PFC's) by EPA 537.1 - Enthalpy	5-FEB-2025		



<<Additional Information>>

Sample Id: S-0002187307

Test Parameter	Date Analyzed	Time Analyzed	Date Prepared/ Processed
<b>Organic Chemicals</b>			
* Herbicides (Ref: EPA 515.4)	6-FEB-2025		5-FEB-2025
<b>Miscellaneous</b>			
#1 * Carbamate Pesticides (Ref. EPA 531.2) by NSF Approved Subcontract Laboratory	4-FEB-2025		
#4 * Radium-226, Radium-228 Combined Activity - General Engineering	11-FEB-2025		
#4 * Radium-226, Radium-228 Combined Activity - General Engineering	18-FEB-2025		
#5 *Phenolics, Total Recoverable (EPA 420.4) National Testing Laboratories, Ltd.	5-FEB-2025	00:00	
#5 Heterotrophic Plate Count (Ref: SM 9215B)- Performed at NSF Approved Subcontract Laboratory	30-JAN-2025	14:00	30-JAN-2025 14:00



**Job Notes:**

The NSF Ann Arbor Laboratory is currently in applied status for certification for the state of California (#03214 CA). The applied status is based on a recent change in the CA reciprocity certification requirements and is not reflective of any change in quality for the NSF Ann Arbor Laboratory.



**Testing Laboratories:**

	<b>Flag</b>	<b>Id</b>	<b>Address</b>
All work performed at: (Unless otherwise specified)	→	NSF_AA	NSF 789 N. Dixboro Road Ann Arbor MI 48105
	#5	EEA	Eurofins Eaton Analytical, Inc. 750 Royal Oaks Dr, Suite 100 Monrovia, CA 91016 NY Lic. # 11320 MI Lic. # 9906
	#1	EMSL	EMSL Analytical Inc. 200 Route 130 North Cinnaminson, NJ 08077 USA NY Lic. # 10872
	#2	ENTHALPY	Enthalpy 1104 Windfield Way El Dorado Hills California 95762 USA
	#4	GENENG	GEL Laboratories LLC 2040 Savage Road Charleston, SC 29407 NELAP PA certificate number 68-000485 Arizona License #AZ0668 NY Lic. # 11501 MI Lic. # 9976
	#3	NTL	National Testing Laboratories, LTD. 556 S. Mansfield Ypsilanti, MI 48197 USA NY Lic. # 11467

**References to Testing Procedures:**

<b>NSF Reference</b>	<b>Parameter / Test Description</b>
C0104	* Radium-226, Radium-228 Combined Activity - General Engineering
C0842	Gross Alpha and Beta Radioactivity in Drinking Water (Ref: EPA 900.0)
C1188	Odor, Threshold Number ( Ref. Standard Methods 2150 B)
C1295	Silver in Drinking Water by ICPMS (Ref: EPA 200.8) for BQ
C1302	* Herbicides (Ref: EPA 515.4)
C1361	Bicarbonate (Ref: SM 2320-B)
C1536	* Asbestos in Water (Ref: EPA 100.2)- EMSL
C1556	*Perfluorinated Compounds (PFC's) by EPA 537.1 - Enthalpy
C1565	*Phenolics, Total Recoverable (EPA 420.4) National Testing Laboratories, Ltd.
C1933	* Carbamate Pesticides (Ref. EPA 531.2) by NSF Approved Subcontract Laboratory
C2015	2,3,7,8-TCDD (Ref: EPA 1613B)
C3013	Chloride (Ref: EPA 300.0)
C3014	Bromide (Ref: EPA 300.1)
C3015	Bromate (Ref: EPA 300.1)
C3016	Nitrogen, Nitrate (Ref: EPA 300.0)
C3017	Nitrogen, Nitrite (Ref: EPA 300.0)
C3018	Sulfate as SO4 (Ref: EPA 300.0)
C3019	Cyanide, Total (Ref: EPA 335.4)
C3025	Chlorite (Ref: EPA 300.1)



References to Testing Procedures: (Cont'd)

NSF Reference	Parameter / Test Description
C3033	Aluminum (Ref: EPA 200.8)
C3036	Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8)
C3039	Barium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3042	Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3044	Calcium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3047	Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3053	Chromium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3059	Copper in Drinking Water by ICPMS (Ref: EPA 200.8)
C3064	Iron in Drinking Water by ICPAES (Ref: EPA 200.7)
C3072	Mercury in Drinking Water by ICPMS (Ref: EPA 200.8)
C3079	Potassium by ICPAES (Ref: EPA 200.7)
C3085	Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3086	Manganese in Drinking Water by ICPMS (Ref: EPA 200.8)
C3091	Sodium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3094	Nickel in Drinking Water by ICPMS (Ref: EPA 200.8)
C3101	Lead in Drinking Water by ICPMS (Ref: EPA 200.8)
C3114	Antimony in Drinking Water by ICPMS (Ref: EPA 200.8)
C3116	Selenium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3128	Thallium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3136	Zinc in Drinking Water by ICPMS (Ref: EPA 200.8)
C3144	Solids, Total Dissolved (Ref: SM 2540-C)
C3145	Turbidity (Ref: EPA 180.1)
C3155	Surfactants, Methylene Blue Active Substances (Ref: SM 5540-C)
C3157	Color (Ref: SM 2120-B)
C3158	Specific Conductance at 25°C (Ref: EPA 120.1)
C3159	pH (Ref: SM4500-HB)
C3161	Hardness, Total (Ref: EPA 200.7)
C3168	Chlorine Dioxide (Ref: SM 4500-CIO2-D)
C3169	Chloramines (Ref: SM 4500-CI-G)
C3170	Fluoride (Ref: SM 4500-F-C)
C3174	Alkalinity (Ref: SM 2320-B)
C3210	Corrosivity (Ref: SM 2330-B)
C3342	Total Nitrite + Nitrate-Nitrogen (Ref: EPA 300.0)
C3393	Chlorine, Total Residual (ref. SM 4500CL-G)
C4145	Diquat (Ref: EPA 549.2)
C4154	Endothall (Ref. EPA 548.1) - (ug/L)
C4193	Glyphosate (Ref: EPA 547)
C4198	Haloacetic Acids (Ref: EPA 552.2)
C4343	Semivolatile Organic Compounds (Ref: EPA 525.2)
C4411	Volatiles: EDB and DBCP (Ref: EPA 504.1)
C4496	Uranium in Drinking Water by ICPMS (Ref: EPA 200.8)
C4497	Perchlorate (Ref: EPA 314.0)
C4661	Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)
C4669	Chlorinated Pesticides and Organohalides by EPA 508.1
M1094	Heterotrophic Plate Count (Ref: SM 9215B)- Performed at NSF Approved Subcontract Laboratory
M1115	Coliforms and E. coli (Ref: SM 9223)- Performed at NSF Approved Subcontract Laboratory

Laboratory Certifications:

Arizona ( # AZ0655 )	Connecticut ( # PH-0625 )	Florida ( # E-87752 FL )
Hawaii	Indiana	Maryland ( # 201 )
Michigan ( # 0048 )	North Carolina ( # 26701 )	New Jersey ( # MI770 )
Nevada ( # MI000302010A )	New York ( # 11206 )	Pennsylvania ( # 68-00312 )
South Carolina ( # 81005 )	Virginia ( # 00045 )	Vermont ( # VT 11206 )



**Laboratory Certifications:** ( Cont'd )

---

---

Test descriptions preceded by an asterisk "\*" indicate that testing has been performed per NSF requirements but is not within its 17025 scope of accreditation.

Unless otherwise indicated, method uncertainties are not applied in any determinations of conformity. Testing utilizes the requested sections of any referenced standards, which may not be the entire standard.

**Dates of Laboratory Activity: 30-JAN-2025 to 20-FEB-2025**

The reported result for Total Recoverable Phenolics, Potassium, Molybdenum, Silica, Total Phosphorus, Radon, Sr-89/90, Bicarbonate, Bromochloroacetic Acid, Total Haloacetic acid, Bentazon, DCPA Acid Metabolites, EPTC, Dimethylphthalate, 2,6-Dinitrotoluene, 2,4-Dinitrotoluene, Molinate, Diethylphthalate, Terbacil, Di-n-butylphthalate, p,p'-DDE (4,4'-DDE), Butylbenzylphthalate, Trichlorotrifluoroethane, Methyl Ethyl Ketone, 1,2,3-Trimethylbenzene, Epichlorohydrin, or 1,4-Dioxane if performed, cannot be used for compliance purposes within the State of Arizona. Certifications are not offered for these compounds in a drinking water matrix.

The reported results for Total Recoverable Phenolics, pH, Bicarbonate and Temperature, if performed, are not covered by New York State drinking water certifications. NSF is not certified for Carbamate Pesticides, Total Radium-226, Radium-228 Combined Activity, Chlorine Dioxide, Chloramines, Total Residual Chlorine, Total Haloacetic acid, Bentazon, DCPA Acid Metabolites, EPTC, Dimethylphthalate, 2,6-Dinitrotoluene, 2,4-Dinitrotoluene, Molinate, Diethylphthalate, Terbacil, Di-n-butylphthalate, p,p'-DDE (4,4'-DDE), Butylbenzylphthalate, Trichlorotrifluoroethane, Methyl Ethyl Ketone, 1,2,3-Trimethylbenzene, Epichlorohydrin, or 1,4-Dioxane in the State of New York.

Notes:

- 1) Bottled water sold in the United States shall not contain Fluoride in excess of the levels published by the USFDA in 21 CFR Part 165.110. These levels are based on the annual average of maximum daily air temperatures at the location where the bottled water is sold at retail. Please refer to the most current edition of the regulation to determine the Fluoride maximum level that pertains to your product.
- 2) A blank on the FDA SOQ column indicates that no maximum level has been established by the FDA for that contaminant.
- 3) An ND result means that the contaminant was not detected at or above the reporting limit.

For a list of NSF Method Detection Limits refer to

[https://d2evkimvhatqav.cloudfront.net/documents/external/minimum\\_detection\\_level\\_spreadsheet.pdf](https://d2evkimvhatqav.cloudfront.net/documents/external/minimum_detection_level_spreadsheet.pdf)