

Evian agua natural de manantial

Informe del agua embotellada de California

EL ESTADO DE CALIFORNIA REQUIERE QUE LA SIGUIENTE INFORMACION SEA PROVEIADA A LOS CONSUMIDORES DE AGUA EMBOTELLADA CAUNDO ESTOS ÚLTIMOS LA PIDAN.

Evian agua natural de manantial
Sociedad de agua mineral Evian
Danone Waters of America LLC
1 Maple Avenue
White Plains, NY 10605
1-800-633-3363

Source: Manantial Cachat

Condiciones:

"declaración de calidad" – el patrón o norma (declaración) de calidad para el agua embotellada es el nivel más alto que un contaminante está permitido en un envase de agua embotellada, según lo establecido por la Administración de Drogas y Alimentos de los Estados Unidos (FDA) y el Departamento de Salud Pública de California. Los estándares no pueden proteger menos la salud pública que los estándares para el agua potable pública, establecidos por la Agencia de Protección Ambiental de los Estados Unidos (EPA) o el Departamento de Salud Pública de California.

"objetivo de la salud pública (PHG)" – Que el nivel de un contaminante en el agua potable este por debajo del cual no hay riesgo conocido o previsto para la salud. Las PHGs son fijadas por la Agencia de Protección Ambiental de California.

"Nivel máximo del contaminante (MCL)" – Es el nivel más alto que un contaminante está permitido en el agua potable, establecido por la Agencia de Protección Ambiental de los Estados Unidos (EPA) o el Departamento de la Salud Pública de California. MCLs primarios se fijan tan cercanos a las PHGs como sea económica y tecnológicamente factible.

"norma primaria para agua potable" – MCLs para los contaminantes que afectan la salud establecidos por la Agencia de Protección Ambiental de los Estados Unidos (EPA) o el Departamento de la Salud Pública de California junto con sus requisitos de monitoreo y preparación de informes, y requisitos de tratamiento de aguas.

Tratamiento del agua: Menos del 20% del caudal de Evian agua natural de manantial es filtrada atravez del uso de arena verde (arena verde: dióxido de manganeso), tratamiento que remueve hierro y manganeso (minerales inofensivos) por razones estéticas

Sitio Internet de la FDA para la recuperación de producto: <https://www.fda.gov/safety/recalls-market-withdrawals-safety-alerts>

Nuestro producto ha sido completamente testado conforme a las leyes federales y de las California. Nuestra agua embotellada es un producto alimenticio y no puede ser vendido a menos que cumpla las normas establecidas por la Administración de Drogas y Alimentos de los Estados Unidos y el Departamento de Salud Pública de California. Las siguientes declaraciones son requeridas bajo las leyes de California:

En el agua potable, incluyendo el agua embotellada, se puede esperar, razonablemente, que contenga por lo menos pequeñas cantidades de algunos contaminantes. La presencia de contaminantes no indica necesariamente que el agua contituya un riesgo para la salud. Mayor información sobre los contaminantes y los posibles efectos sobre la

salud puede ser obtenida llamando a la Administración de Drogas y Alimentos de los Estados Unidos, usando la Línea Directa sobre Alimentos y Cosméticos (1-888-723-3366)."

"Algunas personas pueden ser más vulnerables a los contaminantes en el agua potable que el resto de la población. Las personas inmuno-comprometidas, incluyendo, pero no limitando a, personas con cáncer que estén bajo quimioterapia, personas que hayan recibido trasplantes de órganos, personas con HIV/AIDS (SIDA) u otros desórdenes del sistema inmunológico, algunas personas de edad avanzada, y los niños pequeños pueden estar particularmente a riesgo de infecciones. Estas personas deben buscar consejo acerca del agua potable con sus proveedores de servicios de salud. Las guías de la Agencia de Protección Ambiental de Estados Unidos y de los Centros para el Control y la Prevención de Enfermedades sobre las medidas apropiadas para disminuir el riesgo de infección por Cryptosporidium y otros contaminantes microbianos están disponibles a través de la Línea Directa sobre Agua Potable Segura (1-800-426-4791)."

"Las fuentes del agua embotellada incluyen los ríos, los lagos, las corrientes, los estanques, los embalses, los manantiales, y los pozos. Mientras que el agua viaja naturalmente sobre la superficie de la tierra o a través de los suelos, puede recoger substancias que ocurren naturalmente, así como también substancias que están presentes debido a la actividad humana y a la fauna. Las substancias que puedan estar presentes en la fuente de agua incluyen cualquiera de las siguientes:

- 1. Las substancias inorgánicas, incluyendo, pero no limitadas a, las sales y los metales, que pueden ocurrir naturalmente o como resultado de cultivos agrícolas, arrastre de aguas pluviales urbanas, aguas servidas industriales o domésticas, o producción de petróleo y gas*
- 2. Los plaguicidas y herbicidas que pueden proceder de una variedad de fuentes, incluyendo pero no limitando a, la agricultura, el arrastre de aguas pluviales urbanas, y las aplicaciones residenciales.*
- 3. Las sustancias orgánicas que son subproductos de procesos industriales y de la producción del petróleo y pueden provenir de gasolineras, del arrastre de aguas pluviales urbanas, del uso agrícola, y de sistemas sépticos.*
- 4. Organismos microbianos que pueden originarse en la fauna, las operaciones de cría de ganado, las plantas de tratamiento de aguas residuales, y los sistemas sépticos.*
- 5. Las substancias con características radioactivas que pueden ocurrir naturalmente o sean el resultado de la producción de petróleo y gas, y de las actividades de minería."*

"Para asegurarse que el agua embotellada sea segura al consumo, la Administración de Alimentos y Drogas de los Estados Unidos y el Departamento de la Salud Pública del Estado prescriben las regulaciones que limitan la cantidad de ciertos contaminantes en el agua suministrada por las compañías embotelladoras de agua."



789 N. Dixboro Rd. Ann Arbor, MI 48105, USA
1-800.NSF.MARK | +1-734.769.8010 | www.nsf.org

TEST REPORT

Send To: 40450

Isha SAINI
Societe Anonyme des Eaux Minerales d'Evian
11 Av du General Dupas
74500 Evian-Les-Bains
France

Facility: 40451

Societe Anonyme des Eaux Minerales d'Evian
B.P. 87, Place de la Gare
74503 Evian
Cedex
France

Result	PASS	Final Report Date	20-FEB-2025
Customer Name	Societe Anonyme des Eaux Minerales d'Evian		
Tested To	USFDA CFR Title 21 Part 165.110		
Description	Evian Natural Spring Water - Line 4		
Test Type	Annual Collection		
Job Number	A-00504667		
Project Number	W0943667		
Project Manager	Kira O'Brien		

Thank you for having your product tested by NSF.

Please contact your Project Manager if you have any questions or concerns pertaining to this report.

Report Authorization *Nancy F. Cole*
Nancy Cole - Director, Analysis Laboratories

Date 20-FEB-2025



General Information

Standard: USFDA CFR Title 21 Part 165.110
Collected by: Amberlin Booth
Lot Number: 17 01 2027 L4 10:42
Product Description: Natural Spring Water - Line 4
Trade Name: Evian

Sample Id: **S-0002187285**
Description: Natural Spring Water - Line 4 | 17 01 2027 L4 10:42
Sampled Date: 01/30/2025
Received Date: 01/28/2025

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
Physical Quality					
Alkalinity as CaCO3	5	290		mg CaCO3/L	
Color	5	ND	15	Color Unit	Pass
Color Type		Apparent			
Specific Conductance	10	600		umhos/cm	
Temperature	0	22		degrees C	
Corrosivity		0.95			
Hardness, Total	2	310		mg CaCO3/L	
Solids Total Dissolved	5	340	500	mg/L	Pass
Turbidity	0.1	ND	5	NTU	Pass
pH	0.01	7.95			
Temperature	0	23		deg. C	
Odor, Threshold	1	ND	3	TON	Pass
Temperature	0	60		deg_C	
Bicarbonate	5	283.3		mg CaCO3/L	
Microbiological Quality					
Coliform in Water/100 mL		Absent			Pass
E. Coli in Water/100 mL		Absent			Pass
Disinfection Residuals/Disinfection By-Products					
Bromate	5	ND	10	ug/L	Pass
Monochloramine	0.05	ND		mg/L	
Dichloramine	0.05	ND		mg/L	
Nitrogen trichloride	0.05	ND		mg/L	
Chloramine, Total	0.05	ND	4	mg/L	Pass
Chlorite	10	ND	1000	ug/L	Pass
Chlorine Dioxide	0.1	ND	0.8	mg/L	Pass
Monochloroacetic Acid	2	ND		ug/L	
Monobromoacetic Acid	1	ND		ug/L	
Dichloroacetic Acid	1	ND		ug/L	
Bromochloroacetic Acid	1	ND		ug/L	
Trichloroacetic Acid	1	ND		ug/L	
Dibromoacetic Acid	1	ND		ug/L	
Total Haloacetic Acid	1	ND	60	ug/L	Pass
Chlorine, Total Residual	0.05	ND	4	mg/L	Pass
Radiologicals					
Uranium	0.001	0.002	0.03	mg/L	Pass
P1 Gross Alpha	3	3	15	pCi/L	Pass
P1 Gross Beta	4	ND	50	pCi/L	Pass
Alpha Uncertainty +/-	0	2		pCi/L	
Beta Uncertainty +/-	0	1		pCi/L	



Sample Id: S-0002187285

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
Inorganic Chemicals					
Aluminum	0.01	ND	0.2	mg/L	Pass
Antimony	0.0005	ND	0.006	mg/L	Pass
Arsenic	0.001	ND	0.01	mg/L	Pass
Barium	0.002	0.12	2	mg/L	Pass
Beryllium	0.0002	ND	0.004	mg/L	Pass
Bromide	10	10		ug/L	
Cadmium	0.0002	ND	0.005	mg/L	Pass
Calcium	0.2	81		mg/L	
Chloride	2	11	250	mg/L	Pass
Chromium (includes Hexavalent Chromium)	0.001	0.001	0.1	mg/L	Pass
Copper	0.001	ND	1	mg/L	Pass
Cyanide, Total	0.005	ND	0.2	mg/L	Pass
Fluoride	0.1	ND		mg/L	
Iron	0.02	ND	0.3	mg/L	Pass
Lead	0.0005	ND	0.005	mg/L	Pass
Magnesium	0.2	26		mg/L	
Manganese	0.001	ND	0.05	mg/L	Pass
Mercury	0.0002	ND	0.002	mg/L	Pass
Nickel	0.0005	0.002	0.1	mg/L	Pass
Nitrogen, Nitrate	0.01	0.88	10	mg/L N	Pass
Nitrogen, Nitrite	0.004	ND	1	mg/L N	Pass
Total Nitrate + Nitrite-Nitrogen	0.01	0.88	10	mg/L	Pass
Potassium	0.5	1.1		mg/L	
Selenium	0.001	ND	0.05	mg/L	Pass
Silver	0.001	ND	0.1	mg/L	Pass
Sodium	0.2	7.1		mg/L	
Sulfate as SO4	5	13	250	mg/L	Pass
MBAS, calc. as LAS Mol.Wt. 320	0.2	ND		mg/L	
Thallium	0.0002	ND	0.002	mg/L	Pass
Zinc	0.01	ND	5	mg/L	Pass
Chrysotile Fibers	0.2	ND		MFL	
Amphibole Fibers	0.2	ND		MFL	
Single Fiber Detection Limit	0.2	ND		MFL	
Organic Chemicals					
Diquat (Ref: EPA 549.2)					
Diquat	0.4	ND	20	ug/L	Pass
Endothall (Ref: EPA 548.1) - (ug/L)					
Endothall	2	ND	100	ug/L	Pass
Glyphosate (Ref: EPA 547)					
Glyphosate	6	ND	700	ug/L	Pass
Perchlorate (Ref: EPA 314.0)					
Perchlorate	1	ND		ug/L	
2,3,7,8-TCDD (Ref: EPA 1613B)					
2,3,7,8-Tetrachlorodibenzo-p-dioxin	5	ND	30	pg/L	Pass
Semivolatile Organic Compounds (Ref: EPA 525.2)					
Hexachlorocyclopentadiene	0.1	ND	50	ug/L	Pass
EPTC	0.5	ND		ug/L	
Dimethylphthalate	2	ND		ug/L	
2,6-Dinitrotoluene	0.5	ND		ug/L	



Sample Id: S-0002187285

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
Organic Chemicals					
2,4 Dinitrotoluene	0.5	ND		ug/L	
Molinate	0.1	ND		ug/L	
Diethylphthalate	2	ND		ug/L	
Propachlor	0.1	ND		ug/L	
Hexachlorobenzene	0.1	ND	1	ug/L	Pass
Simazine	0.07	ND	4	ug/L	Pass
Atrazine	0.1	ND	3	ug/L	Pass
Lindane	0.02	ND	0.2	ug/L	Pass
Terbacil	0.5	ND		ug/L	
Metribuzin	0.1	ND		ug/L	
Alachlor	0.1	ND	2	ug/L	Pass
Heptachlor	0.04	ND	0.4	ug/L	Pass
Di-n-butylphthalate	2	ND		ug/L	
Metolachlor	0.1	ND		ug/L	
Aldrin	0.08	ND		ug/L	
Heptachlor Epoxide	0.02	ND	0.2	ug/L	Pass
Butachlor	0.2	ND		ug/L	
p,p'-DDE (4,4'-DDE)	0.5	ND		ug/L	
Dieldrin	0.5	ND		ug/L	
Endrin	0.1	ND	2	ug/L	Pass
Butylbenzylphthalate	2	ND		ug/L	
bis(2-Ethylhexyl)adipate	0.6	ND	400	ug/L	Pass
Methoxychlor	0.1	ND	40	ug/L	Pass
bis(2-Ethylhexyl)phthalate (DEHP)	0.6	ND	6	ug/L	Pass
Benzo(a)Pyrene	0.02	ND	0.2	ug/L	Pass
Volatiles: EDB and DBCP (Ref: EPA 504.1)					
Ethylene Dibromide (EDB)	0.01	ND	0.05	ug/L	Pass
1,2-Dibromo-3-Chloropropane (DBCP)	0.01	ND	0.2	ug/L	Pass
Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)					
Dichlorodifluoromethane	0.5	ND		ug/L	
Chloromethane	0.5	ND		ug/L	
Vinyl Chloride	0.5	ND	2	ug/L	Pass
Bromomethane	0.5	ND		ug/L	
Chloroethane	0.5	ND		ug/L	
Trichlorofluoromethane	0.5	ND		ug/L	
Trichlorotrifluoroethane	0.5	ND		ug/L	
Methylene Chloride	0.5	ND	5	ug/L	Pass
1,1-Dichloroethylene	0.5	ND	7	ug/L	Pass
trans-1,2-Dichloroethylene	0.5	ND	100	ug/L	Pass
1,1-Dichloroethane	0.5	ND		ug/L	
2,2-Dichloropropane	0.5	ND		ug/L	
cis-1,2-Dichloroethylene	0.5	ND	70	ug/L	Pass
Chloroform	0.5	ND		ug/L	
Bromochloromethane	0.5	ND		ug/L	
1,1,1-Trichloroethane	0.5	ND	200	ug/L	Pass
1,1-Dichloropropene	0.5	ND		ug/L	
Carbon Tetrachloride	0.5	ND	5	ug/L	Pass
1,2-Dichloroethane	0.5	ND	5	ug/L	Pass
Trichloroethylene	0.5	ND	5	ug/L	Pass



Sample Id: S-0002187285

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
Organic Chemicals					
1,2-Dichloropropane	0.5	ND	5	ug/L	Pass
Bromodichloromethane	0.5	ND		ug/L	
Dibromomethane	0.5	ND		ug/L	
cis-1,3-Dichloropropene	0.5	ND		ug/L	
trans-1,3-Dichloropropene	0.5	ND		ug/L	
1,1,2-Trichloroethane	0.5	ND	5	ug/L	Pass
1,3-Dichloropropane	0.5	ND		ug/L	
Tetrachloroethylene	0.5	ND	5	ug/L	Pass
Chlorodibromomethane	0.5	ND		ug/L	
Chlorobenzene	0.5	ND	100	ug/L	Pass
1,1,1,2-Tetrachloroethane	0.5	ND		ug/L	
Bromoform	0.5	ND		ug/L	
1,1,2,2-Tetrachloroethane	0.5	ND		ug/L	
1,2,3-Trichloropropane	0.5	ND		ug/L	
1,3-Dichlorobenzene	0.5	ND		ug/L	
1,4-Dichlorobenzene	0.5	ND	75	ug/L	Pass
1,2-Dichlorobenzene	0.5	ND	600	ug/L	Pass
Methyl-tert-Butyl Ether (MTBE)	0.5	ND		ug/L	
Toluene	0.5	ND	1000	ug/L	Pass
Ethyl Benzene	0.5	ND	700	ug/L	Pass
m+p-Xylenes	1	ND		ug/L	
o-Xylene	0.5	ND		ug/L	
Styrene	0.5	ND	100	ug/L	Pass
Isopropylbenzene (Cumene)	0.5	ND		ug/L	
n-Propylbenzene	0.5	ND		ug/L	
Bromobenzene	0.5	ND		ug/L	
2-Chlorotoluene	0.5	ND		ug/L	
4-Chlorotoluene	0.5	ND		ug/L	
1,3,5-Trimethylbenzene	0.5	ND		ug/L	
tert-Butylbenzene	0.5	ND		ug/L	
1,2,4-Trimethylbenzene	0.5	ND		ug/L	
sec-Butylbenzene	0.5	ND		ug/L	
p-Isopropyltoluene (Cymene)	0.5	ND		ug/L	
1,2,3-Trimethylbenzene	0.5	ND		ug/L	
n-Butylbenzene	0.5	ND		ug/L	
1,2,4-Trichlorobenzene	0.5	ND	70	ug/L	Pass
Hexachlorobutadiene	0.5	ND		ug/L	
1,2,3-Trichlorobenzene	0.5	ND		ug/L	
Naphthalene	0.5	ND		ug/L	
Benzene	0.5	ND	5	ug/L	Pass
Total Trihalomethanes	0.5	ND	80	ug/L	Pass
Total Xylenes	0.5	ND	10000	ug/L	Pass
Chlorinated Pesticides and Organohalides by EPA 508.1					
Toxaphene	0.1	ND	3	ug/L	Pass
Chlordane	0.1	ND	2	ug/L	Pass
PCB 1016	0.08	ND	0.5	ug/L	Pass
PCB 1221	0.1	ND	0.5	ug/L	Pass
PCB 1232	0.1	ND	0.5	ug/L	Pass
PCB 1242	0.1	ND	0.5	ug/L	Pass



Sample Id: S-0002187285

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
Organic Chemicals					
PCB 1248	0.1	ND	0.5	ug/L	Pass
PCB 1254	0.1	ND	0.5	ug/L	Pass
PCB 1260	0.1	ND	0.5	ug/L	Pass
Endrin	0.01	ND	2	ug/L	Pass
Total PCBs	0.1	ND	0.5	ug/L	Pass
*Perfluorinated Compounds (PFC's) by EPA 537.1 - Enthalpy					
NEtFOSAA	2	ND		ng/L	
NMeFOSAA	2	ND		ng/L	
Perfluorobutanesulfonic acid	2	ND		ng/L	
Perfluorodecanoic acid	2	ND		ng/L	
Perfluorododecanoic acid	2	ND		ng/L	
Perfluoroheptanoic acid	2	ND		ng/L	
Perfluorohexanesulfonic acid	2	ND		ng/L	
Perfluorohexanoic acid	2	ND		ng/L	
Perfluorononanoic acid	2	ND		ng/L	
Perfluorooctanesulfonic acid	2	ND		ng/L	
Perfluorooctanoic acid	2	ND		ng/L	
Perfluorotradecanoic acid	2	ND		ng/L	
Perfluorotridecanoic acid	2	ND		ng/L	
Perfluoroundecanoic acid	2	ND		ng/L	
HFPO-DA/GenX	2	ND		ng/L	
ADONA	2	ND		ng/L	
9Cl-PF3ONS/F-53B Major	2	ND		ng/L	
11Cl-PF3OUdS/F-53B Minor	2	ND		ng/L	
* Herbicides (Ref: EPA 515.4)					
Dalapon	1	ND	200	ug/L	Pass
Dicamba	0.1	ND		ug/L	
2,4-D	0.1	ND	70	ug/L	Pass
Pentachlorophenol	0.04	ND	1	ug/L	Pass
2,4,5-TP	0.2	ND	50	ug/L	Pass
Dinoseb	0.2	ND	7	ug/L	Pass
Picloram	0.1	ND	500	ug/L	Pass
Bentazon	0.2	ND		ug/L	
DCPA Acid Metabolites	0.2	ND		ug/L	
Miscellaneous					
Radium-226	5	ND		pCi/L	
Radium-228	5	ND		pCi/L	
Radium-226, Radium-228 Combined	5	ND	5	pCi/L	Pass
Radium 226 Uncertainty +/-	0	0.2		pCi/L	
Radium 228 Uncertainty +/-	0	0.5		pCi/L	
Phenolics	0.001	ND	0.001	mg/L	Pass
3-Hydroxycarbofuran	0.5	ND		ug/L	
Aldicarb	0.5	ND		ug/L	
Aldicarb sulfone	0.7	ND		ug/L	
Aldicarb sulfoxide	0.5	ND		ug/L	
Carbaryl	0.5	ND		ug/L	
Carbofuran	0.9	ND	40	ug/L	Pass
Methomyl	0.5	ND		ug/L	
Oxamyl	1	ND	200	ug/L	Pass



Sample Id: **S-0002187285**

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
Miscellaneous					
Heterotrophic Plate Count- 35C, 48 hours	0	<1		CFU/mL	
Heterotrophic Plate Count- 35C, 72 hours	0	<1		CFU/mL	



<<Additional Information>>

Sample Id: S-0002187285

Test Parameter	Date Analyzed	Time Analyzed	Date Prepared/ Processed
Physical Quality			
Alkalinity (Ref: SM 2320-B)	4-FEB-2025		
Test Notes For alkalinity greater than or equal to 20mg CaCO3/L, the pH endpoint is 4.5.			
Color (Ref: SM 2120-B)	30-JAN-2025	12:10	
Specific Conductance at 25°C (Ref: EPA 120.1)	30-JAN-2025		
Corrosivity (Ref: SM 2330-B)			
Test Notes The corrosivity calculation uses half of the reporting limit for any calcium and/or bicarbonate/alkalinity value that has a result of less than the reporting limit.			
Hardness, Total (Ref: EPA 200.7)			
Solids, Total Dissolved (Ref: SM 2540-C)	30-JAN-2025		
Turbidity (Ref: EPA 180.1)	30-JAN-2025	10:03	
pH (Ref: SM4500-HB)	30-JAN-2025	08:26	
Odor, Threshold Number (Ref. Standard Methods 2150 B)	10-FEB-2025	14:23	
Bicarbonate (Ref: SM 2320-B)			
Microbiological Quality			
#5 Coliforms and E. coli (Ref: SM 9223)- Performed at NSF Approved Subcontract Laboratory			30-JAN-2025 14:12
Disinfection Residuals/Disinfection By-Products			
Bromate (Ref: EPA 300.1)	31-JAN-2025		
Chloramines (Ref: SM 4500-Cl-G)	30-JAN-2025	11:12	
Chlorite (Ref: EPA 300.1)	31-JAN-2025		
Chlorine Dioxide (Ref: SM 4500-ClO2-D)	30-JAN-2025	11:12	
Haloacetic Acids (Ref: EPA 552.2)	10-FEB-2025		8-FEB-2025
Chlorine, Total Residual (ref. SM 4500CL-G)	30-JAN-2025	11:12	
Radiologicals			
Uranium in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Gross Alpha and Beta Radioactivity in Drinking Water (Ref: EPA 900.0)	3-FEB-2025		
Inorganic Chemicals			
Aluminum (Ref: EPA 200.8)	3-FEB-2025		
Antimony in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Barium in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Bromide (Ref: EPA 300.1)	31-JAN-2025		
Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Calcium in Drinking Water by ICPAES (Ref: EPA 200.7)	3-FEB-2025		



<<Additional Information>>

Sample Id: S-0002187285

Test Parameter	Date Analyzed	Time Analyzed	Date Prepared/ Processed
Inorganic Chemicals			
Chloride (Ref: EPA 300.0)	4-FEB-2025		
Chromium in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Copper in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Cyanide, Total (Ref: EPA 335.4)	5-FEB-2025		
Fluoride (Ref: SM 4500-F-C)	4-FEB-2025		
Iron in Drinking Water by ICPAES (Ref: EPA 200.7)	3-FEB-2025		
Lead in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7)	3-FEB-2025		
Manganese in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Mercury in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Nickel in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Nitrogen, Nitrate (Ref: EPA 300.0)	4-FEB-2025	11:00	
Nitrogen, Nitrite (Ref: EPA 300.0)	4-FEB-2025	11:00	
Total Nitrite + Nitrate-Nitrogen (Ref: EPA 300.0)			
Potassium by ICPAES (Ref: EPA 200.7)	3-FEB-2025		
Selenium in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Silver in Drinking Water by ICPMS (Ref: EPA 200.8) for BQ	7-FEB-2025		6-FEB-2025
Sodium in Drinking Water by ICPAES (Ref: EPA 200.7)	3-FEB-2025		
Sulfate as SO4 (Ref: EPA 300.0)	4-FEB-2025		
Surfactants, Methylene Blue Active Substances (Ref: SM 5540-C)	30-JAN-2025	14:34	
Thallium in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Zinc in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
#2 * Asbestos in Water (Ref: EPA 100.2)- EMSL	5-FEB-2025	00:00	4-FEB-2025 10:25
Organic Chemicals			
Diquat (Ref: EPA 549.2)	4-FEB-2025		4-FEB-2025
Endothall (Ref: EPA 548.1) - (ug/L)	3-FEB-2025		31-JAN-2025
Glyphosate (Ref: EPA 547)	31-JAN-2025		
Perchlorate (Ref: EPA 314.0)	19-FEB-2025		
2,3,7,8-TCDD (Ref: EPA 1613B)	5-FEB-2025		3-FEB-2025
Semivolatile Organic Compounds (Ref: EPA 525.2)	3-FEB-2025		30-JAN-2025
Volatiles: EDB and DBCP (Ref: EPA 504.1)	11-FEB-2025		
Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)	31-JAN-2025		
Chlorinated Pesticides and Organohalides by EPA 508.1	7-FEB-2025		
#3 *Perfluorinated Compounds (PFC's) by EPA 537.1 - Enthalpy	5-FEB-2025		



<<Additional Information>>

Sample Id: S-0002187285

Test Parameter	Date Analyzed	Time Analyzed	Date Prepared/ Processed
Organic Chemicals			
* Herbicides (Ref: EPA 515.4)	6-FEB-2025		5-FEB-2025
Miscellaneous			
#1 * Carbamate Pesticides (Ref. EPA 531.2) by NSF Approved Subcontract Laboratory	4-FEB-2025		
#4 * Radium-226, Radium-228 Combined Activity - General Engineering	11-FEB-2025		
#4 * Radium-226, Radium-228 Combined Activity - General Engineering	18-FEB-2025		
#5 *Phenolics, Total Recoverable (EPA 420.4) National Testing Laboratories, Ltd.	5-FEB-2025	00:00	
#5 Heterotrophic Plate Count (Ref: SM 9215B)- Performed at NSF Approved Subcontract Laboratory	30-JAN-2025	14:00	30-JAN-2025 14:00



Testing Laboratories:

	<u>Flag</u>	<u>Id</u>	<u>Address</u>
All work performed at: (Unless otherwise specified)	→	NSF_AA	NSF 789 N. Dixboro Road Ann Arbor MI 48105
	#5	EEA	Eurofins Eaton Analytical, Inc. 750 Royal Oaks Dr, Suite 100 Monrovia, CA 91016 NY Lic. # 11320 MI Lic. # 9906
	#1	EMSL	EMSL Analytical Inc. 200 Route 130 North Cinnaminson, NJ 08077 USA NY Lic. # 10872
	#2	ENTHALPY	Enthalpy 1104 Windfield Way El Dorado Hills California 95762 USA
	#4	GENENG	GEL Laboratories LLC 2040 Savage Road Charleston, SC 29407 NELAP PA certificate number 68-000485 Arizona License #AZ0668 NY Lic. # 11501 MI Lic. # 9976
	#3	NTL	National Testing Laboratories, LTD. 556 S. Mansfield Ypsilanti, MI 48197 USA NY Lic. # 11467

References to Testing Procedures:

<u>NSF Reference</u>	<u>Parameter / Test Description</u>
C0104	* Radium-226, Radium-228 Combined Activity - General Engineering
C0842	Gross Alpha and Beta Radioactivity in Drinking Water (Ref: EPA 900.0)
C1188	Odor, Threshold Number (Ref. Standard Methods 2150 B)
C1295	Silver in Drinking Water by ICPMS (Ref: EPA 200.8) for BQ
C1302	* Herbicides (Ref: EPA 515.4)
C1361	Bicarbonate (Ref: SM 2320-B)
C1536	* Asbestos in Water (Ref: EPA 100.2)- EMSL
C1556	*Perfluorinated Compounds (PFC's) by EPA 537.1 - Enthalpy
C1565	*Phenolics, Total Recoverable (EPA 420.4) National Testing Laboratories, Ltd.
C1933	* Carbamate Pesticides (Ref. EPA 531.2) by NSF Approved Subcontract Laboratory
C2015	2,3,7,8-TCDD (Ref: EPA 1613B)
C3013	Chloride (Ref: EPA 300.0)
C3014	Bromide (Ref: EPA 300.1)
C3015	Bromate (Ref: EPA 300.1)
C3016	Nitrogen, Nitrate (Ref: EPA 300.0)
C3017	Nitrogen, Nitrite (Ref: EPA 300.0)
C3018	Sulfate as SO4 (Ref: EPA 300.0)
C3019	Cyanide, Total (Ref: EPA 335.4)
C3025	Chlorite (Ref: EPA 300.1)



References to Testing Procedures: (Cont'd)

NSF Reference	Parameter / Test Description
C3033	Aluminum (Ref: EPA 200.8)
C3036	Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8)
C3039	Barium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3042	Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3044	Calcium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3047	Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3053	Chromium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3059	Copper in Drinking Water by ICPMS (Ref: EPA 200.8)
C3064	Iron in Drinking Water by ICPAES (Ref: EPA 200.7)
C3072	Mercury in Drinking Water by ICPMS (Ref: EPA 200.8)
C3079	Potassium by ICPAES (Ref: EPA 200.7)
C3085	Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3086	Manganese in Drinking Water by ICPMS (Ref: EPA 200.8)
C3091	Sodium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3094	Nickel in Drinking Water by ICPMS (Ref: EPA 200.8)
C3101	Lead in Drinking Water by ICPMS (Ref: EPA 200.8)
C3114	Antimony in Drinking Water by ICPMS (Ref: EPA 200.8)
C3116	Selenium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3128	Thallium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3136	Zinc in Drinking Water by ICPMS (Ref: EPA 200.8)
C3144	Solids, Total Dissolved (Ref: SM 2540-C)
C3145	Turbidity (Ref: EPA 180.1)
C3155	Surfactants, Methylene Blue Active Substances (Ref: SM 5540-C)
C3157	Color (Ref: SM 2120-B)
C3158	Specific Conductance at 25°C (Ref: EPA 120.1)
C3159	pH (Ref: SM4500-HB)
C3161	Hardness, Total (Ref: EPA 200.7)
C3168	Chlorine Dioxide (Ref: SM 4500-CIO2-D)
C3169	Chloramines (Ref: SM 4500-CI-G)
C3170	Fluoride (Ref: SM 4500-F-C)
C3174	Alkalinity (Ref: SM 2320-B)
C3210	Corrosivity (Ref: SM 2330-B)
C3342	Total Nitrite + Nitrate-Nitrogen (Ref: EPA 300.0)
C3393	Chlorine, Total Residual (ref. SM 4500CL-G)
C4145	Diquat (Ref: EPA 549.2)
C4154	Endothall (Ref. EPA 548.1) - (ug/L)
C4193	Glyphosate (Ref: EPA 547)
C4198	Haloacetic Acids (Ref: EPA 552.2)
C4343	Semivolatile Organic Compounds (Ref: EPA 525.2)
C4411	Volatiles: EDB and DBCP (Ref: EPA 504.1)
C4496	Uranium in Drinking Water by ICPMS (Ref: EPA 200.8)
C4497	Perchlorate (Ref: EPA 314.0)
C4661	Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)
C4669	Chlorinated Pesticides and Organohalides by EPA 508.1
M1094	Heterotrophic Plate Count (Ref: SM 9215B)- Performed at NSF Approved Subcontract Laboratory
M1115	Coliforms and E. coli (Ref: SM 9223)- Performed at NSF Approved Subcontract Laboratory

Laboratory Certifications:

Arizona (# AZ0655)	Connecticut (# PH-0625)	Florida (# E-87752 FL)
Hawaii	Indiana	Maryland (# 201)
Michigan (# 0048)	North Carolina (# 26701)	New Jersey (# MI770)
Nevada (# MI000302010A)	New York (# 11206)	Pennsylvania (# 68-00312)
South Carolina (# 81005)	Virginia (# 00045)	Vermont (# VT 11206)



Laboratory Certifications: (Cont'd)

Test descriptions preceded by an asterisk "*" indicate that testing has been performed per NSF requirements but is not within its 17025 scope of accreditation.

Unless otherwise indicated, method uncertainties are not applied in any determinations of conformity. Testing utilizes the requested sections of any referenced standards, which may not be the entire standard.

Dates of Laboratory Activity: 30-JAN-2025 to 20-FEB-2025

The reported result for Total Recoverable Phenolics, Potassium, Molybdenum, Silica, Total Phosphorus, Radon, Sr-89/90, Bicarbonate, Bromochloroacetic Acid, Total Haloacetic acid, Bentazon, DCPA Acid Metabolites, EPTC, Dimethylphthalate, 2,6-Dinitrotoluene, 2,4-Dinitrotoluene, Molinate, Diethylphthalate, Terbacil, Di-n-butylphthalate, p,p'-DDE (4,4'-DDE), Butylbenzylphthalate, Trichlorotrifluoroethane, Methyl Ethyl Ketone, 1,2,3-Trimethylbenzene, Epichlorohydrin, or 1,4-Dioxane if performed, cannot be used for compliance purposes within the State of Arizona. Certifications are not offered for these compounds in a drinking water matrix.

The reported results for Total Recoverable Phenolics, pH, Bicarbonate and Temperature, if performed, are not covered by New York State drinking water certifications. NSF is not certified for Carbamate Pesticides, Total Radium-226, Radium-228 Combined Activity, Chlorine Dioxide, Chloramines, Total Residual Chlorine, Total Haloacetic acid, Bentazon, DCPA Acid Metabolites, EPTC, Dimethylphthalate, 2,6-Dinitrotoluene, 2,4-Dinitrotoluene, Molinate, Diethylphthalate, Terbacil, Di-n-butylphthalate, p,p'-DDE (4,4'-DDE), Butylbenzylphthalate, Trichlorotrifluoroethane, Methyl Ethyl Ketone, 1,2,3-Trimethylbenzene, Epichlorohydrin, or 1,4-Dioxane in the State of New York.

Notes:

- 1) Bottled water sold in the United States shall not contain Fluoride in excess of the levels published by the USFDA in 21 CFR Part 165.110. These levels are based on the annual average of maximum daily air temperatures at the location where the bottled water is sold at retail. Please refer to the most current edition of the regulation to determine the Fluoride maximum level that pertains to your product.
- 2) A blank on the FDA SOQ column indicates that no maximum level has been established by the FDA for that contaminant.
- 3) An ND result means that the contaminant was not detected at or above the reporting limit.

For a list of NSF Method Detection Limits refer to

https://d2evkimvhatqav.cloudfront.net/documents/external/minimum_detection_level_spreadsheet.pdf



789 N. Dixboro Rd. Ann Arbor, MI 48105, USA
1-800.NSF.MARK | +1-734.769.8010 | www.nsf.org

TEST REPORT

Send To: 40450

Isha SAINI
Societe Anonyme des Eaux Minerales d'Evian
11 Av du General Dupas
74500 Evian-Les-Bains
France

Facility: 40451

Societe Anonyme des Eaux Minerales d'Evian
B.P. 87, Place de la Gare
74503 Evian
Cedex
France

Result	PASS	Final Report Date	20-FEB-2025
Customer Name	Societe Anonyme des Eaux Minerales d'Evian		
Tested To	USFDA CFR Title 21 Part 165.110		
Description	Evian Sparkling Spring Water - Line R		
Test Type	Annual Collection		
Job Number	A-00504669		
Project Number	W0943667		
Project Manager	Kira O'Brien		

Thank you for having your product tested by NSF.

Please contact your Project Manager if you have any questions or concerns pertaining to this report.

Report Authorization *Nancy F. Cole*

Nancy Cole - Director, Analysis Laboratories

Date 20-FEB-2025



General Information

Standard: USFDA CFR Title 21 Part 165.110
Collected by: Amberlin Booth
Lot Number: PRD 200125 10:47 / R EXP 2002027
Product Description: Sparkling Spring Water - Line R
Trade Name: Evian

Sample Id: **S-0002187307**
Description: Sparkling Spring Water - Line R | PRD 200125 10:47 / R EXP 2002027
Sampled Date: 01/30/2025
Received Date: 01/28/2025

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
Physical Quality					
Alkalinity as CaCO3	5	280		mg CaCO3/L	
Color	5	ND	15	Color Unit	Pass
Color Type		Apparent			
Specific Conductance	10	600		umhos/cm	
Temperature	0	22		degrees C	
Corrosivity		-83			
Hardness, Total	2	310		mg CaCO3/L	
Solids Total Dissolved	5	340	500	mg/L	Pass
Turbidity	0.1	ND	5	NTU	Pass
pH	0.01	6.17			
Temperature	0	22		deg. C	
Odor, Threshold	1	1	3	TON	Pass
Temperature	0	60		deg_C	
Bicarbonate	5	281.3		mg CaCO3/L	
Microbiological Quality					
Coliform in Water/100 mL		Absent			Pass
E. Coli in Water/100 mL		Absent			Pass
Disinfection Residuals/Disinfection By-Products					
Bromate	5	ND	10	ug/L	Pass
Monochloramine	0.05	ND		mg/L	
Dichloramine	0.05	ND		mg/L	
Nitrogen trichloride	0.05	ND		mg/L	
Chloramine, Total	0.05	ND	4	mg/L	Pass
Chlorite	10	ND	1000	ug/L	Pass
Chlorine Dioxide	0.1	ND	0.8	mg/L	Pass
Monochloroacetic Acid	2	ND		ug/L	
Monobromoacetic Acid	1	ND		ug/L	
Dichloroacetic Acid	1	ND		ug/L	
Bromochloroacetic Acid	1	ND		ug/L	
Trichloroacetic Acid	1	ND		ug/L	
Dibromoacetic Acid	1	ND		ug/L	
Total Haloacetic Acid	1	ND	60	ug/L	Pass
Chlorine, Total Residual	0.05	ND	4	mg/L	Pass
Radiologicals					
Uranium	0.001	0.002	0.03	mg/L	Pass
P1 Gross Alpha	3	ND	15	pCi/L	Pass
P1 Gross Beta	4	ND	50	pCi/L	Pass
Alpha Uncertainty +/-	0	2		pCi/L	
Beta Uncertainty +/-	0	1		pCi/L	



Sample Id: S-0002187307

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
Inorganic Chemicals					
Aluminum	0.01	ND	0.2	mg/L	Pass
Antimony	0.0005	ND	0.006	mg/L	Pass
Arsenic	0.001	ND	0.01	mg/L	Pass
Barium	0.002	0.10	2	mg/L	Pass
Beryllium	0.0002	ND	0.004	mg/L	Pass
Bromide	10	ND		ug/L	
Cadmium	0.0002	ND	0.005	mg/L	Pass
Calcium	0.2	81		mg/L	
Chloride	2	11	250	mg/L	Pass
Chromium (includes Hexavalent Chromium)	0.001	ND	0.1	mg/L	Pass
Copper	0.001	ND	1	mg/L	Pass
Cyanide, Total	0.005	ND	0.2	mg/L	Pass
Fluoride	0.1	ND		mg/L	
Iron	0.02	ND	0.3	mg/L	Pass
Lead	0.0005	ND	0.005	mg/L	Pass
Magnesium	0.2	27		mg/L	
Manganese	0.001	ND	0.05	mg/L	Pass
Mercury	0.0002	ND	0.002	mg/L	Pass
Nickel	0.0005	0.002	0.1	mg/L	Pass
Nitrogen, Nitrate	0.01	0.86	10	mg/L N	Pass
Nitrogen, Nitrite	0.004	ND	1	mg/L N	Pass
Total Nitrate + Nitrite-Nitrogen	0.01	0.86	10	mg/L	Pass
Potassium	0.5	1.0		mg/L	
Selenium	0.001	ND	0.05	mg/L	Pass
Silver	0.001	ND	0.1	mg/L	Pass
Sodium	0.2	7.1		mg/L	
Sulfate as SO4	5	12	250	mg/L	Pass
MBAS, calc. as LAS Mol.Wt. 320	0.2	ND		mg/L	
Thallium	0.0002	ND	0.002	mg/L	Pass
Zinc	0.01	ND	5	mg/L	Pass
Chrysotile Fibers	0.2	ND		MFL	
Amphibole Fibers	0.2	ND		MFL	
Single Fiber Detection Limit	0.2	ND		MFL	
Organic Chemicals					
Diquat (Ref: EPA 549.2)					
Diquat	0.4	ND	20	ug/L	Pass
Endothall (Ref: EPA 548.1) - (ug/L)					
Endothall	2	ND	100	ug/L	Pass
Glyphosate (Ref: EPA 547)					
Glyphosate	6	ND	700	ug/L	Pass
Perchlorate (Ref: EPA 314.0)					
Perchlorate	1	ND		ug/L	
2,3,7,8-TCDD (Ref: EPA 1613B)					
2,3,7,8-Tetrachlorodibenzo-p-dioxin	5	ND	30	pg/L	Pass
Semivolatile Organic Compounds (Ref: EPA 525.2)					
Hexachlorocyclopentadiene	0.1	ND	50	ug/L	Pass
EPTC	0.5	ND		ug/L	
Dimethylphthalate	2	ND		ug/L	
2,6-Dinitrotoluene	0.5	ND		ug/L	



Sample Id: S-0002187307

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
Organic Chemicals					
2,4 Dinitrotoluene	0.5	ND		ug/L	
Molinate	0.1	ND		ug/L	
Diethylphthalate	2	ND		ug/L	
Propachlor	0.1	ND		ug/L	
Hexachlorobenzene	0.1	ND	1	ug/L	Pass
Simazine	0.07	ND	4	ug/L	Pass
Atrazine	0.1	ND	3	ug/L	Pass
Lindane	0.02	ND	0.2	ug/L	Pass
Terbacil	0.5	ND		ug/L	
Metribuzin	0.1	ND		ug/L	
Alachlor	0.1	ND	2	ug/L	Pass
Heptachlor	0.04	ND	0.4	ug/L	Pass
Di-n-butylphthalate	2	ND		ug/L	
Metolachlor	0.1	ND		ug/L	
Aldrin	0.08	ND		ug/L	
Heptachlor Epoxide	0.02	ND	0.2	ug/L	Pass
Butachlor	0.2	ND		ug/L	
p,p'-DDE (4,4'-DDE)	0.5	ND		ug/L	
Dieldrin	0.5	ND		ug/L	
Endrin	0.1	ND	2	ug/L	Pass
Butylbenzylphthalate	2	ND		ug/L	
bis(2-Ethylhexyl)adipate	0.6	ND	400	ug/L	Pass
Methoxychlor	0.1	ND	40	ug/L	Pass
bis(2-Ethylhexyl)phthalate (DEHP)	0.6	ND	6	ug/L	Pass
Benzo(a)Pyrene	0.02	ND	0.2	ug/L	Pass
Volatiles: EDB and DBCP (Ref: EPA 504.1)					
Ethylene Dibromide (EDB)	0.01	ND	0.05	ug/L	Pass
1,2-Dibromo-3-Chloropropane (DBCP)	0.01	ND	0.2	ug/L	Pass
Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)					
Dichlorodifluoromethane	2	ND		ug/L	
Chloromethane	2	ND		ug/L	
Vinyl Chloride	2	ND	2	ug/L	Pass
Bromomethane	2	ND		ug/L	
Chloroethane	2	ND		ug/L	
Trichlorofluoromethane	2	ND		ug/L	
Trichlorotrifluoroethane	2	ND		ug/L	
Methylene Chloride	2	ND	5	ug/L	Pass
1,1-Dichloroethylene	2	ND	7	ug/L	Pass
trans-1,2-Dichloroethylene	2	ND	100	ug/L	Pass
1,1-Dichloroethane	2	ND		ug/L	
2,2-Dichloropropane	2	ND		ug/L	
cis-1,2-Dichloroethylene	2	ND	70	ug/L	Pass
Chloroform	2	ND		ug/L	
Bromochloromethane	2	ND		ug/L	
1,1,1-Trichloroethane	2	ND	200	ug/L	Pass
1,1-Dichloropropene	2	ND		ug/L	
Carbon Tetrachloride	2	ND	5	ug/L	Pass
1,2-Dichloroethane	2	ND	5	ug/L	Pass
Trichloroethylene	2	ND	5	ug/L	Pass



Sample Id: S-0002187307

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
Organic Chemicals					
1,2-Dichloropropane	2	ND	5	ug/L	Pass
Bromodichloromethane	2	ND		ug/L	
Dibromomethane	2	ND		ug/L	
cis-1,3-Dichloropropene	2	ND		ug/L	
trans-1,3-Dichloropropene	2	ND		ug/L	
1,1,2-Trichloroethane	2	ND	5	ug/L	Pass
1,3-Dichloropropane	2	ND		ug/L	
Tetrachloroethylene	2	ND	5	ug/L	Pass
Chlorodibromomethane	2	ND		ug/L	
Chlorobenzene	2	ND	100	ug/L	Pass
1,1,1,2-Tetrachloroethane	2	ND		ug/L	
Bromoform	2	ND		ug/L	
1,1,2,2-Tetrachloroethane	2	ND		ug/L	
1,2,3-Trichloropropane	2	ND		ug/L	
1,3-Dichlorobenzene	2	ND		ug/L	
1,4-Dichlorobenzene	2	ND	75	ug/L	Pass
1,2-Dichlorobenzene	2	ND	600	ug/L	Pass
Methyl-tert-Butyl Ether (MTBE)	2	ND		ug/L	
Toluene	2	ND	1000	ug/L	Pass
Ethyl Benzene	2	ND	700	ug/L	Pass
m+p-Xylenes	4	ND		ug/L	
o-Xylene	2	ND		ug/L	
Styrene	2	ND	100	ug/L	Pass
Isopropylbenzene (Cumene)	2	ND		ug/L	
n-Propylbenzene	2	ND		ug/L	
Bromobenzene	2	ND		ug/L	
2-Chlorotoluene	2	ND		ug/L	
4-Chlorotoluene	2	ND		ug/L	
1,3,5-Trimethylbenzene	2	ND		ug/L	
tert-Butylbenzene	2	ND		ug/L	
1,2,4-Trimethylbenzene	2	ND		ug/L	
sec-Butylbenzene	2	ND		ug/L	
p-Isopropyltoluene (Cymene)	2	ND		ug/L	
1,2,3-Trimethylbenzene	2	ND		ug/L	
n-Butylbenzene	2	ND		ug/L	
1,2,4-Trichlorobenzene	2	ND	70	ug/L	Pass
Hexachlorobutadiene	2	ND		ug/L	
1,2,3-Trichlorobenzene	2	ND		ug/L	
Naphthalene	2	ND		ug/L	
Benzene	2	ND	5	ug/L	Pass
Total Trihalomethanes	0.5	ND	80	ug/L	Pass
Total Xylenes	0.5	ND	10000	ug/L	Pass
Chlorinated Pesticides and Organohalides by EPA 508.1					
Toxaphene	0.1	ND	3	ug/L	Pass
Chlordane	0.1	ND	2	ug/L	Pass
PCB 1016	0.08	ND	0.5	ug/L	Pass
PCB 1221	0.1	ND	0.5	ug/L	Pass
PCB 1232	0.1	ND	0.5	ug/L	Pass
PCB 1242	0.1	ND	0.5	ug/L	Pass



Sample Id: S-0002187307

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
Organic Chemicals					
PCB 1248	0.1	ND	0.5	ug/L	Pass
PCB 1254	0.1	ND	0.5	ug/L	Pass
PCB 1260	0.1	ND	0.5	ug/L	Pass
Endrin	0.01	ND	2	ug/L	Pass
Total PCBs	0.1	ND	0.5	ug/L	Pass
*Perfluorinated Compounds (PFC's) by EPA 537.1 - Enthalpy					
NEtFOSAA	2	ND		ng/L	
NMeFOSAA	2	ND		ng/L	
Perfluorobutanesulfonic acid	2	ND		ng/L	
Perfluorodecanoic acid	2	ND		ng/L	
Perfluorododecanoic acid	2	ND		ng/L	
Perfluoroheptanoic acid	2	ND		ng/L	
Perfluorohexanesulfonic acid	2	ND		ng/L	
Perfluorohexanoic acid	2	ND		ng/L	
Perfluorononanoic acid	2	ND		ng/L	
Perfluorooctanesulfonic acid	2	ND		ng/L	
Perfluorooctanoic acid	2	ND		ng/L	
Perfluorotradecanoic acid	2	ND		ng/L	
Perfluorotridecanoic acid	2	ND		ng/L	
Perfluoroundecanoic acid	2	ND		ng/L	
HFPO-DA/GenX	2	ND		ng/L	
ADONA	2	ND		ng/L	
9Cl-PF3ONS/F-53B Major	2	ND		ng/L	
11Cl-PF3OUdS/F-53B Minor	2	ND		ng/L	
* Herbicides (Ref: EPA 515.4)					
Dalapon	1	ND	200	ug/L	Pass
Dicamba	0.1	ND		ug/L	
2,4-D	0.1	ND	70	ug/L	Pass
Pentachlorophenol	0.04	ND	1	ug/L	Pass
2,4,5-TP	0.2	ND	50	ug/L	Pass
Dinoseb	0.2	ND	7	ug/L	Pass
Picloram	0.1	ND	500	ug/L	Pass
Bentazon	0.2	ND		ug/L	
DCPA Acid Metabolites	0.2	ND		ug/L	
Miscellaneous					
Radium-226	5	ND		pCi/L	
Radium-228	5	ND		pCi/L	
Radium-226, Radium-228 Combined	5	ND	5	pCi/L	Pass
Radium 226 Uncertainty +/-	0	0.2		pCi/L	
Radium 228 Uncertainty +/-	0	0.5		pCi/L	
Phenolics	0.001	ND	0.001	mg/L	Pass
3-Hydroxycarbofuran	0.5	ND		ug/L	
Aldicarb	0.5	ND		ug/L	
Aldicarb sulfone	0.7	ND		ug/L	
Aldicarb sulfoxide	0.5	ND		ug/L	
Carbaryl	0.5	ND		ug/L	
Carbofuran	0.9	ND	40	ug/L	Pass
Methomyl	0.5	ND		ug/L	
Oxamyl	1	ND	200	ug/L	Pass



Sample Id: **S-0002187307**

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
Miscellaneous					
Heterotrophic Plate Count- 35C, 48 hours	0	<1		CFU/mL	
Heterotrophic Plate Count- 35C, 72 hours	0	<1		CFU/mL	



<<Additional Information>>

Sample Id: S-0002187307

Test Parameter	Date Analyzed	Time Analyzed	Date Prepared/ Processed
Physical Quality			
Alkalinity (Ref: SM 2320-B)	4-FEB-2025		
Test Notes For alkalinity greater than or equal to 20mg CaCO3/L, the pH endpoint is 4.5.			
Color (Ref: SM 2120-B)	30-JAN-2025	12:10	
Specific Conductance at 25°C (Ref: EPA 120.1)	30-JAN-2025		
Corrosivity (Ref: SM 2330-B)			
Test Notes The corrosivity calculation uses half of the reporting limit for any calcium and/or bicarbonate/alkalinity value that has a result of less than the reporting limit.			
Hardness, Total (Ref: EPA 200.7)			
Solids, Total Dissolved (Ref: SM 2540-C)	4-FEB-2025		
Turbidity (Ref: EPA 180.1)	30-JAN-2025	10:10	
pH (Ref: SM4500-HB)	30-JAN-2025	08:40	
Odor, Threshold Number (Ref. Standard Methods 2150 B)	10-FEB-2025	14:23	
Bicarbonate (Ref: SM 2320-B)			
Microbiological Quality			
#5 Coliforms and E. coli (Ref: SM 9223)- Performed at NSF Approved Subcontract Laboratory			30-JAN-2025 14:12
Disinfection Residuals/Disinfection By-Products			
Bromate (Ref: EPA 300.1)	7-FEB-2025		
Chloramines (Ref: SM 4500-Cl-G)	30-JAN-2025	10:51	
Chlorite (Ref: EPA 300.1)	7-FEB-2025		
Chlorine Dioxide (Ref: SM 4500-ClO2-D)	30-JAN-2025	10:51	
Haloacetic Acids (Ref: EPA 552.2)	10-FEB-2025		8-FEB-2025
Chlorine, Total Residual (ref. SM 4500CL-G)	30-JAN-2025	10:51	
Radiologicals			
Uranium in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Gross Alpha and Beta Radioactivity in Drinking Water (Ref: EPA 900.0)	3-FEB-2025		
Inorganic Chemicals			
Aluminum (Ref: EPA 200.8)	3-FEB-2025		
Antimony in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Barium in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Bromide (Ref: EPA 300.1)	7-FEB-2025		
Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Calcium in Drinking Water by ICPAES (Ref: EPA 200.7)	3-FEB-2025		



<<Additional Information>>

Sample Id: S-0002187307

Test Parameter	Date Analyzed	Time Analyzed	Date Prepared/ Processed
Inorganic Chemicals			
Chloride (Ref: EPA 300.0)	4-FEB-2025		
Chromium in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Copper in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Cyanide, Total (Ref: EPA 335.4)	5-FEB-2025		
Fluoride (Ref: SM 4500-F-C)	4-FEB-2025		
Iron in Drinking Water by ICPAES (Ref: EPA 200.7)	3-FEB-2025		
Lead in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7)	3-FEB-2025		
Manganese in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Mercury in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Nickel in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Nitrogen, Nitrate (Ref: EPA 300.0)	4-FEB-2025	11:52	
Nitrogen, Nitrite (Ref: EPA 300.0)	4-FEB-2025	11:52	
Total Nitrite + Nitrate-Nitrogen (Ref: EPA 300.0)			
Potassium by ICPAES (Ref: EPA 200.7)	3-FEB-2025		
Selenium in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Silver in Drinking Water by ICPMS (Ref: EPA 200.8) for BQ	7-FEB-2025		6-FEB-2025
Sodium in Drinking Water by ICPAES (Ref: EPA 200.7)	3-FEB-2025		
Sulfate as SO4 (Ref: EPA 300.0)	4-FEB-2025		
Surfactants, Methylene Blue Active Substances (Ref: SM 5540-C)	30-JAN-2025	14:34	
Thallium in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
Zinc in Drinking Water by ICPMS (Ref: EPA 200.8)	3-FEB-2025		
#2 * Asbestos in Water (Ref: EPA 100.2)- EMSL	5-FEB-2025	00:00	4-FEB-2025 10:37
Organic Chemicals			
Diquat (Ref: EPA 549.2)	4-FEB-2025		4-FEB-2025
Endothall (Ref: EPA 548.1) - (ug/L)	3-FEB-2025		31-JAN-2025
Glyphosate (Ref: EPA 547)	31-JAN-2025		
Perchlorate (Ref: EPA 314.0)	19-FEB-2025		
2,3,7,8-TCDD (Ref: EPA 1613B)	5-FEB-2025		3-FEB-2025
Semivolatile Organic Compounds (Ref: EPA 525.2)	3-FEB-2025		30-JAN-2025
Volatiles: EDB and DBCP (Ref: EPA 504.1)	11-FEB-2025		
Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)	31-JAN-2025		
Chlorinated Pesticides and Organohalides by EPA 508.1	7-FEB-2025		
#3 *Perfluorinated Compounds (PFC's) by EPA 537.1 - Enthalpy	5-FEB-2025		



<<Additional Information>>

Sample Id: S-0002187307

Test Parameter	Date Analyzed	Time Analyzed	Date Prepared/ Processed
Organic Chemicals			
* Herbicides (Ref: EPA 515.4)	6-FEB-2025		5-FEB-2025
Miscellaneous			
#1 * Carbamate Pesticides (Ref. EPA 531.2) by NSF Approved Subcontract Laboratory	4-FEB-2025		
#4 * Radium-226, Radium-228 Combined Activity - General Engineering	11-FEB-2025		
#4 * Radium-226, Radium-228 Combined Activity - General Engineering	18-FEB-2025		
#5 *Phenolics, Total Recoverable (EPA 420.4) National Testing Laboratories, Ltd.	5-FEB-2025	00:00	
#5 Heterotrophic Plate Count (Ref: SM 9215B)- Performed at NSF Approved Subcontract Laboratory	30-JAN-2025	14:00	30-JAN-2025 14:00



Job Notes:

The NSF Ann Arbor Laboratory is currently in applied status for certification for the state of California (#03214 CA). The applied status is based on a recent change in the CA reciprocity certification requirements and is not reflective of any change in quality for the NSF Ann Arbor Laboratory.



Testing Laboratories:

	<u>Flag</u>	<u>Id</u>	<u>Address</u>
All work performed at: (Unless otherwise specified)	→	NSF_AA	NSF 789 N. Dixboro Road Ann Arbor MI 48105
	#5	EEA	Eurofins Eaton Analytical, Inc. 750 Royal Oaks Dr, Suite 100 Monrovia, CA 91016 NY Lic. # 11320 MI Lic. # 9906
	#1	EMSL	EMSL Analytical Inc. 200 Route 130 North Cinnaminson, NJ 08077 USA NY Lic. # 10872
	#2	ENTHALPY	Enthalpy 1104 Windfield Way El Dorado Hills California 95762 USA
	#4	GENENG	GEL Laboratories LLC 2040 Savage Road Charleston, SC 29407 NELAP PA certificate number 68-000485 Arizona License #AZ0668 NY Lic. # 11501 MI Lic. # 9976
	#3	NTL	National Testing Laboratories, LTD. 556 S. Mansfield Ypsilanti, MI 48197 USA NY Lic. # 11467

References to Testing Procedures:

<u>NSF Reference</u>	<u>Parameter / Test Description</u>
C0104	* Radium-226, Radium-228 Combined Activity - General Engineering
C0842	Gross Alpha and Beta Radioactivity in Drinking Water (Ref: EPA 900.0)
C1188	Odor, Threshold Number (Ref. Standard Methods 2150 B)
C1295	Silver in Drinking Water by ICPMS (Ref: EPA 200.8) for BQ
C1302	* Herbicides (Ref: EPA 515.4)
C1361	Bicarbonate (Ref: SM 2320-B)
C1536	* Asbestos in Water (Ref: EPA 100.2)- EMSL
C1556	*Perfluorinated Compounds (PFC's) by EPA 537.1 - Enthalpy
C1565	*Phenolics, Total Recoverable (EPA 420.4) National Testing Laboratories, Ltd.
C1933	* Carbamate Pesticides (Ref. EPA 531.2) by NSF Approved Subcontract Laboratory
C2015	2,3,7,8-TCDD (Ref: EPA 1613B)
C3013	Chloride (Ref: EPA 300.0)
C3014	Bromide (Ref: EPA 300.1)
C3015	Bromate (Ref: EPA 300.1)
C3016	Nitrogen, Nitrate (Ref: EPA 300.0)
C3017	Nitrogen, Nitrite (Ref: EPA 300.0)
C3018	Sulfate as SO4 (Ref: EPA 300.0)
C3019	Cyanide, Total (Ref: EPA 335.4)
C3025	Chlorite (Ref: EPA 300.1)



References to Testing Procedures: (Cont'd)

NSF Reference	Parameter / Test Description
C3033	Aluminum (Ref: EPA 200.8)
C3036	Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8)
C3039	Barium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3042	Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3044	Calcium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3047	Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3053	Chromium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3059	Copper in Drinking Water by ICPMS (Ref: EPA 200.8)
C3064	Iron in Drinking Water by ICPAES (Ref: EPA 200.7)
C3072	Mercury in Drinking Water by ICPMS (Ref: EPA 200.8)
C3079	Potassium by ICPAES (Ref: EPA 200.7)
C3085	Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3086	Manganese in Drinking Water by ICPMS (Ref: EPA 200.8)
C3091	Sodium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3094	Nickel in Drinking Water by ICPMS (Ref: EPA 200.8)
C3101	Lead in Drinking Water by ICPMS (Ref: EPA 200.8)
C3114	Antimony in Drinking Water by ICPMS (Ref: EPA 200.8)
C3116	Selenium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3128	Thallium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3136	Zinc in Drinking Water by ICPMS (Ref: EPA 200.8)
C3144	Solids, Total Dissolved (Ref: SM 2540-C)
C3145	Turbidity (Ref: EPA 180.1)
C3155	Surfactants, Methylene Blue Active Substances (Ref: SM 5540-C)
C3157	Color (Ref: SM 2120-B)
C3158	Specific Conductance at 25°C (Ref: EPA 120.1)
C3159	pH (Ref: SM4500-HB)
C3161	Hardness, Total (Ref: EPA 200.7)
C3168	Chlorine Dioxide (Ref: SM 4500-CIO2-D)
C3169	Chloramines (Ref: SM 4500-CI-G)
C3170	Fluoride (Ref: SM 4500-F-C)
C3174	Alkalinity (Ref: SM 2320-B)
C3210	Corrosivity (Ref: SM 2330-B)
C3342	Total Nitrite + Nitrate-Nitrogen (Ref: EPA 300.0)
C3393	Chlorine, Total Residual (ref. SM 4500CL-G)
C4145	Diquat (Ref: EPA 549.2)
C4154	Endothall (Ref. EPA 548.1) - (ug/L)
C4193	Glyphosate (Ref: EPA 547)
C4198	Haloacetic Acids (Ref: EPA 552.2)
C4343	Semivolatile Organic Compounds (Ref: EPA 525.2)
C4411	Volatiles: EDB and DBCP (Ref: EPA 504.1)
C4496	Uranium in Drinking Water by ICPMS (Ref: EPA 200.8)
C4497	Perchlorate (Ref: EPA 314.0)
C4661	Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)
C4669	Chlorinated Pesticides and Organohalides by EPA 508.1
M1094	Heterotrophic Plate Count (Ref: SM 9215B)- Performed at NSF Approved Subcontract Laboratory
M1115	Coliforms and E. coli (Ref: SM 9223)- Performed at NSF Approved Subcontract Laboratory

Laboratory Certifications:

Arizona (# AZ0655)	Connecticut (# PH-0625)	Florida (# E-87752 FL)
Hawaii	Indiana	Maryland (# 201)
Michigan (# 0048)	North Carolina (# 26701)	New Jersey (# MI770)
Nevada (# MI000302010A)	New York (# 11206)	Pennsylvania (# 68-00312)
South Carolina (# 81005)	Virginia (# 00045)	Vermont (# VT 11206)



Laboratory Certifications: (Cont'd)

Test descriptions preceded by an asterisk "*" indicate that testing has been performed per NSF requirements but is not within its 17025 scope of accreditation.

Unless otherwise indicated, method uncertainties are not applied in any determinations of conformity. Testing utilizes the requested sections of any referenced standards, which may not be the entire standard.

Dates of Laboratory Activity: 30-JAN-2025 to 20-FEB-2025

The reported result for Total Recoverable Phenolics, Potassium, Molybdenum, Silica, Total Phosphorus, Radon, Sr-89/90, Bicarbonate, Bromochloroacetic Acid, Total Haloacetic acid, Bentazon, DCPA Acid Metabolites, EPTC, Dimethylphthalate, 2,6-Dinitrotoluene, 2,4-Dinitrotoluene, Molinate, Diethylphthalate, Terbacil, Di-n-butylphthalate, p,p'-DDE (4,4'-DDE), Butylbenzylphthalate, Trichlorotrifluoroethane, Methyl Ethyl Ketone, 1,2,3-Trimethylbenzene, Epichlorohydrin, or 1,4-Dioxane if performed, cannot be used for compliance purposes within the State of Arizona. Certifications are not offered for these compounds in a drinking water matrix.

The reported results for Total Recoverable Phenolics, pH, Bicarbonate and Temperature, if performed, are not covered by New York State drinking water certifications. NSF is not certified for Carbamate Pesticides, Total Radium-226, Radium-228 Combined Activity, Chlorine Dioxide, Chloramines, Total Residual Chlorine, Total Haloacetic acid, Bentazon, DCPA Acid Metabolites, EPTC, Dimethylphthalate, 2,6-Dinitrotoluene, 2,4-Dinitrotoluene, Molinate, Diethylphthalate, Terbacil, Di-n-butylphthalate, p,p'-DDE (4,4'-DDE), Butylbenzylphthalate, Trichlorotrifluoroethane, Methyl Ethyl Ketone, 1,2,3-Trimethylbenzene, Epichlorohydrin, or 1,4-Dioxane in the State of New York.

Notes:

- 1) Bottled water sold in the United States shall not contain Fluoride in excess of the levels published by the USFDA in 21 CFR Part 165.110. These levels are based on the annual average of maximum daily air temperatures at the location where the bottled water is sold at retail. Please refer to the most current edition of the regulation to determine the Fluoride maximum level that pertains to your product.
- 2) A blank on the FDA SOQ column indicates that no maximum level has been established by the FDA for that contaminant.
- 3) An ND result means that the contaminant was not detected at or above the reporting limit.

For a list of NSF Method Detection Limits refer to

https://d2evkimvhatqav.cloudfront.net/documents/external/minimum_detection_level_spreadsheet.pdf