



BASIC ACT

INSTALLATION GUIDE



2x2



2x4

kiRei

IMPORTANT INFORMATION

Installation

Please read the entire Installation Guide prior to application. This installation guide is intended to provide installers with helpful information regarding Basic ACT prior to installation. Kirei accepts no responsibility for installation actions taken or not taken. This installation guide is not intended to be an in-depth guide; installer's knowledge as an experienced tradesman needs to be applied.

This installation guide serves only as a recommendation for installing and handling Basic ACT. If you have questions about application or techniques, contact Kirei. Kirei will not be responsible for any cutting or mounting not performed by Kirei staff.

Terms of Trade

All Basic ACT tiles are inspected prior to shipment. Kirei is not responsible for damage in shipment or in storage; customers should carefully inspect all items at time of delivery and note any obvious damage on the delivery receipt. For the customer's protection, subsequently discovered concealed damage must be reported immediately to the carrier. Claims to Kirei will not be considered if the sheet has been worked on by the customer or others. No claims for labor charges will be allowed in any circumstances.

Work Safety

In the interest of work safety, it is recommended that people working with Basic ACT wear the appropriate safety equipment. Although the product emits zero off-gases, masks and gloves should be worn to ensure the maximum possible safety precautions. For an SDS form, please contact Kirei.

Cleaning

See the [Handling and Cleaning Guide](#) for more information.

Preparation

Carefully plan your installation to ensure you have sufficient tiles for the project. Plan, measure and mark your layout in advance to ensure accuracy of placement.

Basic ACT Specs

See the [Basic ACT Spec Sheet](#) for product details and information.

Product & Installation Questions


PH: 619.236.9924

Email: info@kireiusa.com


Web: kireiusa.com

HANDLING


Carry boxes and tiles upright.




Keep all surfaces clean for storage and fabrication.




Store boxes and tiles flat.




Store in a cool, dry place with no direct sun. Avoid 145 degree temperatures or greater.




Wear gloves for handling light colors.




Upon delivery, inspect all goods for order corrections and damage.



Keep product dry and avoid humidity.




Protect the edges.



ITEMS INCLUDED

Sizes selected when ordering per layout.



INSTALLATION

Basic ACT tiles work with a 15/16" grid and install just like regular ceiling grid tiles. Before getting started, make sure your platform or ladder is safe and secure before ascending. Ensure all surfaces and T-grid are clean prior to installation to prevent scuffs and staining, and make sure hands and/or gloves are clean before handling the material. Verify that you have 8"-10" unobstructed clearance above the T-Grid to ensure the Basic ACT tile can pass through the opening.

1. Angle the tile so that you can insert one end in first.
2. Insert the tile almost completely into the ceiling.
3. Carefully lower and drop tile into place.

kirei

CONTACT INFORMATION

Phone: 619.236.9924

Email: info@kireiusa.com

Web: kireiusa.com
