



LASERTRON (10' 6" TALL) KRAZY DARTS XL STANDARD FURNITURE PACKAGE



STANDARD FURNITURE PACKAGE
PERSPECTIVE VIEW

THIS DOCUMENT IS THE PROPERTY OF LASERTRON, INC. AND HAS BEEN PREPARED AND ISSUED FOR A SPECIFIC PROJECT AS MARKED ON THIS DOCUMENT. THE RECIPIENT BY ACCEPTING THIS DOCUMENT ASSUMES CUSTODY AND AGREES THAT THIS DOCUMENT WILL NOT BE COPIED OR REPRODUCED IN PART OR IN WHOLE. ALL SPECIAL FEATURES OF THIS DESIGN SHALL NOT BE INCORPORATED IN ANY OTHER PROJECT, UNLESS THE PRIOR WRITTEN AGREEMENT OF LASERTRON HAS BEEN OBTAINED. THIS DOCUMENT WILL BE RETURNED UPON THE COMPLETION OF THE PROJECT CONTEMPLATED BY THE DOCUMENTS OR UPON THE REQUEST OF LASERTRON. THIS DOCUMENT IS THE EXCLUSIVE PROPERTY OF LASERTRON, NO RIGHTS TO OWNERSHIP ARE TRANSFERABLE, OR SHALL BE LOST BY THE FILING OF THIS DOCUMENT WITH ANY AND ALL PUBLIC AUTHORITIES FOR ANY PURPOSES.


LASERTRON (10' 6" TALL) KRAZY DARTS XL UPGRADED FURNITURE PACKAGE



UPGRADED FURNITURE PACKAGE
PERSPECTIVE VIEW

THIS DOCUMENT IS THE PROPERTY OF LASERTRON, INC. AND HAS BEEN PREPARED AND ISSUED FOR A SPECIFIC PROJECT AS MARKED ON THIS DOCUMENT. THE RECIPIENT BY ACCEPTING THIS DOCUMENT ASSUMES CUSTODY AND AGREES THAT THIS DOCUMENT WILL NOT BE COPIED OR REPRODUCED IN PART OR IN WHOLE. ALL SPECIAL FEATURES OF THIS DESIGN SHALL NOT BE INCORPORATED IN ANY OTHER PROJECT, UNLESS THE PRIOR WRITTEN AGREEMENT OF LASERTRON HAS BEEN OBTAINED. THIS DOCUMENT WILL BE RETURNED UPON THE COMPLETION OF THE PROJECT CONTEMPLATED BY THE DOCUMENTS OR UPON THE REQUEST OF LASERTRON. THIS DOCUMENT IS THE EXCLUSIVE PROPERTY OF LASERTRON, NO RIGHTS TO OWNERSHIP ARE TRANSFERABLE, OR SHALL BE LOST BY THE FILING OF THIS DOCUMENT WITH ANY AND ALL PUBLIC AUTHORITIES FOR ANY PURPOSES.

- IMPORTANT NOTES:**
- KRAZY DARTS XL REQUIRES A MINIMUM OF 10' 8" CLEAR HEIGHT (DEPENDING ON CLEAR HEIGHT, A SHORTER DART LANE MAY BE AVAILABLE)
 - KRAZY DARTS XL REQUIRES A MINIMUM OF 2" TO THE RIGHT, LEFT AND BACK OF THE LANES FOR INSTALLATION.
 - THE 2" IS MEASURED FROM THE BACK EDGE OF THE BASE PLATES TO THE BACK WALL AND THE EDGE OF THE CABINETS TO THE NEAREST WALL.
 - KRAZY DARTS XL LANES CAN BE OVERLAPPED TO CREATE 3-LANE, 4-LANE, 5-LANE, ETC...SIDE BY SIDE OR BACK TO BACK CONFIGURATIONS. NOTE THAT BACK TO BACK CONFIGURATIONS ALSO REQUIRE A 2" GAP.




1-LANE - TOP-DOWN VIEW

SCALE 1/2" = 1'

THIS DOCUMENT IS THE PROPERTY OF LASERTRON, INC. AND HAS BEEN PREPARED AND ISSUED FOR A SPECIFIC PROJECT AS MARKED ON THIS DOCUMENT. THE RECIPIENT BY ACCEPTING THIS DOCUMENT ASSUMES CUSTODY AND AGREES THAT THIS DOCUMENT WILL NOT BE COPIED OR REPRODUCED IN PART OR IN WHOLE. ALL SPECIAL FEATURES OF THIS DESIGN SHALL NOT BE INCORPORATED IN ANY OTHER PROJECT, UNLESS THE PRIOR WRITTEN AGREEMENT OF LASERTRON HAS BEEN OBTAINED. THIS DOCUMENT WILL BE RETURNED UPON THE COMPLETION OF THE PROJECT CONTEMPLATED BY THE DOCUMENTS OR UPON THE REQUEST OF LASERTRON. THIS DOCUMENT IS THE EXCLUSIVE PROPERTY OF LASERTRON, NO RIGHTS TO OWNERSHIP ARE TRANSFERABLE, OR SHALL BE LOST BY THE FILING OF THIS DOCUMENT WITH ANY AND ALL PUBLIC AUTHORITIES FOR ANY PURPOSES.

- IMPORTANT NOTES:**
- KRAZY DARTS XL REQUIRES A MINIMUM OF 10' 8" CLEAR HEIGHT (DEPENDING ON CLEAR HEIGHT, A SHORTER DART LANE MAY BE AVAILABLE)
 - KRAZY DARTS XL REQUIRES A MINIMUM OF 2" TO THE RIGHT, LEFT AND BACK OF THE LANES FOR INSTALLATION.
 - THE 2" IS MEASURED FROM THE BACK EDGE OF THE BASE PLATES TO THE BACK WALL AND THE EDGE OF THE CABINETS TO THE NEAREST WALL.
 - KRAZY DARTS XL LANES CAN BE OVERLAPPED TO CREATE 3-LANE, 4-LANE, 5-LANE, ETC...SIDE BY SIDE OR BACK TO BACK CONFIGURATIONS. NOTE THAT BACK TO BACK CONFIGURATIONS ALSO REQUIRE A 2" GAP.




2-LANES - TOP-DOWN VIEW

SCALE 1/2" = 1'

THIS DOCUMENT IS THE PROPERTY OF LASERTRON, INC. AND HAS BEEN PREPARED AND ISSUED FOR A SPECIFIC PROJECT AS MARKED ON THIS DOCUMENT. THE RECIPIENT BY ACCEPTING THIS DOCUMENT ASSUMES CUSTODY AND AGREES THAT THIS DOCUMENT WILL NOT BE COPIED OR REPRODUCED IN PART OR IN WHOLE. ALL SPECIAL FEATURES OF THIS DESIGN SHALL NOT BE INCORPORATED IN ANY OTHER PROJECT, UNLESS THE PRIOR WRITTEN AGREEMENT OF LASERTRON HAS BEEN OBTAINED. THIS DOCUMENT WILL BE RETURNED UPON THE COMPLETION OF THE PROJECT CONTEMPLATED BY THE DOCUMENTS OR UPON THE REQUEST OF LASERTRON. THIS DOCUMENT IS THE EXCLUSIVE PROPERTY OF LASERTRON, NO RIGHTS TO OWNERSHIP ARE TRANSFERABLE, OR SHALL BE LOST BY THE FILING OF THIS DOCUMENT WITH ANY AND ALL PUBLIC AUTHORITIES FOR ANY PURPOSES.

- IMPORTANT NOTES:**
- KRAZY DARTS XL REQUIRES A MINIMUM OF 10' 8" CLEAR HEIGHT (DEPENDING ON CLEAR HEIGHT, A SHORTER DART LANE MAY BE AVAILABLE)
 - KRAZY DARTS XL REQUIRES A MINIMUM OF 2" TO THE RIGHT, LEFT AND BACK OF THE LANES FOR INSTALLATION.
 - THE 2" IS MEASURED FROM THE BACK EDGE OF THE BASE PLATES TO THE BACK WALL AND THE EDGE OF THE CABINETS TO THE NEAREST WALL.
 - KRAZY DARTS XL LANES CAN BE OVERLAPPED TO CREATE 3-LANE, 4-LANE, 5-LANE, ETC...SIDE BY SIDE OR BACK TO BACK CONFIGURATIONS. NOTE THAT BACK TO BACK CONFIGURATIONS ALSO REQUIRE A 2" GAP.




4-LANES - TOP-DOWN VIEW

SCALE 1/2" = 1'

THIS DOCUMENT IS THE PROPERTY OF LASERTRON, INC. AND HAS BEEN PREPARED AND ISSUED FOR A SPECIFIC PROJECT AS MARKED ON THIS DOCUMENT. THE RECIPIENT BY ACCEPTING THIS DOCUMENT ASSUMES CUSTODY AND AGREES THAT THIS DOCUMENT WILL NOT BE COPIED OR REPRODUCED IN PART OR IN WHOLE. ALL SPECIAL FEATURES OF THIS DESIGN SHALL NOT BE INCORPORATED IN ANY OTHER PROJECT, UNLESS THE PRIOR WRITTEN AGREEMENT OF LASERTRON HAS BEEN OBTAINED. THIS DOCUMENT WILL BE RETURNED UPON THE COMPLETION OF THE PROJECT CONTEMPLATED BY THE DOCUMENTS OR UPON THE REQUEST OF LASERTRON. THIS DOCUMENT IS THE EXCLUSIVE PROPERTY OF LASERTRON, NO RIGHTS TO OWNERSHIP ARE TRANSFERABLE, OR SHALL BE LOST BY THE FILING OF THIS DOCUMENT WITH ANY AND ALL PUBLIC AUTHORITIES FOR ANY PURPOSES.

- IMPORTANT NOTES:**
- KRAZY DARTS XL REQUIRES A MINIMUM OF 10' 8" CLEAR HEIGHT (DEPENDING ON CLEAR HEIGHT, A SHORTER DART LANE MAY BE AVAILABLE)
 - KRAZY DARTS XL REQUIRES A MINIMUM OF 2" TO THE RIGHT, LEFT AND BACK OF THE LANES FOR INSTALLATION.
 - THE 2" IS MEASURED FROM THE BACK EDGE OF THE BASE PLATES TO THE BACK WALL AND THE EDGE OF THE CABINETS TO THE NEAREST WALL.
 - KRAZY DARTS XL LANES CAN BE OVERLAPPED TO CREATE 3-LANE, 4-LANE, 5-LANE, ETC...SIDE BY SIDE OR BACK TO BACK CONFIGURATIONS. NOTE THAT BACK TO BACK CONFIGURATIONS ALSO REQUIRE A 2" GAP.




UPGRADED FURNITURE PACKAGE

1-LANE - TOP-DOWN VIEW

SCALE 1/2" = 1'

THIS DOCUMENT IS THE PROPERTY OF LASERTRON, INC. AND HAS BEEN PREPARED AND ISSUED FOR A SPECIFIC PROJECT AS MARKED ON THIS DOCUMENT. THE RECIPIENT BY ACCEPTING THIS DOCUMENT ASSUMES CUSTODY AND AGREES THAT THIS DOCUMENT WILL NOT BE COPIED OR REPRODUCED IN PART OR IN WHOLE. ALL SPECIAL FEATURES OF THIS DESIGN SHALL NOT BE INCORPORATED IN ANY OTHER PROJECT, UNLESS THE PRIOR WRITTEN AGREEMENT OF LASERTRON HAS BEEN OBTAINED. THIS DOCUMENT WILL BE RETURNED UPON THE COMPLETION OF THE PROJECT CONTEMPLATED BY THE DOCUMENTS OR UPON THE REQUEST OF LASERTRON. THIS DOCUMENT IS THE EXCLUSIVE PROPERTY OF LASERTRON, NO RIGHTS TO OWNERSHIP ARE TRANSFERABLE, OR SHALL BE LOST BY THE FILING OF THIS DOCUMENT WITH ANY AND ALL PUBLIC AUTHORITIES FOR ANY PURPOSES.

- IMPORTANT NOTES:**
- KRAZY DARTS XL REQUIRES A MINIMUM OF 10' 8" CLEAR HEIGHT (DEPENDING ON CLEAR HEIGHT, A SHORTER DART LANE MAY BE AVAILABLE)
 - KRAZY DARTS XL REQUIRES A MINIMUM OF 2" TO THE RIGHT, LEFT AND BACK OF THE LANES FOR INSTALLATION.
 - THE 2" IS MEASURED FROM THE BACK EDGE OF THE BASE PLATES TO THE BACK WALL AND THE EDGE OF THE CABINETS TO THE NEAREST WALL.
 - KRAZY DARTS XL LANES CAN BE OVERLAPPED TO CREATE 3-LANE, 4-LANE, 5-LANE, ETC...SIDE BY SIDE OR BACK TO BACK CONFIGURATIONS. NOTE THAT BACK TO BACK CONFIGURATIONS ALSO REQUIRE A 2" GAP.




UPGRADED FURNITURE PACKAGE

2-LANES - TOP-DOWN VIEW

SCALE 1/2" = 1'

THIS DOCUMENT IS THE PROPERTY OF LASERTRON, INC. AND HAS BEEN PREPARED AND ISSUED FOR A SPECIFIC PROJECT AS MARKED ON THIS DOCUMENT. THE RECIPIENT BY ACCEPTING THIS DOCUMENT ASSUMES CUSTODY AND AGREES THAT THIS DOCUMENT WILL NOT BE COPIED OR REPRODUCED IN PART OR IN WHOLE. ALL SPECIAL FEATURES OF THIS DESIGN SHALL NOT BE INCORPORATED IN ANY OTHER PROJECT, UNLESS THE PRIOR WRITTEN AGREEMENT OF LASERTRON HAS BEEN OBTAINED. THIS DOCUMENT WILL BE RETURNED UPON THE COMPLETION OF THE PROJECT CONTEMPLATED BY THE DOCUMENTS OR UPON THE REQUEST OF LASERTRON. THIS DOCUMENT IS THE EXCLUSIVE PROPERTY OF LASERTRON, NO RIGHTS TO OWNERSHIP ARE TRANSFERABLE, OR SHALL BE LOST BY THE FILING OF THIS DOCUMENT WITH ANY AND ALL PUBLIC AUTHORITIES FOR ANY PURPOSES.

- IMPORTANT NOTES:**
- KRAZY DARTS XL REQUIRES A MINIMUM OF 10' 8" CLEAR HEIGHT (DEPENDING ON CLEAR HEIGHT, A SHORTER DART LANE MAY BE AVAILABLE)
 - KRAZY DARTS XL REQUIRES A MINIMUM OF 2" TO THE RIGHT, LEFT AND BACK OF THE LANES FOR INSTALLATION.
 - THE 2" IS MEASURED FROM THE BACK EDGE OF THE BASE PLATES TO THE BACK WALL AND THE EDGE OF THE CABINETS TO THE NEAREST WALL.
 - KRAZY DARTS XL LANES CAN BE OVERLAPPED TO CREATE 3-LANE, 4-LANE, 5-LANE, ETC...SIDE BY SIDE OR BACK TO BACK CONFIGURATIONS. NOTE THAT BACK TO BACK CONFIGURATIONS ALSO REQUIRE A 2" GAP.




UPGRADED FURNITURE PACKAGE

4-LANES - TOP-DOWN VIEW


SCALE 1/2" = 1'

THIS DOCUMENT IS THE PROPERTY OF LASERTRON, INC. AND HAS BEEN PREPARED AND ISSUED FOR A SPECIFIC PROJECT AS MARKED ON THIS DOCUMENT. THE RECIPIENT BY ACCEPTING THIS DOCUMENT ASSUMES CUSTODY AND AGREES THAT THIS DOCUMENT WILL NOT BE COPIED OR REPRODUCED IN PART OR IN WHOLE. ALL SPECIAL FEATURES OF THIS DESIGN SHALL NOT BE INCORPORATED IN ANY OTHER PROJECT, UNLESS THE PRIOR WRITTEN AGREEMENT OF LASERTRON HAS BEEN OBTAINED. THIS DOCUMENT WILL BE RETURNED UPON THE COMPLETION OF THE PROJECT CONTEMPLATED BY THE DOCUMENTS OR UPON THE REQUEST OF LASERTRON. THIS DOCUMENT IS THE EXCLUSIVE PROPERTY OF LASERTRON, NO RIGHTS TO OWNERSHIP ARE TRANSFERABLE, OR SHALL BE LOST BY THE FILING OF THIS DOCUMENT WITH ANY AND ALL PUBLIC AUTHORITIES FOR ANY PURPOSES.

- IMPORTANT NOTES:**
- KRAZY DARTS XL REQUIRES A MINIMUM OF 10' 8" CLEAR HEIGHT (DEPENDING ON CLEAR HEIGHT, A SHORTER DART LANE MAY BE AVAILABLE)
 - KRAZY DARTS XL REQUIRES A MINIMUM OF 2" TO THE RIGHT, LEFT AND BACK OF THE LANES FOR INSTALLATION.
 - THE 2" IS MEASURED FROM THE BACK EDGE OF THE BASE PLATES TO THE BACK WALL AND THE EDGE OF THE CABINETS TO THE NEAREST WALL.
 - KRAZY DARTS XL LANES CAN BE OVERLAPPED TO CREATE 3-LANE, 4-LANE, 5-LANE, ETC...SIDE BY SIDE OR BACK TO BACK CONFIGURATIONS. NOTE THAT BACK TO BACK CONFIGURATIONS ALSO REQUIRE A 2" GAP.




1-LANE - SIDE VIEW
SCALE 1/2" = 1'



UPGRADED FURNITURE PACKAGE
1-LANE - SIDE VIEW
SCALE 1/2" = 1'

- IMPORTANT NOTES:**
- KRAZY DARTS XL REQUIRES A MINIMUM OF 10' 8" CLEAR HEIGHT (DEPENDING ON CLEAR HEIGHT, A SHORTER DART LANE MAY BE AVAILABLE)
 - KRAZY DARTS XL REQUIRES A MINIMUM OF 2" TO THE RIGHT, LEFT AND BACK OF THE LANES FOR INSTALLATION.
 - THE 2" IS MEASURED FROM THE BACK EDGE OF THE BASE PLATES TO THE BACK WALL AND THE EDGE OF THE CABINETS TO THE NEAREST WALL.
 - KRAZY DARTS XL LANES CAN BE OVERLAPPED TO CREATE 3-LANE, 4-LANE, 5-LANE, ETC...SIDE BY SIDE OR BACK TO BACK CONFIGURATIONS. NOTE THAT BACK TO BACK CONFIGURATIONS ALSO REQUIRE A 2" GAP.




2-LANES - BACK TO BACK - TOP-DOWN VIEW

THIS DOCUMENT IS THE PROPERTY OF LASERTRON, INC. AND HAS BEEN PREPARED AND ISSUED FOR A SPECIFIC PROJECT AS MARKED ON THIS DOCUMENT. THE RECIPIENT BY ACCEPTING THIS DOCUMENT ASSUMES CUSTODY AND AGREES THAT THIS DOCUMENT WILL NOT BE COPIED OR REPRODUCED IN PART OR IN WHOLE. ALL SPECIAL FEATURES OF THIS DESIGN SHALL NOT BE INCORPORATED IN ANY OTHER PROJECT, UNLESS THE PRIOR WRITTEN AGREEMENT OF LASERTRON HAS BEEN OBTAINED. THIS DOCUMENT WILL BE RETURNED UPON THE COMPLETION OF THE PROJECT CONTEMPLATED BY THE DOCUMENTS OR UPON THE REQUEST OF LASERTRON. THIS DOCUMENT IS THE EXCLUSIVE PROPERTY OF LASERTRON, NO RIGHTS TO OWNERSHIP ARE TRANSFERABLE, OR SHALL BE LOST BY THE FILING OF THIS DOCUMENT WITH ANY AND ALL PUBLIC AUTHORITIES FOR ANY PURPOSES.

SCALE 1/2" = 1'

- IMPORTANT NOTES:**
- KRAZY DARTS XL REQUIRES A MINIMUM OF 10' 8" CLEAR HEIGHT (DEPENDING ON CLEAR HEIGHT, A SHORTER DART LANE MAY BE AVAILABLE)
 - KRAZY DARTS XL REQUIRES A MINIMUM OF 2" TO THE RIGHT, LEFT AND BACK OF THE LANES FOR INSTALLATION.
 - THE 2" IS MEASURED FROM THE BACK EDGE OF THE BASE PLATES TO THE BACK WALL AND THE EDGE OF THE CABINETS TO THE NEAREST WALL.
 - KRAZY DARTS XL LANES CAN BE OVERLAPPED TO CREATE 3-LANE, 4-LANE, 5-LANE, ETC...SIDE BY SIDE OR BACK TO BACK CONFIGURATIONS. NOTE THAT BACK TO BACK CONFIGURATIONS ALSO REQUIRE A 2" GAP.




UPGRADED FURNITURE PACKAGE

2-LANES - BACK TO BACK - TOP-DOWN VIEW

SCALE 1/2" = 1'


THIS DOCUMENT IS THE PROPERTY OF LASERTRON, INC. AND HAS BEEN PREPARED AND ISSUED FOR A SPECIFIC PROJECT AS MARKED ON THIS DOCUMENT. THE RECIPIENT BY ACCEPTING THIS DOCUMENT ASSUMES CUSTODY AND AGREES THAT THIS DOCUMENT WILL NOT BE COPIED OR REPRODUCED IN PART OR IN WHOLE. ALL SPECIAL FEATURES OF THIS DESIGN SHALL NOT BE INCORPORATED IN ANY OTHER PROJECT, UNLESS THE PRIOR WRITTEN AGREEMENT OF LASERTRON HAS BEEN OBTAINED. THIS DOCUMENT WILL BE RETURNED UPON THE COMPLETION OF THE PROJECT CONTEMPLATED BY THE DOCUMENTS OR UPON THE REQUEST OF LASERTRON. THIS DOCUMENT IS THE EXCLUSIVE PROPERTY OF LASERTRON, NO RIGHTS TO OWNERSHIP ARE TRANSFERABLE, OR SHALL BE LOST BY THE FILING OF THIS DOCUMENT WITH ANY AND ALL PUBLIC AUTHORITIES FOR ANY PURPOSES.

- IMPORTANT NOTES:**
- KRAZY DARTS XL REQUIRES A MINIMUM OF 10' 8" CLEAR HEIGHT (DEPENDING ON CLEAR HEIGHT, A SHORTER DART LANE MAY BE AVAILABLE)
 - KRAZY DARTS XL REQUIRES A MINIMUM OF 2" TO THE RIGHT, LEFT AND BACK OF THE LANES FOR INSTALLATION.
 - THE 2" IS MEASURED FROM THE BACK EDGE OF THE BASE PLATES TO THE BACK WALL AND THE EDGE OF THE CABINETS TO THE NEAREST WALL.
 - KRAZY DARTS XL LANES CAN BE OVERLAPPED TO CREATE 3-LANE, 4-LANE, 5-LANE, ETC...SIDE BY SIDE OR BACK TO BACK CONFIGURATIONS. NOTE THAT BACK TO BACK CONFIGURATIONS ALSO REQUIRE A 2" GAP.



2-LANES - BACK TO BACK - SIDE VIEW

SCALE 1/2" = 1'



UPGRADED FURNITURE PACKAGE

2-LANES - BACK TO BACK - SIDE VIEW

SCALE 1/2" = 1'