



Listed
Components




Compliant



Column™ Push Plate Switches

TOP LOAD



4-1/2" WIDE - CM-74 SERIES
6" WIDE - CM-75 SERIES



Camden **CM-74 & CM-75 Series** 'Top Load' Column™ push plate switches are surface-mounted and designed for use when there is no obstruction above the installed unit, and a very low profile is desired.

Features

- OBC, NBC, & CSA compliant activation plate (Stainless Steel model not CSA compliant)
- Option for built-in touchless activation sensor
- Option for Kinetic™ or Lazerpoint™ wireless
- Surface mount with leveling screws (no back box)



SIDE LOAD

4-1/2" WIDE - CM-84 SERIES
6" WIDE - CM-85 SERIES



Camden **CM-84 & CM-85 Series** 'Side Load' Column™ push plate switches feature a two-piece construction with a surface-mount back box and are designed for use when an obstruction above the installed unit prevents the installation of a 'Top Load' model; where the Column™ switch is mounted to narrow curtain wall, or where the Column™ switch will span a lite of glass.

Features

- 2-1/4" (32mm) deep with CSA compliant activation plate
- Heavy-duty extruded aluminum construction
- Option for built-in touchless activation sensor
- Option for Kinetic™ or Lazerpoint™ wireless
- Option for DPDT switches
- Surface mount with integral back box



SPECIFICATIONS

VOLTAGE:	Standard Models: N/A VR Models: 12-24 VDC +/- 10%	CONTACT TYPE:	Standard Models: SPDT Momentary, Form 'C' <i>Optional DPDT switch used with CM-84 & 85 series</i> VR Models: Common / N.O. / N.C.
CONTACT RATING:	Standard Models: 15 Amps @ 30 VDC VR Models: 1 Amp @ 30 VDC		

CONTACT TYPE: **Standard Models:** SPDT Momentary, Form 'C'
Optional DPDT switch used with CM-84 & 85 series
VR Models: Common / N.O. / N.C.

MODELS

TOP LOAD - 4-1/2" WIDE


CM-7436	36" x 4-1/2" Column™ aluminum push plate switch, anodized clear finish
CM-7436VR	36" x 4-1/2" Column™ aluminum push plate switch with hands-free sensor, anodized clear finish
CM-7436K	36" x 4-1/2" Column™ aluminum push plate switch, anodized clear finish with built-in Kinetic no-battery wireless transmitters, receiver required

TOP LOAD - 6" WIDE

CM-7536	36" x 6" Column™ aluminum push plate switch, anodized clear finish
CM-7536VR	36" x 6" Column™ aluminum push plate switch with hands-free sensor, anodized clear finish
CM-7536K	36" x 6" Column™ aluminum push plate switch, anodized clear finish with built-in Kinetic no-battery wireless transmitters, receiver required
CM-7536SS	36"x 6" Column™ stainless steel push plate switch, brushed stainless steel finish
CM-7536SSK	36" x 6" Column™ stainless steel push plate switch, brushed stainless steel finish with built-in Kinetic no-battery wireless transmitters, receiver required

TOP LOAD COLUMN™ SWITCH DIMENSIONS & IMAGES

ALUMINUM MODELS	STAINLESS STEEL MODELS
1. 6061-T6 Aluminum 2. 7075-T6 Aluminum 3. 5052-H32 Aluminum 4. 3003-H14 Aluminum 5. 2024-T3 Aluminum 6. 1100-H14 Aluminum 7. 6063-T5 Aluminum 8. 7050-T7451 Aluminum 9. 5083-H32 Aluminum 10. 2017-T3 Aluminum 11. 3004-H14 Aluminum 12. 6005-T6 Aluminum 13. 7049-T7451 Aluminum 14. 5086-H32 Aluminum 15. 2011-T3 Aluminum 16. 3005-H14 Aluminum 17. 6061-T6 Aluminum 18. 7075-T6 Aluminum 19. 5052-H32 Aluminum 20. 3003-H14 Aluminum 21. 2024-T3 Aluminum 22. 1100-H14 Aluminum 23. 6063-T5 Aluminum 24. 7050-T7451 Aluminum 25. 5083-H32 Aluminum 26. 2017-T3 Aluminum 27. 3004-H14 Aluminum 28. 6005-T6 Aluminum 29. 7049-T7451 Aluminum 30. 5086-H32 Aluminum 31. 2011-T3 Aluminum 32. 3005-H14 Aluminum 33. 6061-T6 Aluminum 34. 7075-T6 Aluminum 35. 5052-H32 Aluminum 36. 3003-H14 Aluminum 37. 2024-T3 Aluminum 38. 1100-H14 Aluminum 39. 6063-T5 Aluminum 40. 7050-T7451 Aluminum 41. 5083-H32 Aluminum 42. 2017-T3 Aluminum 43. 3004-H14 Aluminum 44. 6005-T6 Aluminum 45. 7049-T7451 Aluminum 46. 5086-H32 Aluminum 47. 2011-T3 Aluminum 48. 3005-H14 Aluminum 49. 6061-T6 Aluminum 50. 7075-T6 Aluminum 51. 5052-H32 Aluminum 52. 3003-H14 Aluminum 53. 2024-T3 Aluminum 54. 1100-H14 Aluminum 55. 6063-T5 Aluminum 56. 7050-T7451 Aluminum 57. 5083-H32 Aluminum 58. 2017-T3 Aluminum 59. 3004-H14 Aluminum 60. 6005-T6 Aluminum 61. 7049-T7451 Aluminum 62. 5086-H32 Aluminum 63. 2011-T3 Aluminum 64. 3005-H14 Aluminum 65. 6061-T6 Aluminum 66. 7075-T6 Aluminum 67. 5052-H32 Aluminum 68. 3003-H14 Aluminum 69. 2024-T3 Aluminum 70. 1100-H14 Aluminum 71. 6063-T5 Aluminum 72. 7050-T7451 Aluminum 73. 5083-H32 Aluminum 74. 2017-T3 Aluminum 75. 3004-H14 Aluminum 76. 6005-T6 Aluminum 77. 7049-T7451 Aluminum 78. 5086-H32 Aluminum 79. 2011-T3 Aluminum 80. 3005-H14 Aluminum 81. 6061-T6 Aluminum 82. 7075-T6 Aluminum 83. 5052-H32 Aluminum 84. 3003-H14 Aluminum 85. 2024-T3 Aluminum 86. 1100-H14 Aluminum 87. 6063-T5 Aluminum 88. 7050-T7451 Aluminum 89. 5083-H32 Aluminum 90. 2017-T3 Aluminum 91. 3004-H14 Aluminum 92. 6005-T6 Aluminum 93. 7049-T7451 Aluminum 94. 5086-H32 Aluminum 95. 2011-T3 Aluminum 96. 3005-H14 Aluminum 97. 6061-T6 Aluminum 98. 7075-T6 Aluminum 99. 5052-H32 Aluminum 100. 3003-H14 Aluminum	1. 304 Stainless Steel 2. 316 Stainless Steel 3. 304L Stainless Steel 4. 316L Stainless Steel 5. 309S Stainless Steel 6. 310S Stainless Steel 7. 321 Stainless Steel 8. 347 Stainless Steel 9. 304H Stainless Steel 10. 316H Stainless Steel 11. 304LN Stainless Steel 12. 316LN Stainless Steel 13. 309Cu Stainless Steel 14. 310Cu Stainless Steel 15. 321Cu Stainless Steel 16. 347Cu Stainless Steel 17. 304Ti Stainless Steel 18. 316Ti Stainless Steel 19. 304LH Stainless Steel 20. 316LH Stainless Steel 21. 304LH Stainless Steel 22. 316LH Stainless Steel 23. 304LH Stainless Steel 24. 316LH Stainless Steel 25. 304LH Stainless Steel 26. 316LH Stainless Steel 27. 304LH Stainless Steel 28. 316LH Stainless Steel 29. 304LH Stainless Steel 30. 316LH Stainless Steel 31. 304LH Stainless Steel 32. 316LH Stainless Steel 33. 304LH Stainless Steel 34. 316LH Stainless Steel 35. 304LH Stainless Steel 36. 316LH Stainless Steel 37. 304LH Stainless Steel 38. 316LH Stainless Steel 39. 304LH Stainless Steel 40. 316LH Stainless Steel 41. 304LH Stainless Steel 42. 316LH Stainless Steel 43. 304LH Stainless Steel 44. 316LH Stainless Steel 45. 304LH Stainless Steel 46. 316LH Stainless Steel 47. 304LH Stainless Steel 48. 316LH Stainless Steel 49. 304LH Stainless Steel 50. 316LH Stainless Steel 51. 304LH Stainless Steel 52. 316LH Stainless Steel 53. 304LH Stainless Steel 54. 316LH Stainless Steel 55. 304LH Stainless Steel 56. 316LH Stainless Steel 57. 304LH Stainless Steel 58. 316LH Stainless Steel 59. 304LH Stainless Steel 60. 316LH Stainless Steel 61. 304LH Stainless Steel 62. 316LH Stainless Steel 63. 304LH Stainless Steel 64. 316LH Stainless Steel 65. 304LH Stainless Steel 66. 316LH Stainless Steel 67. 304LH Stainless Steel 68. 316LH Stainless Steel 69. 304LH Stainless Steel 70. 316LH Stainless Steel 71. 304LH Stainless Steel 72. 316LH Stainless Steel 73. 304LH Stainless Steel 74. 316LH Stainless Steel 75. 304LH Stainless Steel 76. 316LH Stainless Steel 77. 304LH Stainless Steel 78. 316LH Stainless Steel 79. 304LH Stainless Steel 80. 316LH Stainless Steel 81. 304LH Stainless Steel 82. 316LH Stainless Steel 83. 304LH Stainless Steel 84. 316LH Stainless Steel 85. 304LH Stainless Steel 86. 316LH Stainless Steel 87. 304LH Stainless Steel 88. 316LH Stainless Steel 89. 304LH Stainless Steel 90. 316LH Stainless Steel 91. 304LH Stainless Steel 92. 316LH Stainless Steel 93. 304LH Stainless Steel 94. 316LH Stainless Steel 95. 304LH Stainless Steel 96. 316LH Stainless Steel 97. 304LH Stainless Steel 98. 316LH Stainless Steel 99. 304LH Stainless Steel 100. 316LH Stainless Steel



STAINLESS STEEL MODELS



CM-7436/4	CM-7536/4	4-1/2" Top Load Dimensions	6" Top Load Dimensions	Top Load Side View Dimensions	CM-7536SS/4	CM-7536SS/4 Dimensions
-----------	-----------	----------------------------	------------------------	-------------------------------	-------------	------------------------

CM-7536/4	4-1/2" Top Load Dimensions	6" Top Load Dimensions	Top Load Side View Dimensions	CM-7536SS/4	CM-7536SS/4 Dimensions
-----------	----------------------------	------------------------	-------------------------------	-------------	------------------------

4-1/2" Top Load Dimensions	6" Top Load Dimensions	Top Load Side View Dimensions	CM-7536SS/4	CM-7536SS/4 Dimensions
----------------------------	------------------------	-------------------------------	-------------	------------------------

6" Top Load Dimensions	Top Load Side View Dimensions	CM-7536SS/4	CM-7536SS/4 Dimensions
------------------------	-------------------------------	-------------	------------------------

Top Load Side View Dimensions	CM-7536SS/4	CM-7536SS/4 Dimensions
--	--------------------	-----------------------------------

CM-7536SS/4	CM-7536SS/4 Dimensions
-------------	---------------------------

CM-7536SS/4 Dimensions

MODELS	
SIDE LOAD – 4-1/2" WIDE	
CM-8436	36" x 4-1/2" Column™ aluminum side load push plate switch, anodized clear finish
CM-8436VR	36" x 4-1/2" Column™ aluminum side load push plate switch with hands-free sensor, anodized clear finish
CM-8436K	36" x 4-1/2" Column™ aluminum side load push plate switch, anodized clear finish with built-in Kinetic no-battery wireless transmitters, receiver required
SIDE LOAD – 6" WIDE	
CM-8536	36" x 6" Column™ aluminum side load push plate switch, anodized clear finish
CM-8536VR	36" x 6" Column™ aluminum side load push plate switch with hands-free sensor, anodized clear finish
CM-8536K	36" x 6" Column™ aluminum side load push plate switch, anodized clear finish with built-in Kinetic no-battery wireless transmitters, receiver required

SIDE LOAD COLUMN™ SWITCH DIMENSIONS & IMAGES				
CM-8436/4	CM-8536/4	4-1/2" Side Load Dimensions	6" Side Load Dimensions	Side Load Side View Dimensions

BATTERY POWERED WIRELESS TRANSMITTER		WIRELESS RECEIVERS (Order separately)	
-TX	(1) CM-TX-9 Lazerpoint™ wireless transmitter with alkaline battery pack, mounted in Column™ switch cap	CM-RX-90	Kinetic by Camden™ and Lazerpoint™ compatible receiver
-TXL2	(1) CM-TX-9 Lazerpoint™ wireless transmitter with lithium battery pack, mounted in Column™ switch cap	CM-RX-91	Lazerpoint™ compatible single relay receiver
		CM-RX-92	Lazerpoint™ compatible dual relay receiver

ARCHITECTURAL FINISHES		WATERPROOFING OPTION	
-BRZ	Add suffix 'BRZ' for anodized dark bronze finish (BHMA 710, 313AN)	-WT	Add 'WT' to Product # for Boot & Water Tight Coating
-BLK	Add suffix 'BLK' anodized black finish (BHMA 711)	CONTACT SWITCH OPTION (CM-84 & 85 Series Only)	
		-DP	Add 'DP' to Product # for 2 x DPDT switches



FACEPLATE GRAPHIC OPTIONS (Add suffix to model number, Add suffix 'F' for French, 'FE' for bilingual, 'SP' for Spanish)



CM-xx/1



CM-xx/2



CM-xx/A2



CM-xx/3



CM-xx/4



CM-xx/A4



CM-xx/2AR



CM-xx/2AL



CM-xx/4AL



CM-xx/20



CM-xx/20AL



CM-xx/20AR



CM-xx/40



CM-xx/80



CM-xx/A20



CM-xx/A40



CM-xx/4AR



CM-xx/8C



CM-xx/8B



CM-xx/20



CM-xx/20AL



CM-xx/20AR



CM-xx/40



CM-xx/80



CM-xx/A20



CM-xx/A40

NOTE: VR Models Include SureWave™ Waving Hand Icon

SURFACE MOUNTING BOXES FOR CM-75 SERIES

CM-75SB Surface Mount, Powder Coated Electrical Gray, 16-Gauge Steel

CM-75SB-BK Surface Mount, Powder Coated Black, 16-Gauge Steel

RETROFIT BACK BOX KITS FOR COLUMN™ SWITCHES

CM-85BB 6" aluminum surface box complete with deep caps and hardware for converting CM-7536 V2 to CM-8536


CM-84BB 4.5" aluminum surface box complete with deep caps and hardware for converting CM-7436 V2 to CM-8436

NOTE: Not suitable for original style Column™ switches or stainless steel Column™ switches. Back box kits also available in bronze or black architectural finishes.


SURFACE BOX DIMENSIONS

CM-75SB


CM-75SB-BK



RETROFIT BACK BOX DIMENSIONS



CM-84BB



CM-85BB



Opening New Doors to Innovation, Quality, and Support!

2395 Skymark Ave, Mississauga, ON Canada L4W 4Y6 • Toll Free: 1(877) 226-3369 (CAMDEN9)

Tel: (905) 366-3377 | Fax: (905) 366-3378 | E-mail: info@camdencontrols.com | www.camdencontrols.com



Certified ISO 9001:2015

Part #: MKTG-LIT-SP-COLUMNNSW

Rev1