




Column™ Push Plate Switches


TOP LOAD 4-1/2" WIDE - CM-74 SERIES 6" WIDE - CM-75 SERIES



Camden **CM-74 & CM-75 Series** 'Top Load' Column™ push plate switches are surface-mounted and designed for use when there is no obstruction above the installed unit, and a very low profile is desired.

Features

- OBC, NBC, & CSA compliant activation plate (Stainless Steel model not CSA compliant)
- Option for built-in touchless activation sensor
- Option for Kinetic™ or Lazerpoint™ wireless
- Surface mount with leveling screws (no back box)



SIDE LOAD 4-1/2" WIDE - CM-84 SERIES 6" WIDE - CM-85 SERIES



Camden **CM-84 & CM-85 Series** 'Side Load' Column™ push plate switches feature a two-piece construction with a surface-mount back box and are designed for use when an obstruction above the installed unit prevents the installation of a 'Top Load' model; where the Column™ switch is mounted to narrow curtain wall, or where the Column™ switch will span a lite of glass.

Features

- 2-1/4" (32mm) deep with CSA compliant activation plate
- Heavy-duty extruded aluminum construction
- Option for built-in touchless activation sensor
- Option for Kinetic™ or Lazerpoint™ wireless
- Option for DPDT switches
- Surface mount with integral back box



SPECIFICATIONS

VOLTAGE:	Standard Models: N/A VR Models: 12-24 VDC +/- 10%	CONTACT TYPE:	Standard Models: SPDT Momentary, Form 'C' <i>Optional DPDT switch used with CM-84 & 85 series</i> VR Models: Common / N.O. / N.C.
CONTACT RATING:	Standard Models: 15 Amps @ 30 VDC VR Models: 1 Amp @ 30 VDC		

CONTACT TYPE: **Standard Models:** SPDT Momentary, Form 'C'
Optional DPDT switch used with CM-84 & 85 series
VR Models: Common / N.O. / N.C.

MODELS

TOP LOAD - 4-1/2" WIDE


CM-7436	36" x 4-1/2" Column™ aluminum push plate switch, anodized clear finish
CM-7436VR	36" x 4-1/2" Column™ aluminum push plate switch with hands-free sensor, anodized clear finish
CM-7436K	36" x 4-1/2" Column™ aluminum push plate switch, anodized clear finish with built-in Kinetic no-battery wireless transmitters, receiver required

TOP LOAD - 6" WIDE

CM-7536	36" x 6" Column™ aluminum push plate switch, anodized clear finish
CM-7536VR	36" x 6" Column™ aluminum push plate switch with hands-free sensor, anodized clear finish
CM-7536K	36" x 6" Column™ aluminum push plate switch, anodized clear finish with built-in Kinetic no-battery wireless transmitters, receiver required
CM-7536SS	36"x 6" Column™ stainless steel push plate switch, brushed stainless steel finish
CM-7536SSK	36" x 6" Column™ stainless steel push plate switch, brushed stainless steel finish with built-in Kinetic no-battery wireless transmitters, receiver required

TOP LOAD COLUMN™ SWITCH DIMENSIONS & IMAGES

ALUMINUM MODELS	STAINLESS STEEL MODELS
1. 6061-T6 Aluminum 2. 7075-T6 Aluminum 3. 5052-H32 Aluminum 4. 3003-H14 Aluminum 5. 2024-T3 Aluminum 6. 1100-H14 Aluminum 7. 6063-T5 Aluminum 8. 7075-T6 Aluminum 9. 5052-H32 Aluminum 10. 3003-H14 Aluminum 11. 2024-T3 Aluminum 12. 1100-H14 Aluminum 13. 6063-T5 Aluminum 14. 7075-T6 Aluminum 15. 5052-H32 Aluminum 16. 3003-H14 Aluminum 17. 2024-T3 Aluminum 18. 1100-H14 Aluminum 19. 6063-T5 Aluminum 20. 7075-T6 Aluminum 21. 5052-H32 Aluminum 22. 3003-H14 Aluminum 23. 2024-T3 Aluminum 24. 1100-H14 Aluminum 25. 6063-T5 Aluminum 26. 7075-T6 Aluminum 27. 5052-H32 Aluminum 28. 3003-H14 Aluminum 29. 2024-T3 Aluminum 30. 1100-H14 Aluminum 31. 6063-T5 Aluminum 32. 7075-T6 Aluminum 33. 5052-H32 Aluminum 34. 3003-H14 Aluminum 35. 2024-T3 Aluminum 36. 1100-H14 Aluminum 37. 6063-T5 Aluminum 38. 7075-T6 Aluminum 39. 5052-H32 Aluminum 40. 3003-H14 Aluminum 41. 2024-T3 Aluminum 42. 1100-H14 Aluminum 43. 6063-T5 Aluminum 44. 7075-T6 Aluminum 45. 5052-H32 Aluminum 46. 3003-H14 Aluminum 47. 2024-T3 Aluminum 48. 1100-H14 Aluminum 49. 6063-T5 Aluminum 50. 7075-T6 Aluminum 51. 5052-H32 Aluminum 52. 3003-H14 Aluminum 53. 2024-T3 Aluminum 54. 1100-H14 Aluminum 55. 6063-T5 Aluminum 56. 7075-T6 Aluminum 57. 5052-H32 Aluminum 58. 3003-H14 Aluminum 59. 2024-T3 Aluminum 60. 1100-H14 Aluminum 61. 6063-T5 Aluminum 62. 7075-T6 Aluminum 63. 5052-H32 Aluminum 64. 3003-H14 Aluminum 65. 2024-T3 Aluminum 66. 1100-H14 Aluminum 67. 6063-T5 Aluminum 68. 7075-T6 Aluminum 69. 5052-H32 Aluminum 70. 3003-H14 Aluminum 71. 2024-T3 Aluminum 72. 1100-H14 Aluminum 73. 6063-T5 Aluminum 74. 7075-T6 Aluminum 75. 5052-H32 Aluminum 76. 3003-H14 Aluminum 77. 2024-T3 Aluminum 78. 1100-H14 Aluminum 79. 6063-T5 Aluminum 80. 7075-T6 Aluminum 81. 5052-H32 Aluminum 82. 3003-H14 Aluminum 83. 2024-T3 Aluminum 84. 1100-H14 Aluminum 85. 6063-T5 Aluminum 86. 7075-T6 Aluminum 87. 5052-H32 Aluminum 88. 3003-H14 Aluminum 89. 2024-T3 Aluminum 90. 1100-H14 Aluminum 91. 6063-T5 Aluminum 92. 7075-T6 Aluminum 93. 5052-H32 Aluminum 94. 3003-H14 Aluminum 95. 2024-T3 Aluminum 96. 1100-H14 Aluminum 97. 6063-T5 Aluminum 98. 7075-T6 Aluminum 99. 5052-H32 Aluminum 100. 3003-H14 Aluminum	1. 304 Stainless Steel 2. 316 Stainless Steel 3. 304L Stainless Steel 4. 316L Stainless Steel 5. 304 Stainless Steel 6. 316 Stainless Steel 7. 304L Stainless Steel 8. 316L Stainless Steel 9. 304 Stainless Steel 10. 316 Stainless Steel 11. 304L Stainless Steel 12. 316L Stainless Steel 13. 304 Stainless Steel 14. 316 Stainless Steel 15. 304L Stainless Steel 16. 316L Stainless Steel 17. 304 Stainless Steel 18. 316 Stainless Steel 19. 304L Stainless Steel 20. 316L Stainless Steel 21. 304 Stainless Steel 22. 316 Stainless Steel 23. 304L Stainless Steel 24. 316L Stainless Steel 25. 304 Stainless Steel 26. 316 Stainless Steel 27. 304L Stainless Steel 28. 316L Stainless Steel 29. 304 Stainless Steel 30. 316 Stainless Steel 31. 304L Stainless Steel 32. 316L Stainless Steel 33. 304 Stainless Steel 34. 316 Stainless Steel 35. 304L Stainless Steel 36. 316L Stainless Steel 37. 304 Stainless Steel 38. 316 Stainless Steel 39. 304L Stainless Steel 40. 316L Stainless Steel 41. 304 Stainless Steel 42. 316 Stainless Steel 43. 304L Stainless Steel 44. 316L Stainless Steel 45. 304 Stainless Steel 46. 316 Stainless Steel 47. 304L Stainless Steel 48. 316L Stainless Steel 49. 304 Stainless Steel 50. 316 Stainless Steel 51. 304L Stainless Steel 52. 316L Stainless Steel 53. 304 Stainless Steel 54. 316 Stainless Steel 55. 304L Stainless Steel 56. 316L Stainless Steel 57. 304 Stainless Steel 58. 316 Stainless Steel 59. 304L Stainless Steel 60. 316L Stainless Steel 61. 304 Stainless Steel 62. 316 Stainless Steel 63. 304L Stainless Steel 64. 316L Stainless Steel 65. 304 Stainless Steel 66. 316 Stainless Steel 67. 304L Stainless Steel 68. 316L Stainless Steel 69. 304 Stainless Steel 70. 316 Stainless Steel 71. 304L Stainless Steel 72. 316L Stainless Steel 73. 304 Stainless Steel 74. 316 Stainless Steel 75. 304L Stainless Steel 76. 316L Stainless Steel 77. 304 Stainless Steel 78. 316 Stainless Steel 79. 304L Stainless Steel 80. 316L Stainless Steel 81. 304 Stainless Steel 82. 316 Stainless Steel 83. 304L Stainless Steel 84. 316L Stainless Steel 85. 304 Stainless Steel 86. 316 Stainless Steel 87. 304L Stainless Steel 88. 316L Stainless Steel 89. 304 Stainless Steel 90. 316 Stainless Steel 91. 304L Stainless Steel 92. 316L Stainless Steel 93. 304 Stainless Steel 94. 316 Stainless Steel 95. 304L Stainless Steel 96. 316L Stainless Steel 97. 304 Stainless Steel 98. 316 Stainless Steel 99. 304L Stainless Steel 100. 316L Stainless Steel



STAINLESS STEEL MODELS



CM-7436/4	CM-7536/4	4-1/2" Top Load Dimensions	6" Top Load Dimensions	Top Load Side View Dimensions	CM-7536SS/4	CM-7536SS/4 Dimensions
-----------	-----------	----------------------------	------------------------	-------------------------------	-------------	------------------------

CM-7536/4	4-1/2" Top Load Dimensions	6" Top Load Dimensions	Top Load Side View Dimensions	CM-7536SS/4	CM-7536SS/4 Dimensions
-----------	----------------------------	------------------------	-------------------------------	-------------	------------------------

4-1/2" Top Load Dimensions	6" Top Load Dimensions	Top Load Side View Dimensions	CM-7536SS/4	CM-7536SS/4 Dimensions
----------------------------	------------------------	-------------------------------	-------------	------------------------


6" Top Load Dimensions	Top Load Side View Dimensions	CM-7536SS/4	CM-7536SS/4 Dimensions
------------------------	-------------------------------	-------------	------------------------

Top Load Side View Dimensions	CM-7536SS/4	CM-7536SS/4 Dimensions
--	--------------------	-----------------------------------

CM-7536SS/4	CM-7536SS/4 Dimensions
-------------	---------------------------

CM-7536SS/4 Dimensions


MODELS	
SIDE LOAD – 4-1/2" WIDE	
CM-8436	36" x 4-1/2" Column™ aluminum side load push plate switch, anodized clear finish
CM-8436VR	36" x 4-1/2" Column™ aluminum side load push plate switch with hands-free sensor, anodized clear finish
CM-8436K	36" x 4-1/2" Column™ aluminum side load push plate switch, anodized clear finish with built-in Kinetic no-battery wireless transmitters, receiver required
SIDE LOAD – 6" WIDE	
CM-8536	36" x 6" Column™ aluminum side load push plate switch, anodized clear finish
CM-8536VR	36" x 6" Column™ aluminum side load push plate switch with hands-free sensor, anodized clear finish
CM-8536K	36" x 6" Column™ aluminum side load push plate switch, anodized clear finish with built-in Kinetic no-battery wireless transmitters, receiver required

SIDE LOAD COLUMN™ SWITCH DIMENSIONS & IMAGES				
				
CM-8436/4	CM-8536/4	4-1/2" Side Load Dimensions	6" Side Load Dimensions	Side Load Side View Dimensions

BATTERY POWERED WIRELESS TRANSMITTER		WIRELESS RECEIVERS (Order separately)	
-TX	(1) CM-TX-9 Lazerpoint™ wireless transmitter with alkaline battery pack, mounted in Column™ switch cap	CM-RX-90	Kinetic by Camden™ and Lazerpoint™ compatible receiver
-TXL2	(1) CM-TX-9 Lazerpoint™ wireless transmitter with lithium battery pack, mounted in Column™ switch cap	CM-RX-91	Lazerpoint™ compatible single relay receiver
		CM-RX-92	Lazerpoint™ compatible dual relay receiver
ARCHITECTURAL FINISHES		WATERPROOFING OPTION	
 -BRZ	Add suffix 'BRZ' for anodized dark bronze finish (BHMA 710, 313AN)	-WT	Add '-WT' to Product # for Boot & Water Tight Coating
 -BLK	Add suffix 'BLK' anodized black finish (BHMA 711)	CONTACT SWITCH OPTION (CM-84 & 85 Series Only)	
		-DP	Add '-DP' to Product # for 2 x DPDT switches



FACEPLATE GRAPHIC OPTIONS (Add suffix to model number, Add suffix 'F' for French, 'FE' for bilingual, 'SP' for Spanish)



CM-xx/1



CM-xx/2



CM-xx/A2



CM-xx/3



CM-xx/4



CM-xx/A4



CM-xx/2AR



CM-xx/2AL



CM-xx/4AL



CM-xx/20



CM-xx/20AL



CM-xx/20AR



CM-xx/40



CM-xx/80



CM-xx/A20



CM-xx/A40



CM-xx/4AR



CM-xx/8C



CM-xx/8B



CM-xx/20



CM-xx/20AL



CM-xx/20AR



CM-xx/40



CM-xx/80



CM-xx/A20



CM-xx/A40

NOTE: VR Models Include SureWave™ Waving Hand Icon

SURFACE MOUNTING BOXES FOR CM-75 SERIES

CM-75SB Surface Mount, Powder Coated Electrical Gray, 16-Gauge Steel

CM-75SB-BK Surface Mount, Powder Coated Black, 16-Gauge Steel

RETROFIT BACK BOX KITS FOR COLUMN™ SWITCHES

CM-85BB 6" aluminum surface box complete with deep caps and hardware for converting CM-7536 V2 to CM-8536


CM-84BB 4.5" aluminum surface box complete with deep caps and hardware for converting CM-7436 V2 to CM-8436

NOTE: Not suitable for original style Column™ switches or stainless steel Column™ switches. Back box kits also available in bronze or black architectural finishes.


SURFACE BOX DIMENSIONS

CM-75SB


CM-75SB-BK



RETROFIT BACK BOX DIMENSIONS



CM-84BB



CM-85BB



Opening New Doors to Innovation, Quality, and Support!

2395 Skymark Ave, Mississauga, ON Canada L4W 4Y6 • Toll Free: 1(877) 226-3369 (CAMDEN9)

Tel: (905) 366-3377 | Fax: (905) 366-3378 | E-mail: info@camdencontrols.com | www.camdencontrols.com



Certified ISO 9001:2015

Part #: MKTG-LIT-SP-COLUMNNSW

Rev1