



**IX0214**

## SWITCH FRONT PLATE WITH 14 BUTTONS - 2 COLUMNS



Front plate for Switch entrance panel in 2.5 mm thick brushed AISI 316 stainless steel. Adapter art. 1250U (supplied) offers the option of using the audio or audio/video module - not supplied - depending on the type of wiring applied (Simplebus digital 2-wire or ViP). Complete with 14 pre-fitted, pre-wired buttons, arranged in 2 columns. White LED nameplate backlighting. Nameplate replacement from the front. Protection rating IK08. To be finished with flush-mounted box or surface-mounted casing (not supplied). Dimensions (L x H x P): 216.4 x 395.7 x 2.5 mm.

### AWARDS

DESIGN  
MILANO



**IX0214**

**SWITCH FRONT PLATE WITH 14 BUTTONS - 2 COLUMNS**

**GENERAL DATA**

|                     |                                 |
|---------------------|---------------------------------|
| Type                | Monoblock                       |
| Product height (mm) | 395.7                           |
| Product width (mm)  | 216.4                           |
| Product depth (mm)  | 2.5                             |
| Product colour      | Steel                           |
| Material            | Stainless steel AISI 316        |
| Flush-mounted       | Yes, with a dedicated accessory |
| Wall-mounted        | Yes, with a dedicated accessory |

**COMPATIBLE SYSTEMS**

|                                                           |                                                                                        |
|-----------------------------------------------------------|----------------------------------------------------------------------------------------|
| Compatible audio and audio/video units                    | Art.1682, Art.1682HVC, Art.4682HD, Art.1621, Art.1622, Art.1622VC, Art.4680C, Art.4681 |
| Audio/video Simplebus 2 with power supply art. 4888C      | Yes                                                                                    |
| Audio/video Simplebus 2 with power supply art. 1210/1210A | Yes                                                                                    |
| Simplebus 2 audio/video kit with power supply art. 1209   | Yes                                                                                    |
| Audio Simplebus 2 with power supply art. 1210/1210A       | Yes                                                                                    |
| Audio Simplebus 1                                         | Yes                                                                                    |
| ViP                                                       | Yes                                                                                    |

**AUDIO FEATURES**

|                          |                |
|--------------------------|----------------|
| Technologies implemented | Echo canceling |
|--------------------------|----------------|

**HARDWARE FEATURES**

|                             |              |
|-----------------------------|--------------|
| Call type                   | Push-buttons |
| Type of buttons             | Mechanical   |
| Number of push-buttons (n°) | 14           |
| Backlight colour            | White        |

**IX0214****SWITCH FRONT PLATE WITH 14 BUTTONS - 2 COLUMNS****ENVIRONMENTAL AND COMPLIANCE FEATURES**

|                                     |          |
|-------------------------------------|----------|
| IP protection degree                | IP54     |
| IK vandal-proof protection degree   | IK08     |
| Operating temperature (°C)          | -25 ÷ 75 |
| Operating humidity (RH max - %) (%) | 25 ÷ 95  |
| Environmental class                 | III      |



**IX0214**

## **SWITCH FRONT PLATE WITH 14 BUTTONS - 2 COLUMNS**

### **ACCESSORIES**



**IX9163 HOUSING FOR FRONT PLATE W/ 12-14-16-18 BUTTONS**

Surface-mounted casing for entrance panels art. IX0212, IX0214, IX0216 and IX0218 with 12-14-16-18 buttons.



**IX9153 FLUSH-MOUNTED BOX FOR FRONT PLATE W/ 12-14-16-18**

Flush-mounted box for entrance panels art. IX0212, IX0214, IX0216 and IX0218 with 12-14-16-18 buttons. Dimensions: 190.4x369.7x56 mm.