



CGA-1610

Cloud Gateway Appliance



Key Features

- Cloud Gateway Appliance is a device for connecting Hanwha IP camera which do not have cloud connector app or third-party cameras to Hanwha Oncloud
- Supports up to 16ch
- up to 8MP resolution
- Gigabit network 1ports(10/100/1000 BASE-T)
- Dual power support for Power Redundancy Failover(12VDC, PoE)
- Cost effective and easy installation
- Slim and light design
- NDAA compliant, FCC Certified

CGA-1610

Cloud Gateway Appliance



Specifications

Performance		
Operating System	Embedded	Linux
Network camera	Inputs	Max. 16CH
	Resolution	up to 8MP
Interface		
Front	Indicator	Power, Record
Reset	Switch(1EA, PW clear)	
HDMI	2EA(Reserved)	
Ethernet	1EA (10/100/1000 BASE-T)	
Alarm	2EA	
Environmental		
Operating Temperature	0°C to +40°C(32°F to 104°F)	
Operating Humidity	20% ~ 85% RH	
Electrical		
Power Input	12VDC, PoE (IEEE802.3af)	
Power Consumption	Max. 11.0W(12V DC), Max. 12.95W(PoE)	
Mechanical		
Color / Material	Black / Metal&Plastic	
Dimension (WxHxD)	140 x 29.5 x 115.4	
Weight	260g	

CGA-1610

Cloud Gateway Appliance



CAD

Unit:mm [inch]

