

Specifications



Eaton 7092337FUL-0373

Eaton, Alarms & signalling devices, Fulleon, X10 Midi sounder beacon housing, 10-60V AC-DC, Light grey housing (X10/CE/MDH/G2/10-60 VAC-DC)

General specifications

PRODUCT NAME	Eaton X10 Industrial sounder and sounder beacon
CATALOG NUMBER	7092337FUL-0373
EAN	5018987240185
PRODUCT LENGTH/DEPTH	133 mm
PRODUCT HEIGHT	170 mm
PRODUCT WIDTH	165 mm
PRODUCT WEIGHT	0.696 kg
COMPLIANCES	EN
GLOBAL CATALOG	7092337FUL-0373

Product specifications

NOMINAL VOLTAGE - MAX	60 V
NOMINAL VOLTAGE - MIN	10 V
TYPE OF CURRENT	AC/DC
ELECTRICITY CONSUMPTION	0.08 A
POWER	2 W
LENS COLOR	Other
LAMP TYPE	LED
SOUND OUTPUT	110 dB
TYPE OF OPTICAL SIGNAL	Flash light
TYPE OF ACOUSTIC SIGNAL DEVICE	Siren
TYPE OF ACOUSTIC SIGNAL	Pulse tone/continuous tone
MOUNTING METHOD	Surface mounting
COLOR HOUSING	Grey
FREQUENCY SOUND SIGNAL - MAX	2900 Kilo Hertz
FREQUENCY SOUND SIGNAL - MIN	125 Kilo Hertz
ALARM CURRENT - MAX	120 mA
ALARM CURRENT - MIN	45 mA
CONSTRUCTION MATERIAL	PC
HUMIDITY (NON CONDENSING) - MAX	95 %
HUMIDITY (NON CONDENSING) - MIN	0 %
IMPACT STRENGTH	IK08
OPERATING TEMPERATURE - MAX	75 °C
OPERATING TEMPERATURE - MIN	-40 °C
SYSTEM TYPOLOGY	Conventional (Non-addressable)
VOICE TONES	No
DEGREE OF PROTECTION	IP66
SUITABLE FOR	Ceiling Mounting Wall Mounting
CABLE ENTRY	M20 hole
SYSTEM WIRING	0.28 - 2.5 mm

Resources

CATALOGS

[Cooper fire and voice alarm systems - Product catalogue](#)

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

