

Specifications



Eaton LFHSHW3-CO

Eaton Exceder LED3 Low frequency sounder strobe, wall, white, 177 cd, CO, indoor

General specifications

PRODUCT NAME	Eaton Exceder LED3 Low frequency sounders and sounder strobes
CATALOG NUMBER	LFHSHW3-CO
UPC	786697265709
PRODUCT LENGTH/DEPTH	1.8 in
PRODUCT HEIGHT	6.2 in
PRODUCT WIDTH	4.7 in
PRODUCT WEIGHT	1.17 lb
COMPLIANCES	Not Applicable

Product specifications

COMPLIANCE AND STANDARDS	ICES
	ULC
	RoHS
	FCC
	UL CSFM
MOUNTING METHOD	Wall
HOUSING COLOR	White
HOUSING MATERIAL	UV stabilized plastic
LENS COLOR	Clear
LENS MATERIAL	Lexan
LAMP TYPE	LED
CURRENT DRAW (DC)	0.344
VOLTAGE	24 V
LETTERING	CO
OPERATING TEMPERATURE	32°F to 122°F (0°C to 50°C)
INDOOR/OUTDOOR	Indoor
CANDELA SETTINGS	177 cd
520 HZ MODES OF OPERATION	Continuous T3/T4 Sync Control T3 (fire) T4 (CO)
APPLICATION	Sleeping areas
SOUND LEVEL (DBA)	80 dB

Resources

BROCHURES	Wheelock Exceder LED3 family brochure
	Exceder LED3 low frequency sounders product aid
	Exceder LED3 product cross reference
CATALOGS	Wheelock high candela xenon cross reference for Exceder LED3
	Wheelock life safety notification appliances catalog CA450003FR, French Canadian Wheelock life safety notification appliances catalog CA450002EN, Canada
DRAWINGS	exceder-led3-lfhs3-drawing
INSTALLATION INSTRUCTIONS	exceder-led3-lf-sounders-install-sheet-P85578
SELLING POLICY AND T&CS	Exceder LED3 low frequency sounder CSFM listing
	Exceder LED3 low frequency sounders UL listing
SPECIFICATIONS AND DATASHEETS	Exceder LED low frequency sounders case study Eaton Specification Sheet - LFHSHW3-CO
TECHNICAL DATA SHEETS	exceder-led3-low-frequency-sounder-data-sheet-TD450121EN
	wheelock-mounting-accessories-data-sheet

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

