

Specifications



Eaton LFHSKR3-N

Eaton Exceder LED3 Low frequency sounder strobe, wall, red, 110 cd, no lettering, indoor

General specifications

PRODUCT NAME	Eaton Exceder LED3 Low frequency sounders and sounder strobes
CATALOG NUMBER	LFHSKR3-N
UPC	786697262722
PRODUCT LENGTH/DEPTH	1.4 in
PRODUCT HEIGHT	6.1 in
PRODUCT WIDTH	4.55 in
PRODUCT WEIGHT	1.144 lb
COMPLIANCES	Not Applicable

Product specifications

COMPLIANCE AND STANDARDS	RoHS
	CSFM
	ULC
	UL
	FCC
	ICES
MOUNTING METHOD	Wall
HOUSING COLOR	Red
HOUSING MATERIAL	UV stabilized plastic
LENS COLOR	Clear
LENS MATERIAL	Lexan
LAMP TYPE	LED
CURRENT DRAW (DC)	0.29
VOLTAGE	24 V
LETTERING	No lettering
OPERATING TEMPERATURE	32°F to 122°F (0°C to 50°C)
INDOOR/OUTDOOR	Indoor
CANDELA SETTINGS	110 cd
520 HZ MODES OF OPERATION	T4 (CO) T3/T4 Sync Control T3 (fire) Continuous
APPLICATION	Sleeping areas
SOUND LEVEL (DBA)	80 dB

Resources

BROCHURES	Wheelock Exceder LED3 family brochure
	Exceder LED3 low frequency sounders product aid
	Exceder LED3 product cross reference
CATALOGS	Wheelock high candela xenon cross reference for Exceder LED3
	Wheelock life safety notification appliances catalog CA450002EN, Canada
	Wheelock life safety notification appliances catalog CA450003FR, French Canadian
DRAWINGS	exceder-led3-lfhs3-drawing
INSTALLATION INSTRUCTIONS	exceder-led3-lf-sounders-install-sheet-P85578
SELLING POLICY AND T&CS	Exceder LED3 low frequency sounder CSFM listing
	Exceder LED3 low frequency sounders UL listing
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - LFHSKR3-N
	Exceder LED low frequency sounders case study
TECHNICAL DATA SHEETS	wheelock-mounting-accessories-data-sheet
	exceder-led3-low-frequency-sounder-data-sheet-TD450121EN

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

