



LEARN & CREATE

with Baby Lock



Fancy Bow Quilt



This fun bow quilt highlights the fun features of the Baby Lock Luna! Piecing is a breeze with the quilting menu of stitches and the external guideline marker. While quilted using the Digital Dual Feed Foot, the Luna also has the option to add stitch regulation using the Stitch Sync™ Foot. Make for yourself or as a keepsake for your loved ones!

Skill Level: Intermediate

Created by: Patty Marty, Baby Lock Training, Education and Events Manager

Supplies:

- Baby Lock® Luna sewing and embroidery machine
- ¼" piecing foot BLSO-QGF
- Digital Dual Feed Foot with standard sole
- Optional- Stitch Sync™ foot set for free-motion quilting
- Optional – Baby Lock Binding Foot BLSA-QBF
- **Top Knot Quilt Pattern** by Pen+ Paper Patterns Click [HERE](#) to link to purchase the pattern.
- Fabric used for this project was from the Creating Memories Collection by Tildas World.
- For the fabric measurements, refer to the pattern requirements.



- Quilt Batting for selected quilt size.
- Madeira® Aerofil or Cotona to match fabric
- Rotary cutter, mat and ruler
- Iron, pressing mat
- Basic sewing supplies, pins, wonder clips, scissors, etc.

Instructions:

The fabric requirements, cutting instructions and pattern instructions are all included with the Top Knot pattern. Follow those instructions to create the quilt top.

Sewing the Quilt Top:

1. Set up the machine for sewing:
 - Thread the machine.
 - Attach a 1/4" piecing foot to the machine.
 - Wind the bobbin with the same thread as used for the upper thread.
 - Set to machine to a center needle stitch to create a 1/4" seam. (Q-01)
2. Following the pattern instructions, sew the blocks together using a 1/4" seam allowance.
3. To aid with achieving a 1/4" seam allowance, use the Luna's external Guideline marker to align with the edge of the fabric.
4. Press the seam toward the darker fabric. Note: pressing is very important and should always be performed after each seam has been stitched. The quilt top will have a neater and more professional look.
5. Continue to sew the sections together in the order per the quilting pattern. Using the 1/4" piecing foot ensures all the seams are consistent throughout the quilt. Again, this foot will require a center needle position and continue use the Guideline Marker for consistent seam allowances.
6. Press the quilt top. Layer together the quilt top and batting.



LEARN & CREATE

with Baby Lock



Finishing the Quilt:



1. Once the blocks are completed, press the quilt top and layer with batting and backing fabric.
2. To quilt this project, the Digital Dual Feed foot was used to create channel quilting on the block. Use the guideline market and a quilt bar to assist with keeping the rows straight.



3. Once completed quilting, trim any extra batting and backing fabric.
4. Attach the binding to the back of the quilt using a $\frac{1}{4}$ " seam allowance and your favorite binding method. The binding foot is a great addition to help you with finishing your quilt binding.



5. Press and fold to the front and use a decorative stitch, such as a serpentine stitch, to attach the binding to the front of the placemat.



For other exciting projects like this one, visit our website at www.babylock.com.

©2026 Baby Lock USA. This project may be freely used by individuals for non-commercial purposes. Project instructions may not be sold or distributed without approval from Baby Lock. Baby Lock must be acknowledged as the source of the project instructions through copyright or online link.