



SAILBOAT BABY QUILT PATTERN



40" X 40"




Before Getting Started

- Read through all directions before starting.
- WOF stand for width of fabric and is assumed to be 42".
- All seams are ¼".
- HST = Half Square Triangle.

Fabric Requirements	
 Fabric A	1 yard
 Background	1 yard
Backing	2 3/4 yards
Binding	1/2 yard

Cutting Instructions	
 Fabric A	Cut (1) 7" x WOF strip - subcut (4) 7" x 7" squares Cut (1) 6 ½" x WOF strip - subcut (6) 6 ½" x 6 ½" squares Cut (8) 2 ½" x WOF strips
 Background	Cut (2) 7" x WOF strip - subcut (4) 7" x 7" squares (7) 6 ½" x 6 ½" squares Cut (8) 2 ½" x WOF strips
Binding	Cut (5) 2 ½" x WOF strips


2 at a time Half Square Triangles (HST)




1. Pair one 7" background square and one 7" Fabric A square, right sides together. (Fig. 1)
2. Draw a diagonal line from corner to corner on the back of Background square. Sew $\frac{1}{4}$ " from drawn line, on both sides. (Fig. 2)
3. Cut on the drawn line. This will give you 2 half square triangles (HST). (Fig. 3)
4. Open and press toward Fabric A. (Fig. 4)
5. Trim to $6\frac{1}{2}$ " square. Repeat to make a total of 8 HSTs. You will have 1 left over.

Piecing

6. Sew HSTs, background and Fabric A pieces into rows following the block assembly diagram. Press seams in direction of arrows.



7. Sew rows together. Press seams toward top of block.



8. **Strip Set A.** Sew (2) Fabric A and (2) Background strips together - alternating colors. Press toward Fabric A. Make 4 strip sets. Strip set measure $8\frac{1}{2}$ " wide.




9. Cut (1) $24\frac{1}{2}$ " x $8\frac{1}{2}$ " piece from each strip set for a total of 4 pieces.

10. From remaining strip sets, cut a total of (16) $2\frac{1}{2}$ " x $8\frac{1}{2}$ " pieces.




11. To form 16 patch block, take (4) $2\frac{1}{2}$ " pieces from step 5. Arrange into 4 rows. Rows 1 and 3 start with a background and Rows 2 and 4 start with Fabric B. Sew rows together. Make (4) 16 patch blocks. Press seams open.




12. Lay out Strip Set A so that Fabric A is at the top. Sew (1) 16-patch block to each side of one Strip Unit. **NOTE:** On the left side, the 16 patch block starts with Fabric A in top left corner. On the right side, 16 patch block starts with background facing top left corner. (Make 2)



13. Sew 1 Strip Unit to the left and right of sailboat block. **NOTE:** Background faces inside toward sailboat, and Fabric A is on the outside. Press towards Strip Unit.



14. Sew 1 Strip Unit with 16 patches to the top and bottom. Press towards strip unit. **NOTE:** Background faces inside toward sailboat, and Fabric A is on the outside.



15. You're done! Baste, quilt and bind in your preferred method.