




Vanguard Laboratory
2635 Parkmont Ln
Olympia, Wa 98502
360-967-7010

Certificate of Analysis


GLP-3 10 mg

Report To:
Virtus Peptides

Compound: GLP-3
Amount: 10 mg
Laboratory ID: V260904-15 002
Lot Number: ZQ-20260827-RT10-CLEAR
Date Released: 9/16/2026



Analysis	Method	Result
Identity	HPLC-UV/VIS	Pass - Matches Ref. Standard
Chromatographic Purity	HPLC-UV/VIS	>99.80%
Quantity	HPLC-UV/VIS	10.61 mg
Fentanyl Screening	HPLC-UV/VIS	Pass - Not Detected



Report By: Dustin Newman, Laboratory Director on 9/16/2026

Approved By: Tori Johnson, Operations Manager on 9/16/2026

Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch. Blend purity is the combined chromatographic area % of peaks identified as the intended components, not absolute mass purity. It does not establish individual component purity, quantity, or ratio. Co-eluting or otherwise undetected impurities may not be included, despite peak-purity and spectral-library review.



Vanguard Laboratory
2635 Parkmont Ln
Olympia, Wa 98502
360-967-7010

Certificate of Analysis

GLP-3 10 mg

Report To:
Virtus Peptides

Compound: GLP-3
Amount: 10 mg
Laboratory ID: V260904-15 002
Lot Number: ZQ-20260827-RT10-CLEAR
Date Released: 9/16/2026

Analyte	Method	LOQ (ppm)	Result (ppm)
Arsenic (As)	ICP-MS	0.01	ND
Cadmium (Cd)	ICP-MS	0.01	ND
Lead (Pb)	ICP-MS	0.01	ND
Mercury (Hg)	ICP-MS	0.005	ND

Run ID: 260909

Analysis	Method	Result
Endotoxins	LAL	<5.00 EU/mg*
Sterility	USP <71>	No Growth Detected

Report By: Dustin Newman, Laboratory Director on 9/16/2026

Approved By: Tori Johnson, Operations Manager on 9/16/2026

ND: Non-Detect

LOD: Limit of Quantification



Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.



Vanguard Laboratory
2635 Parkmont Ln
Olympia, Wa 98502
360-967-7010

Certificate of Analysis

GLP-3 10 mg

Report To:
Virtus Peptides

Compound: GLP-3
Amount: 10 mg
Laboratory ID: V260904-15 002
Lot Number: ZQ-20260827-RT10-CLEAR
Date Released: 9/16/2026

Residual Solvents Analysis			
Analyte	Method	LOQ (ppm)	Result (ppm)
Acetone	GC-MS	3.7	ND
Benzene	GC-MS	0.02	ND
Butanes	GC-MS	3.7	ND
Chloroform	GC-MS	0.02	ND
Cyclohexane	GC-MS	2.9	ND
Dichloromethane	GC-MS	0.45	ND
Ethanol	GC-MS	3.7	ND
Ethyl Acetate	GC-MS	3.7	ND
Heptane	GC-MS	3.7	ND
Hexanes	GC-MS	0.21	ND
Isopropanol	GC-MS	3.7	ND
Methanol	GC-MS	2.2	ND
Pentanes	GC-MS	3.7	ND
Propane	GC-MS	3.7	ND
Toluene	GC-MS	0.66	ND
Total Xylenes	GC-MS	1.6	ND

Report By: Dustin Newman, Laboratory Director on 9/16/2026

Approved By: Tori Johnson, Operations Manager on 9/16/2026

ND: Non-Detect

LOD: Limit of Quantification



Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.




Vanguard Laboratory
2635 Parkmont Ln
Olympia, Wa 98502
360-967-7010

Certificate of Analysis

GLP-3 RT 10 mg

Report To:
Virtus Peptides

Compound: GLP-3 RT
Amount: 10 mg
Laboratory ID: V260921-46 005
Lot Number: Clear Cap
Date Released: 10/6/2026



Analysis	Method	Result	
Identity	HPLC-UV/VIS	Pass - Matches Ref. Standard	
Chromatographic Purity	HPLC-UV/VIS	99.51%	99.48%
Quantity	HPLC-UV/VIS	10.97 mg	11.46 mg
Gross Mass	Measured	0.07 g	



[Signature]

Report By: Dustin Newman, Laboratory Director on 10/6/2026

[Signature]

Approved By: Tori Johnson, Operations Manager on 10/6/2026

Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch. Blend purity is the combined chromatographic area % of peaks identified as the intended components, not absolute mass purity. It does not establish individual component purity, quantity, or ratio. Co-eluting or otherwise undetected impurities may not be included, despite peak-purity and spectral-library review.