KOVERA LABS

CERTIFICATE OF ANALYSIS

REPORT # KVR-2026-A41179-S195

Client: Synthesis Peptides

Certified: 05/29/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	AOD-9604	**Form**	Lyophilized powder (acetate)
Batch	AOD5626	**Labeled Qty**	5 mg
Mol. Formula	C78H123N23O23S2	**CAS Number**	221231-10-3
Cap Color	Red	**Crimp Color**	Silver

TEST RESULTS

	REFERENCE STANDARD	RESULT
Batch Avg Purity	(>98%)	99.386% ✓
Batch Avg Net Content	(~5mg)	5.18 mg ✓
Identity Confirmation (LC-MS)	(AOD-9604)	AOD-9604 ✓
Endotoxin Safety Screen	(≤0.5 EU/mL)	PASS ✓
Microbial Sterility Screen	(No Growth)	No Growth ✓

HEAVY METAL SCREENING


Analyte	Result	Status
Arsenic (As)	Negative	✓
Cadmium (Cd)	Negative	✓
Lead (Pb)	Negative	✓
Mercury (Hg)	Negative	✓

BATCH CONFORMITY RESULTS

Vial	Purity (%)	Net Content (mg)
Vial 1	99.246	5.33
Vial 2	99.472	5.13
Vial 3	99.439	5.09
Batch Average	**99.386%**	**5.18 mg**

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm





Lemar Arghandiwal
Lab Director

koveralabs.com/verify

Report#: KVR-2026-A41179-S195

Access Code: VAUVFNS