Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

BPC-157 / TB-500 (Wolverine) - 10mg

Tested for: Synthesis Peptides

PASS

COA #:	**COA-2026-4CWRWD**	Analysis Date:	**07/01/2026**
Lot Number:	**Wolf10-726**	Appearance:	**Good**
Accession #:	**ACC-2026-6560**	Sample Matrix:	**Lyophilized**
Labeled Content:	**10mg**	Vial Size:	**3mL**
		Date Received:	**06/24/2026**

Scan to verify authenticity at ils-lab.com
Access Code: VY7B3ELF

Method: **Full QC Panel**

Identity	Peptide Purity	
BPC-157 / TB-500 (Wolverine)	**99.86%**	**Fentanyl Free**



BPC-157 / TB-500 (Wolverine) 10mg - Wolf10-726


Blend Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	**99.86%**	%	**PASS**
Identity (HPLC-RTM)	BPC-157 + TB-500/TB-4	**Confirmed**	-	**PASS**
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	**Not Detected**	-	**PASS**

Additional Tests

Analyte	Specification	Result	Unit	Status
Net Blend Peptide Content	Report Only	**10.57**	mg	N/A
-- BPC-157		*5.39*	*mg*	
-- TB-500/TB-4		*5.18*	*mg*	
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	**Not Detected**	-	**PASS**

HPLC Chromatogram



Representative chromatogram, Dedicated V0 (99.85% purity, closest to batch mean of 99.85%)

HPLC Conformity Testing Results (2 samples tested)

Sample	Purity	NPC	ID	Result
Dedicated V0	99.85%	10.64 mg	Confirmed	**PASS**
Conformity V1	99.86%	10.57 mg	Confirmed	**PASS**
Mean	**99.85%**	**10.61 mg**	—	—
Std Dev	**0.0050%**	**0.0350 mg**	—	—

Dr. Greg Kalyuzhny
Lab Director
7/1/2026

COA #: **COA-2026-4CWRWD**
Access Code: **VY7B3ELF**
Verify: portal.ils-lab.com/verify/vl3Yt2gJ-9yZEQov
Issued: 7/1/2026

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	*Not Detected*	**PASS**
Cadmium (Cd)	NMT 0.5 ppm	*Not Detected*	**PASS**
Chromium (Cr)	NMT 10 ppm	*Not Detected*	**PASS**
Mercury (Hg)	NMT 1.5 ppm	*Not Detected*	**PASS**
Lead (Pb)	NMT 1 ppm	*Not Detected*	**PASS**

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	**No Growth**	**PASS**

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	**NMT 0.05 EU/mL**	**Reported**

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

Notes & Methodology

1. Date Tested: 07/01/2026. Methods: Blend Purity & Quant (HPLC); Additional Tests.
2. The sample was confirmed to be BPC-157 / TB-500 (Wolverine) by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
4. Endotoxin tested per USP <85> kinetic turbidimetric method. Acceptance criteria per client specification.
5. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
6. Per-component content calculated from total net peptide content using the manufacturer's stated formulation ratio (BPC-157, TB-500/TB-4). All components confirmed present by HPLC identity testing, unless explicitly stated otherwise.
7. Chromatogram shown is representative: Dedicated V0 (99.85% purity, closest to batch mean of 99.85%).

Dr. Greg Kalyuzhny
Lab Director
7/1/2026

COA #: **COA-2026-4CWRWD**
Access Code: **VY7B3ELF**
Verify: portal.ils-lab.com/verify/vl3Yt2gJ-9yZEQov
Issued: 7/1/2026

ILS Laboratories | 8222 Vickers St, Suite 106, San Diego, CA 92111 | (619) 329-3999 | ils-lab.com
ISO/IEC 17025 Accredited | This certificate relates only to the items tested. Results shall not be reproduced except in full without written approval.