



NASPO ValuePoint Price List

ABM LEVEL 2 CHARGERS & ACCESSORIES

Noodoe Level 2 Chargers

Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
AC30P	Noodoe	7.6kW AC30P Charger	ABM - 7.6 kW AC charging station Ethernet/Wi-Fi, RFID reader, 16.4 ft. cable, 2-year parts-only warranty	\$1,128.39
AC7LC	Noodoe	7.6kW AC7LC Charger	ABM - 7.6 kW AC charging station CALeVIP eligible, Wi-Fi, 4G OLED display, 25 ft. cable, 2-year parts-only warranty	\$1,471.73
AC7L	Noodoe	7.6kW AC7L Charger	ABM - 7.6 kW AC charging station CALeVIP eligible, Wi-Fi, OLED display, 25 ft. cable, 2-year parts-only warranty	\$1,336.71
AC19L Exceed	Noodoe	19.2kW AC19L Exceed Charger	ABM - 19 kW AC charging station Ethernet/Wi-Fi/4G, 1-year free cellular service included, OLED display, RFID reader, 25 ft. cable, 2-year parts-only warranty	\$1,445.12
NOOD24-19KW-001	Noodoe	19.2kW AC19L Exceed Charger (ABM SIM)	ABM - 19 kW AC charging station Ethernet/Wi-Fi/4G, ABM SIM, 1-year free cellular service included, OLED display, RFID reader, 25 ft. cable, 2-year parts-only warranty	\$2,047.26

Accessories for Noodoe Level 2 Chargers

NOOD24-ACCS-002	Noodoe	Level 2 - Pedestal Bracket For Side by side dual mounting	ABM - Pedestal Bracket For Side by side dual mounting on the AC7L/C	\$98.80
-----------------	--------	---	---	---------

Warranties for Noodoe Level 2 Chargers

AC30P-WAR-3	Noodoe	7.6kW AC30P Charger - 3 YR Extended Warranty	AC30P - 3 Year Parts Warranty	\$167.95
AC30P-WAR-4	Noodoe	7.6kW AC30P Charger - 4 YR Extended Warranty	AC30P - 4 Year Parts Warranty	\$237.11
AC30P-WAR-5	Noodoe	7.6kW AC30P Charger - 5 YR Extended Warranty	AC30P - 5 Year Parts Warranty	\$327.26
AC7L-WAR-3	Noodoe	7.6kW AC7L Charger - 3 YR Extended Warranty	AC7L - 3 year Parts Warranty	\$167.95
AC7L-WAR-4	Noodoe	7.6kW AC7L Charger - 4 YR Extended Warranty	AC7L - 4 year Parts Warranty	\$237.11
AC7L-WAR-5	Noodoe	7.6kW AC7L Charger - 5 YR Extended Warranty	AC7L - 5 year Parts Warranty	\$327.26
AC7LC-WAR-3	Noodoe	7.6kW AC7LC Charger - 3YR Extended Warranty	AC7LC - 3 year Parts Warranty	\$303.80
AC7LC-WAR-4	Noodoe	7.6kW AC7LC Charger - 4YR Extended Warranty	AC7LC - 4 year Parts Warranty	\$429.76
AC7LC-WAR-5	Noodoe	7.6kW AC7LC Charger - 5YR Extended Warranty	AC7LC - 5 year Parts Warranty	\$554.49
AC19L-WAR-3	Noodoe	19.2kW AC19L Charger - 3YR Extended Warranty	AC19L - 3 Year Parts Warranty	\$427.29
AC19L-WAR-4	Noodoe	19.2kW AC19L Charger - 4YR Extended Warranty	AC19L - 4 Year Parts Warranty	\$603.89
AC19L-WAR-5	Noodoe	19.2kW AC19L Charger - 5YR Extended Warranty	AC19L - 5 Year Parts Warranty	\$780.49
AC19L Exceed-WAR-3	Noodoe	19.2kW AC19L Exceed Charger - 3YR Extended Warranty	AC19L Exceed - 3 year Parts Warranty	\$577.96
AC19L Exceed-WAR-4	Noodoe	19.2kW AC19L Exceed Charger - 4YR Extended Warranty	AC19L Exceed - 4 year Parts Warranty	\$816.30
AC19L Exceed-WAR-5	Noodoe	19.2kW AC19L Exceed Charger - 5YR Extended Warranty	AC19L Exceed - 5 year Parts Warranty	\$1,054.65

Siemens Level 2 Chargers

Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
SIEM24-11KW-001	Siemens	11.5kW AC Versicharge Charger	Siemens VersiCharge AC Series 11.5kW Charger delivers Level 2 single-phase charging at up to 48 A (11.5 kW) with a 20-foot J1772 cable, embedded metering, and integrated cable management. Housed in a NEMA 4, IK8-rated enclosure, it supports Ethernet, Wi-Fi, RFID, and OCPP 1.6 (upgradeable to 2.0.1), with optional LTE connectivity for parent-child network configurations. 3 year warranty	\$969.45
SIEM24-11KW-002	Siemens	11.5kW AC Versicharge Blue Charger BABA	Siemens VersiCharge AC Series 11.5kW Charger delivers Level 2 single-phase charging at up to 48 A (11.5 kW) with a 20-foot J1772 cable, embedded metering, and integrated cable management. Housed in a NEMA 4, IK8-rated enclosure, it supports Ethernet, Wi-Fi, RFID, and OCPP 1.6 (upgradeable to 2.0.1), with optional LTE connectivity for parent-child network configurations. 5 year warranty	\$1,502.78
SIEM25-19KW-001	Siemens	19kW Versicharge 80A Charger	VersiCharge Gen3 80A (19.2 kW) AC charger with 24ft cable for commercial applications. OCPP 1.6J communication over Wi-Fi and cellular with 4G(SIM-card included, data plan to be purchased separately). Supports Modbus TCP (LAN/Wi-Fi). Built-in energy metering. Can provide internet access via Wi-Fi hotspot for one non-cellular charger. Five years warranty. Energy Star 1.2 certification. Meets Buy American requirements (manufactured in the US). Enclosure is rated for NEMA 4 and IK 10 for greater environmental protection.	\$2,227.85

Accessories for Siemens Level 2 Chargers

SIEM24-ACCS-11KW-001	Siemens	11.5kW Pedestal w/CMS Dual	AC charging pedestal with 12-48A capability, supporting Level 2 charging up to 11.5 kW. It features a dual-port configuration and is designed for robust commercial or fleet use, integrating seamlessly with cable management systems	\$1,471.73
SIEM25-19KW-ACCS-002	Siemens	Versicharge 80A 95" dual pedestal w/CMS	Versicharge 80A 95" dual post with retractable cable management	\$1,872.74
SIEM25-11KW-ACCS-001	Siemens	Versicharge 48A 95" single pedestal w/CMS	Versicharge 48A 95" single post with retractable cable management	\$1,373.16
SIEM25-11KW-ACCS-002	Siemens	Versicharge 48A 95" dual pedestal w/CMS	Versicharge 48A 95" dual post with retractable cable management	\$1,533.84

Warranties for Siemens Level 2 Chargers

	Autel Energy Level 2 Chargers				
	Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
Level 2 Chargers & Accessories	AUTL-11KW-001	Autel Energy	MaxiCharger AC Elite Business	Adjustable charging up to 50 amps, Bluetooth/Wifi/Ethernet/4G, 240V, 5" LCD screen, 25ft J1772 Cable, CTEP, 3 year parts warranty	\$1,079.49
	AUTL-19KW-001	Autel Energy	MaxiCharger AC Pro (Commercial)	Adjustable Charger up to 80 amps, Bluetooth/Wifi/Ethernet/4G, 240V, 5" LCD screen, 25ft J1772 Cable, 3 year parts warranty	\$1,510.89
	AUTL-19KW-002	Autel Energy	MaxiCharger AC 80A (Home)	Adjustable Charger up to 80 amps, Bluetooth/Wifi/Ethernet/4G, 240V, 5" LCD screen, 25ft NACS Cable, 3 year parts warranty	\$1,296.20
	AUTL-9KW-001	Autel Energy	Maxicharger AC Elite Home 40A (Separate Holster)	240V Outlet plug in, 25ft J1772 cable, Energy Star, Bluetooth/Wifi/Ethernet, 3 year parts warranty, NEMA 14-50	\$566.08
	AUTL-9KW-002	Autel Energy	Maxicharger AC Elite Home 40A (In-Body Holster)	240V Outlet plug in, 25ft J1772 cable, Energy Star, Bluetooth/Wifi/Ethernet, 3 year parts warranty, NEMA 14-50	\$566.08
	AUTL-12KW-001	Autel Energy	Maxicharger AC Elite Home 50A (Separate Holster)	Hardwired 12kW charger, 25ft J1772 cable, Energy Star, Bluetooth/Wifi/Ethernet, 3 year parts warranty	\$606.58
	AUTL-12KW-002	Autel Energy	Maxicharger AC Elite Home 50A (In-Body Holster)	Hardwired 12kW charger, 25ft J1772 cable, Energy Star, Bluetooth/Wifi/Ethernet, 3 year parts warranty	\$606.58
	AUTL-12KW-003	Autel Energy	AC 50A (Digital tube) w/ J1772	12kW charger, 19ft J1772 cable, Energy Star, Bluetooth/Wifi/Ethernet, 3 year parts warranty	\$945.15
	AUTL-12KW-004	Autel Energy	AC 50A (LCD Screen) w/ J1772	12kW charger, 19ft J1772 cable, LCD Screen, Energy Star, Bluetooth/Wifi/Ethernet, 3 year parts warranty	\$1,080.17
	AUTL-19KW-003	Autel Energy	Maxicharger AC Ultra Full Set Dual Pedestal	19kW Charger, (dual port + 25ft cable + front post + CMS-9ft + POS), ISO 15118, 8" LED Screen, Dynamic power sharing, Bluetooth/Wifi/Ethernet/4G, 3 year parts warranty	\$8,666.33
	AUTL-19KW-004	Autel Energy	Maxicharger AC Ultra Full Set Single Pedestal	19kW Charger, (single port + 25ft cable + front post + CMS-9ft + POS), ISO 15118, 8" LED Screen, Dynamic power sharing, Bluetooth/Wifi/Ethernet/4G, 3 year parts warranty	\$6,015.19
	AUTL-19KW-005	Autel Energy	Maxicharger AC Ultra Dual Wall	19kW Charger, dual port 25ft cable, ISO 15118, 8" LED Screen, Dynamic power sharing, Bluetooth/Wifi/Ethernet/4G, 3 year parts warranty	\$6,138.46
	AUTL-19KW-006	Autel Energy	Maxicharger AC Ultra Single Wall	19kW Charger, single port 25ft cable, ISO 15118, 8" LED Screen, Dynamic power sharing, Bluetooth/Wifi/Ethernet/4G, 3 year parts warranty	\$3,487.32
	AUTL-19KW-007	Autel Energy	Maxicharger AC Ultra Full Set Dual Pedestal	19kW Charger, (dual port + 18ft cable + front post + CMS-6ft + POS), ISO 15118, 8" LED Screen, Dynamic power sharing, Bluetooth/Wifi/Ethernet/4G, 3 year parts warranty	\$8,299.48
	AUTL-19KW-008	Autel Energy	Maxicharger AC Ultra Full Set Single Pedestal	19kW Charger, (single port + 18ft cable + front post + CMS-6ft + POS), ISO 15118, 8" LED Screen, Dynamic power sharing, Bluetooth/Wifi/Ethernet/4G, 3 year parts warranty	\$5,658.73
	AUTL-19KW-009	Autel Energy	Maxicharger AC Ultra Dual Wall	19kW Charger, dual port 18ft cable, ISO 15118, 8" LED Screen, Dynamic power sharing, Bluetooth/Wifi/Ethernet/4G, 3 year parts warranty	\$5,893.40
	AUTL-19KW-010	Autel Energy	Maxicharger AC Ultra Single Wall	19kW Charger, single port 18ft cable, ISO 15118, 8" LED Screen, Dynamic power sharing, Bluetooth/Wifi/Ethernet/4G, 3 year parts warranty	\$3,252.66
	Accessories for Autel Energy Level 2 Chargers				
	AUTL-ACCS-001	Autel Energy	AC Elite Pedestal Post	Pedestal Post for Maxicharger AC units	\$363.54
	AUTL-19KW-ACCS-001	Autel Energy	Front Pedestal Post	Pedestal Post for Maxicharger AC Ultra configuration	\$846.58
	AUTL-19KW-ACCS-002	Autel Energy	6 ft tall CMS (for DUAL port AC ultra) for 18ft cable	Cable management system for dual port AC Ultra	\$724.79
	AUTL-19KW-ACCS-003	Autel Energy	9 ft tall CMS (for DUAL port AC ultra) for 25ft cable	Cable management system for dual port AC Ultra	\$846.58
	AUTL-19KW-ACCS-004	Autel Energy	6 ft tall CMS (for SINGLE port AC ultra) for 18ft cable	Cable management system for single port AC Ultra	\$668.35
	AUTL-19KW-ACCS-005	Autel Energy	9 ft tall CMS (for SINGLE port AC ultra) for 25ft cable	Cable management system for single port AC Ultra	\$791.63
	AUTL-ACCS-002	Autel Energy	POS Machine	Nayax payment operating system	\$1,203.04
	Pre-Commissioning for Autel Energy Level 2 Chargers				
	AUTL-COMM-001	Autel Energy	AC Elite Commercial Pre-Commissioning	AC Elite Commercial Pre-Commissioning per unit	\$337.55
	AUTL-COMM-002	Autel Energy	AC Ultra Pre-Commissioning	AC Ultra Pre-Commissioning per unit	\$607.59

Tellus Power Green Level 2 Chargers				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
TPG-12KW-001	TellusPowerGreen	50A Wallbox Single Connector	TellusPowerGreen 50A Wallbox Single Connector delivers Level 2 charging via a Gen2 wall-mounted unit with a 50A single port at 220V, NEMA 4 enclosure, and Wi-Fi and Ethernet connectivity, designed for residential or light commercial applications.	\$2,410.13
TPG-12KW-002	TellusPowerGreen	50A Wallbox Dual Connector	TellusPowerGreen 50A Wallbox Single Connector delivers Level 2 charging via a Gen2 wall-mounted unit with a 50A dual port at 220V, NEMA 4 enclosure, and Wi-Fi and Ethernet connectivity, designed for residential or light commercial applications.	\$2,788.19
TPG-19KW-001	TellusPowerGreen	80A Wallbox Single Connector	80A Wallbox Single Connector provides faster Level 2 charging through a single 80A port at 220V, with the same Gen2 build, rugged housing, and Wi-Fi/Ethernet integration.	\$2,788.19
TPG-7KW-001	TellusPowerGreen	UP Series 30A Charger Single Pedestal Mount	UP Series 30A Charger Single Pedestal Mount supports 208–240V input with one 30A port, outdoor-rated pedestal construction, and optional RFID control, offering reliable performance for public or semi-public installations.	\$3,142.62
TPG-7KW-002	TellusPowerGreen	UP Series 30A Charger Dual Pedestal Mount	UP Series 30A Charger Dual Pedestal Mount adds a second port to the same pedestal platform, delivering dual simultaneous Level 2 charging at 208–240V with RFID authentication support.	\$3,638.82
TPG-7KW-003	TellusPowerGreen	UP Series 30A Charger Single Wall Mount	UP Series 30A Charger Single Wall Mount is a compact 208–240V unit with one 30A output, wall-mounted for garages or fleet depots with limited space.	\$3,142.62
TPG-7KW-004	TellusPowerGreen	UP Series 30A Charger Dual Wall Mount	UP Series 30A Charger Dual Wall Mount provides two 30A ports, wall-mounted, with 208–240V input, tailored for compact facilities serving multiple EVs.	\$3,638.82
TPG-7KW-005	TellusPowerGreen	UP Series 30A Charger Single Pole Mount	UP Series 30A Charger Single Pole Mount integrates a single 30A output with a pole-mounted format, suitable for outdoor commercial lots or retrofits.	\$3,142.62
TPG-7KW-006	TellusPowerGreen	UP Series 30A Charger Dual Pole Mount	UP Series 30A Charger Dual Pole Mount builds on the same format with dual ports, offering parallel 30A Level 2 charging and durable, weather-resistant construction.	\$3,638.82
Accessories for Tellus Power Green Level 2 Chargers				
TPG-19KW-ACCS-001	TellusPowerGreen	Pedestal - Supports One Wall Mount Station 12KW/19KW	Pedestal - Supports One Wall Mount Station - 12kW / 19KW	\$546.84
TPG-19KW-ACCS-002	TellusPowerGreen	Pedestal - Supports Two Wall Mount Station 19KW	Pedestal - Supports 2 Wall Mount Stations - 19kW	\$546.84
TPG-ACCS-003	TellusPowerGreen	Pallet Crate - L2 UP Series version	Crates for L2 UP series version	\$60.76
TPG-ACCS-CMS-001	TellusPowerGreen	Cable Retractor - AC UP Series	Cord Management System for AC Charger Supports UP Series 7.2kW	\$388.86
TPG-ACCS-CMS-002	TellusPowerGreen	Cable Retractor - Wall Mount	Cord Management System for AC Charger Supports 12kW and 19kW	\$303.80
Warranties for Tellus Power Green Level 2 Chargers				
TPG-12KW-WAR-001	TellusPowerGreen	Extended - Warranty L2 50A Single / Year	Parts Only Extended Warranty - 50A Single Port Charger	\$303.80
TPG-12KW-WAR-002	TellusPowerGreen	Extended Warranty L2 50A Dual / Year	Parts Only Extended Warranty - 50A Dual Port Charger	\$358.48
TPG-19KW-WAR-001	TellusPowerGreen	Extended Warranty L2 80A Single / Year	Parts Only Extended Warranty - 80A Single Port Charger	\$303.80
TPG-19KW-WAR-002	TellusPowerGreen	Warranty - L2 - AC Single / Year	Parts Only Extended Warranty - L2 Single charger	\$255.19
TPG-19KW-WAR-003	TellusPowerGreen	Warranty - L2 - AC Dual / Year	Parts Only Extended Warranty - L2 Dual Charger	\$303.80
Accessories For ALL Level 2 Chargers				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
Pedestal P210	Noodoe	7.6kW ABM Charger Pedestal	ABM - ADA compliant charger pedestal, single or double mount, stainless steel construction, designed for models W1000, AC7L, and AC7L Exceed, H1100	\$321.09
Pedestal P220S	Noodoe	Level 2 ABM Charger Pedestal	ABM - Heavy-duty charger pedestal, single or double mount, stainless steel construction, ADA compliant, designed for models AC19L, AC19L Exceed, AC11P, AC7L, AC7LC	\$605.13
EVCS-PED-001	EVCS	EVChargeSolutions EZ Pull Pedestal single	EZ pull pedestal w/ CMS, 95", single port up to 80A / 25' cable	\$1,107.17
EVCS-PED-002	EVCS	EVChargeSolutions EZ Pull Pedestal dual	EZ pull pedestal w/ CMS, 95", dual port up to 80A / 25' cable	\$1,201.69
EVCS-PED-003	EVCS	EVChargeSolutions universal cable retractor, black	EVChargeSolutions universal wall-mounted cable retractor in black, compatible with Level 2 chargers; keeps cables organized and off the ground for safer, cleaner installations.	\$201.52
Cable Retractor C100	Noodoe	Level 2 Pedestal Mounted Cable Retractor	ABM - Cable retractor, designed for pedestals P200 and P210	\$345.79
Cable Retractor C500	Noodoe	Level 2 Pedestal Mounted Cable Retractor	ABM - Cable retractor, designed for pedestals P220S and P210	\$432.23
ABM Gateway	Noodoe	Level 2 - Charger Cellular Gateway	ABM - Industrial grade 4G router, auto-diagnostics, auto-recovery, support for up to 10 Wi-Fi connected chargers within a 60 ft. range	\$1,123.80

ABM LEVEL 3 (DCFC) CHARGERS AND ACCESSORIES				
DELTA -DC Wallbox (25kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
DELT25-25KW-001	Delta Electronics	DC Wallbox 25kW	Delta DC Wallbox 25kW, delivers up to 25 kW DC charging at 500 VDC 480V and comes equipped with a CCS1 connector, a 4-meter cable, dual Ethernet and Cellular communication, and a 2.8" LCD screen interface. Designed for robust commercial use, this unit supports OCPP 1.6 and remote management features.	\$10,724.73
DELT25-25KW-002	Delta Electronics	DC Wallbox 25kW	Delta DC Wallbox 25kW, supports high-voltage 1000 VDC 480V charging with 25 kW power delivery via a CCS1 connector and 7-meter cable. It includes Ethernet and Cellular communications, a 2.8" LCD display, and OCPP 1.6 capability for effective charging network management.	\$15,500.42
DELT25-25KW-003	Delta Electronics	DC Wallbox 25kW	Delta DC Wallbox 25kW, offers up to 25 kW charging at 1000 VDC 208V, featuring a CCS1 connector with an extended 7-meter cable, Ethernet and Cellular communications, and a 2.8" LCD interface. Fully compatible with OCPP 1.6, this unit enables smart charging operations and remote monitoring.	\$15,500.42
Accessories for DELTA -DC Wallbox (25kW)				
Heliox Wallbox (30kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
HELX-30KW-001	Heliox	Heliox 30kW UL Charger BAA	Variable Charger, ISO15118, CCS1 16ft cable, wall/pedestal configuration, single port, 7" LCD, 4G/Ethernet, 2 year parts warranty	\$36,334.18
HELX-30KW-002	Heliox	Heliox 30kW UL Charger BAA	Variable Charger, ISO15118, CCS1 23ft cable, wall/pedestal configuration, single port, 7" LCD, 4G/Ethernet, 2 year parts warranty	\$37,913.92
HELX-30KW-003	Heliox	Heliox 30kW UL Mobile Charger BAA	Variable Mobile Charger, ISO15118, single port comes with CCS1/J1772 16ft cable, wall/pedestal configuration, single port, 7" LCD, 4G/Ethernet, 2 year parts warranty	\$38,616.03
HELX-30KW-004	Heliox	Heliox 30kW UL Mobile Charger BAA	Variable Mobile Charger, ISO15118, single port comes with CCS1 23ft cable & J1772 33ft cable, wall/pedestal configuration, 7" LCD, 4G/Ethernet, 2 year parts warranty	\$40,371.31
Accessories for Heliox Wallbox (30kW)				
HELX-ACCS-004	Heliox	Pedestal 60kW 30KW	Heliox Pedestal for the Variable 60kW Chager	\$1,894.35
Tellus Power Green Wallbox (30kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
TPG-30KW-001	TellusPowerGreen	30kW DCFC Wall Mount CCS1	TellusPowerGreen 30kW DCFC Wall Mount CCS1 delivers 30 kW of DC fast charging via CCS1, rated for 100A at 1000 VDC, ideal for wall-constrained applications needing compact DCFC capability.	\$16,540.08
TPG-30KW-002	TellusPowerGreen	30kW DCFC Wall Mount NACS	TellusPowerGreen 30kW DCFC Wall Mount CCS1 delivers 30 kW of DC fast charging via NACS, rated for 100A at 1000 VDC, ideal for wall-constrained applications needing compact DCFC capability.	\$16,540.08
TPG-30KW-003	TellusPowerGreen	30kW DCFC Wall Mount CHAdeMO	TellusPowerGreen 30kW DCFC Wall Mount CCS1 delivers 30 kW of DC fast charging via CHAdeMO, rated for 100A at 1000 VDC, ideal for wall-constrained applications needing compact DCFC capability.	\$16,540.08
TPG-30KW-BA-001	TellusPowerGreen	30kW DCFC Wall Mount CCS1	30kW DCFC Wall Mount - 100A / 1000VDC with CCS1 (~16ft), Buy America Compliant	\$23,156.12
TPG-30KW-BA-002	TellusPowerGreen	30kW DCFC Wall Mount NACS	30kW DCFC Wall Mount - 100A / 1000VDC with NACS (~16ft), Buy America Compliant	\$23,156.12
TPG-30KW-BA-003	TellusPowerGreen	30kW DCFC Wall Mount CHAdeMO	30kW DCFC Wall Mount - 100A / 500VDC with CHAdeMO (~16ft), Buy America Compliant	\$23,156.12
Accessories for Tellus Power Green Wallbox (30kW)				
TPG-ACCS-001	TellusPowerGreen	Cellular Modem	4G Modem for connectivity	\$303.80
TPG-30KW-ACCS-001	TellusPowerGreen	30kW DCFC Pedestal	Pedestal for the 30kW wallbox unit.	\$1,093.67
TPG-30KW-ACCS-002	TellusPowerGreen	30kW DCFC Pedestal - 25ft cable	Pedestal for the 30kW wallbox unit for 25ft Cable	\$1,397.47
TPG-ACCS-CMS-003	TellusPowerGreen	Cable Retractor - 30kW DCFC (16' Cable)	Cord Management System for DC Charger - Supports 30kW DCFC with 16' cable	\$668.35
TPG-ACCS-CMS-004	TellusPowerGreen	Cable Retractor - 30kW DCFC (24' Cable)	Cord Management System for DC Charger - Supports 30kW DCFC with 24' cable	\$668.35
TPG-ACCS-002	TellusPowerGreen	Nayax Credit Card Reader - DC Chargers	Nayax Credit Card Reader with Apple Pay, Samsung Pay	\$1,154.43
TPG-ACCS-004	TellusPowerGreen	Crate - 30kW	Packing and Crating for 30kW	\$425.32
Warranties for Tellus Power Green Wallbox (30kW)				
TPG-30KW-WAR-001	TellusPowerGreen	Extended Parts Warranty DC Charger / Year	Parts Only Extended Warranty - 30kW charger	\$1,586.70

Samsung (30kW) DCFC				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
SAM25-30KW-001	Samsung	Samsung 30kW Charger Single CCS1 Wall Mount & 2 Year Parts/Labor Warranty	A 30kW charger with 480 V single phase input and rated up to 1000 VDC output. Features include 20 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts and labor standard warranty. EMC Class B rated. Features a single outlet CCS1 charging cable and basic cable management holster for CCS1. Includes 2 Years Warranty on circuit breaker, digital meter, relay, power module, control board, PC, coupler, and payment terminal.	\$26,511.39
SAM25-30KW-002	Samsung	Samsung 30kW Charger Single CCS1 w/pedestal & 2 Year Parts/Labor Warranty	A 30kW charger with 480 V single phase input and rated up to 1000 VDC output. Features include 20 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts and labor standard warranty. EMC Class B rated. Features a single outlet CCS1 charging cable and basic cable management holster for CCS1. Includes 2 Years Warranty on circuit breaker, digital meter, relay, power module, control board, PC, coupler, and payment terminal.	\$28,070.89
SAM25-30KW-003	Samsung	Samsung 30kW Charger Single CCS1 Wall Mount & 2 Year Parts Warranty	A 30kW charger with 480 V single phase input and rated up to 1000 VDC output. Features include 20 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts and labor standard warranty. EMC Class B rated. Features a single outlet CCS1 charging cable and basic cable management holster for CCS1. Includes 2 Years Warranty on circuit breaker, digital meter, relay, power module, control board, PC, coupler, and payment terminal.	\$17,934.18
SAM25-30KW-004	Samsung	Samsung 30kW Charger Single CCS1 w/pedestal & 2 Year Parts Warranty	A 30kW charger with 480 V single phase input and rated up to 1000 VDC output. Features include 20 foot charging cable(s), RFID Reader, LED Display, 4G cellular modem, basic cable management holster(s), support for OCPP 1.6 integrations, a 2 year parts and labor standard warranty. EMC Class B rated. Features a single outlet CCS1 charging cable and basic cable management holster for CCS1. Includes 2 Years Warranty on circuit breaker, digital meter, relay, power module, control board, PC, coupler, and payment terminal.	\$19,493.67
Accessories for Samsung (30kW) DCFC				
SAM25-ACCS-30KW-001	Samsung	30kW Samsung DC Charger Pedestal	DC Pedestal with cable management one cable holster	\$742.62
SAM25-ACCS-30KW-002	Samsung	30kW Samsung DC Charger Pedestal and Cable Retractor	DC Pedestal with retractor cable management one cable holster	\$742.62
Warranties for Samsung (30kW) DCFC				
Power Electronics (30kW) DCFC				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
POWR25-30KW-001	Power Electronics	NBw30 Wallbox - 80A CCS1	NBw 30 is a 30 kW DC fast charger offering versatile charging configurations with a single CCS1 connector. Operating across a wide voltage range of 150–1000 VDC, the unit supports up to 80 A of continuous current and delivers a peak current of 100 A per connector. Its 10" high-visibility touchscreen interface is paired with RFID support for ISO14443 A/B, MIFARE, Calypso, ISO18092, and ISO15693 protocols. Connectivity includes Ethernet, Wi-Fi, and 4G/3G/GSM cellular options with Autocharge, ISO 15118, and OCPP 1.6J/2.0.1 compatibility. Built for durability in NEMA 3R/IP54 or IP41 configurations, the charger operates reliably in environments from -22 to 122°F, with standard 25-foot cables. The enclosure is available in white, grey, or black, with customizable pedestal and branding options. Safety features include surge protection, RCD Type A, and isolation monitoring. This model complies with UL 2202, NEC 625, and FCC Class A standards.	\$19,642.19
Accessories for Power Electronics (30kW) DCFC				
POWR25-30KW-ACCS-001	Power Electronics	NBw30 Pedestal		\$683.21
Autel DC Compact (40kW) DCFC				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
AUTL-40KW-001	Autel Energy	DC Compact 40kW Wall Mount	Autel DC Compact 40kW Wall Mount charger offers 40 kW DC output with dual CCS connectors in a compact wall-mounted form factor. It features non-POS operation, supports 18-foot charging cables, and integrates OCPP protocol and network connectivity for seamless site deployment.	\$18,379.75
AUTL-40KW-002	Autel Energy	DC Compact 40kW Wall Mount	Autel DC Compact 40kW Wall Mount provides the same dual CCS output and non-POS configuration but includes extended 25-foot cables for increased flexibility in tight or distributed site layouts.	\$19,215.19
AUTL-40KW-003	Autel Energy	DC Compact 40kW Wall Mount	POS-equipped Autel DC Compact 40kW Wall Mount version adds a payment-ready interface with 18-foot cables, dual CCS connectors, and remote monitoring capabilities, optimized for public or mixed-use access environments.	\$19,605.06
AUTL-40KW-004	Autel Energy	DC Compact 40kW Wall Mount	POS-equipped Autel DC Compact 40kW Wall Mount version adds a payment-ready interface with 25-foot cables, dual CCS connectors, and remote monitoring capabilities, optimized for public or mixed-use access environments.	\$19,961.52
AUTL-40KW-005	Autel Energy	DC Compact 40kW Ped Mount	Autel DC Compact 40kW Pedestal Mount charger delivers 40 kW DC via dual CCS in a floor-standing enclosure, with non-POS operation and 18-foot cables, suitable for parking lots, depots, or commercial spaces.	\$19,238.21
AUTL-40KW-006	Autel Energy	DC Compact 40kW Ped Mount	Autel DC Compact 40kW Pedestal Mount charger delivers 40 kW DC via dual CCS in a floor-standing enclosure, with non-POS operation and 25-foot cables, suitable for parking lots, depots, or commercial spaces.	\$19,594.67
AUTL-40KW-007	Autel Energy	DC Compact 40kW Ped Mount	POS-ready pedestal variants includes model with an 18-foot cable, integrated payment support, and a sleek compact design ideal for retail or fleet applications requiring billing functionality.	\$20,463.53
AUTL-40KW-008	Autel Energy	DC Compact 40kW Ped Mount	POS-ready pedestal variants includes model with an 25-foot cable, integrated payment support, and a sleek compact design ideal for retail or fleet applications requiring billing functionality.	\$20,819.98
AUTL-40KW-009	Autel Energy	DC Compact 40kW Trolley	Autel DC Compact 40kW Trolley charger introduces a mobile pedestal format with 18-foot cables and dual CCS output, built for portability and non-POS operation, perfect for event, dealership, or flexible depot charging.	\$20,050.63
AUTL-40KW-010	Autel Energy	DC Compact 40kW Trolley	Autel DC Compact 40kW Trolley charger introduces a mobile pedestal format with 25-foot cables and dual CCS output, built for portability and non-POS operation, perfect for event, dealership, or flexible depot charging.	\$20,407.09
AUTL-40KW-011	Autel Energy	DC Compact 40kW Trolley	Autel DC Compact 40kW Trolley charger introduces a mobile pedestal format with 18-foot cables and dual CCS output, built for portability and POS operation, perfect for event, dealership, or flexible depot charging.	\$21,275.95

	Accessories for Autel DC Compact (40kW) DCFC				
	AUTL-ACCS-003	Autel Energy	18ft CCS1 Cable	18ft CCS1 Cable	\$154.46
	AUTL-ACCS-004	Autel Energy	25ft CCS1 Cable	25ft CCS1 Cable	\$380.22
	AUTL-ACCS-013	Autel Energy	DC Compact CMS	CMS for DC Compact - pedestal not included	\$2,083.38
	AUTL-ACCS-006	Autel Energy	20kW Charging Module Upgrade Kit	20kW Charging Module Upgrade Kit	\$7,842.03
	AUTL-ACCS-007	Autel Energy	Nayax Payment Terminal	Nayax Credit Card Reader	\$1,307.00
	AUTL-ACCS-008	Autel Energy	20ft CCS1 Boost Cable	20ft CCS1 Boost Cable	\$302.99
	AUTL-ACCS-009	Autel Energy	25ft CCS1 Boost Cable	25ft CCS1 Boost Cable	\$760.44
	AUTL-ACCS-010	Autel Energy	DC Compact Pedestal Post	DC Compact Pedestal Post	\$858.46
	AUTL-ACCS-011	Autel Energy	DC Compact Trolley	DC Compact Trolley Cart	\$1,670.89
	AUTL-ACCS-012	Autel Energy	Wallmount Bracket Kit	Wallmount bracket kit	\$836.19
	Pre-Commissioning for Autel DC Compact (40kW) DCFC				
	AUTL-COMM-004	Autel Energy	DC Compact Pre-Commissioning	DC Compact Pre-Commissioning per unit	\$742.62
	DELTA -DC Wallbox (50kW)				
	Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
	DELT25-50KW-001	Delta Electronics	DC Wallbox 50kW	Delta DC Wallbox 50kW delivers up to 50 kW DC charging at 1000 VDC with dual CCS1 connectors, a 7-inch LCD interface, Ethernet and Cellular communications, and full OCPP 1.6 support, offering compact, high-performance charging for commercial environments.	\$25,113.92
	Accessories for DELTA -DC Wallbox (50kW)				
	DELT25-50KW-ACCS-001	Delta Electronics	Wall mount bracket kit for 50kW DCWB	Wall mount bracket kit for 50kW DCWB	\$1,471.73
	DELT25-50KW-ACCS-002	Delta Electronics	Pedestal for 50kW DCWB	Pedestal for 50kW DCWB	\$2,632.91
DCFC - V2G	Tellus Power Green (V2G) (20kW - 60kW)				
	Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
	TPG-20KW-V2G-001	TellusPowerGreen	20kW DCFC V2G Wall Mount CCS1	20kW DCFC V2G Wall Mount CCS1 provides 20 kW bidirectional charging with 80A output at 1000VDC via CCS1. Compactly wall-mounted, this unit enables both EV charging and energy export for grid services, ideal for fleet and campus energy optimization.	\$24,101.27
	TPG-20KW-V2G-BA-001	TellusPowerGreen	20kW DCFC V2G Wall Mount CCS1 BA	20kW DCFC V2G Wall Mount CCS1 BA version provides the same 20 kW, 80A V2G functionality in a Buy America-compliant configuration, enabling public sector or federally funded project eligibility.	\$32,536.71
	TPG-40KW-V2G-001	TellusPowerGreen	40kW DCFC V2G CCS1	40kW DCFC V2G CCS1 model delivers 40 kW at 150A and 1000VDC, supporting vehicle-to-grid integration over CCS1 with smart power exchange. Suitable for facilities with energy flexibility goals, it supports both standalone and networked deployment.	\$38,940.08
	TPG-40KW-V2G-BA-002	TellusPowerGreen	40kW DCFC V2G CCS1 BA	40kW DCFC V2G CCS1 BA version ensures 150A bidirectional power flow and full CCS1 compatibility in a Buy America-compliant format, ideal for NEVI-aligned infrastructure projects.	\$48,675.11
	TPG-60KW-V2G-001	TellusPowerGreen	60kW DCFC V2G CCS1	60kW DCFC V2G CCS1 charger increases capacity to 200A and 1000VDC, designed for medium-duty vehicle platforms. V2G capabilities enable managed energy return to grid infrastructure, maximizing value from EV storage assets.	\$52,550.21
	TPG-60KW-V2G-BA-003	TellusPowerGreen	60kW DCFC V2G CCS1 BA	60kW DCFC V2G CCS1 BA model offers high-power 200A bidirectional operation under Buy America compliance, delivering 60 kW of V2G-enabled capacity for fleet, utility, or commercial infrastructure demands.	\$63,060.25
	Accessories for Tellus Power Green (V2G) (20kW - 60kW)				
	TPG-ACCS-001	TellusPowerGreen	Cellular Modem	4G Modem for connectivity	\$303.80
	TPG-ACCS-002	TellusPowerGreen	Nayax Credit Card Reader - DC Chargers	Nayax Credit Card Reader with Apple Pay, Samsung Pay	\$1,154.43
	TPG-ACCS-004	TellusPowerGreen	Crate - 30kW	Packing and Crating for 30kW	\$425.32
	TPG-ACCS-005	TellusPowerGreen	Crate DCFC - 60kW/120kW/160kW/180kW	Packing and Crating for 60kW, 120kW, 160kW and 180kW - Non HPC	\$546.84
	Warranties for Tellus Power Green (V2G) (20kW - 60kW)				
	TPG-20KW-WAR-001	TellusPowerGreen	Extended Parts Warranty V2G Charger / Year	Parts Only Extended Warranty - 20kW V2G charger	TBD
	TPG-40KW-WAR-001	TellusPowerGreen	Extended Parts Warranty V2G Charger / Year	Parts Only Extended Warranty - 40kW V2G charger	TBD
	TPG-60KW-WAR-003	TellusPowerGreen	Extended Parts Warranty V2G Charger / Year	Parts Only Extended Warranty - 60kW V2G charger	TBD

	Heliox (V2G) (44kW)				
	HELX-44KW-001	Heliox	Heliox 44kW V2G	Variable Charger, ISO15118, CCS1 16ft cable, wall/pedestal configuration, single port, 7" LCD, 4G/Ethernet, 2 year parts warranty	\$51,173.00
	HELX-44KW-002	Heliox	Heliox 44kW V2G	Variable Charger, ISO15118, CCS1 23ft cable, wall/pedestal configuration, single port, 7" LCD, 4G/Ethernet, 2 year parts warranty	\$51,713.08
	Accessories for Heliox (V2G) (44kW)				
	HELX-ACCS-004	Heliox	Pedestal 60kW 30KW	Heliox Pedestal for the Variable 60kW Chager	\$1,894.35
	iCharging Blueberry (50kW)				
	Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
	ICHG-50KW-001	I-Charging	Blueberry 50kW CCS 125A	Blueberry 50kW delivers 125A DC charging via CCS with 150–1000 V output, featuring a 32" touchscreen, OCPP 1.6/2.0.1 support, dual SIM modem, and CMS cable management in an IP55/IK10 steel enclosure. 2 year parts warranty	\$30,486.21
	ICHG-50KW-002	I-Charging	Blueberry 50kW 2x CCS 125A	Blueberry 50kW charger supports 2x CCS connectors at 125A, with shared 50 kW power, CMS cable retraction, a 32" display, and robust outdoor-rated IP55/IK10 housing. 2 year parts warranty	\$34,434.27
	ICHG-50KW-003	I-Charging	Blueberry 50kW CCS (125A) & CHAdEMO	Blueberry 50 kW shared output across CCS and CHAdEMO at 125A, with dynamic power control, CMS, a 32" screen, and support for OCPP and major charging protocols. 2 year parts warranty	\$33,926.65
	ICHG-50KW-004	I-Charging	Blueberry 50kW NACS & CCS (125A)	Blueberry 50 kW combining CCS and NACS connectors at 125A each, with dynamic power control, this 50 kW charger features CMS, OCPP 1.6/2.0.1 connectivity, 32" touchscreen, and rugged IP55/IK10 construction for commercial use. 2 year parts warranty	\$34,605.65
	ICHG-50KW-005	I-Charging	Blueberry Fusion 50kW CCS (300A)	Delivers 50 kW via CCS at up to 300A, with 150–1000 V output, dynamic power control, 32" touchscreen, OCPP 1.6/2.0.1, and CMS cable management in a robust IP55/IK10 enclosure, 2 year parts warranty	\$37,000.97
	Accessories for iCharging Blueberry (50kW)				
	Kempower (50kW)				
	Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
	KEMP25-50KW-MOB-001	Kempower	T500 50kW Mobile Charger CCS1	Kempower Movable Charger T500 is a mobile DC fast charger delivering up to 50 kW through a single CCS1 connector, using a 21-foot cable with a nominal output current of 150 A. Optimized for mobile or semi-permanent deployment, it operates at 150–470 VDC and features a 7-inch touchscreen display, RFID authentication, and LED indicators for charging status. The T500 offers comprehensive connectivity options including WiFi, Ethernet, and LTE, and is fully compatible with OCPP 1.6j/2.0.1. Built for North American markets with UL, ISO-15118, and CSA certifications, the unit includes robust electrical protections and a weather-rated enclosure with removable wheels for flexible installation.	\$23,218.23
	KEMP25-50KW-MOB-002	Kempower	T500 50kW Mobile Charger dual CCS1	Kempower Movable Charger T500 is a mobile DC fast charger delivering up to 50 kW through dual CCS1 connectors, using a 21-foot cable with a nominal output current of 150 A. Optimized for mobile or semi-permanent deployment, it operates at 150–470 VDC and features a 7-inch touchscreen display, RFID authentication, and LED indicators for charging status. The T500 offers comprehensive connectivity options including WiFi, Ethernet, and LTE, and is fully compatible with OCPP 1.6j/2.0.1. Built for North American markets with UL, ISO-15118, and CSA certifications, the unit includes robust electrical protections and a weather-rated enclosure with removable wheels for flexible installation.	\$26,335.86
	KEMP25-50KW-MOB-003	Kempower	T500 50kW Mobile Charger CCS1/NACS	Kempower Movable Charger T500 is a mobile DC fast charger delivering up to 50 kW through dual CCS1/NACS connectors, using a 21-foot cable with a nominal output current of 150 A and 250A. Optimized for mobile or semi-permanent deployment, it operates at 150–470 VDC and features a 7-inch touchscreen display, RFID authentication, and LED indicators for charging status. The T500 offers comprehensive connectivity options including WiFi, Ethernet, and LTE, and is fully compatible with OCPP 1.6j/2.0.1. Built for North American markets with UL, ISO-15118, and CSA certifications, the unit includes robust electrical protections and a weather-rated enclosure with removable wheels for flexible installation.	\$26,335.86
	KEMP25-50KW-MOB-004	Kempower	T500 50kW Mobile Charger CCS1/CHAdEMO	Kempower Movable Charger T500 is a mobile DC fast charger delivering up to 50 kW through dual CCS1/CHAdEMO connectors, using a 21-foot cable with a nominal output current of 150 A and 125 A. Optimized for mobile or semi-permanent deployment, it operates at 150–470 VDC and features a 7-inch touchscreen display, RFID authentication, and LED indicators for charging status. The T500 offers comprehensive connectivity options including WiFi, Ethernet, and LTE, and is fully compatible with OCPP 1.6j/2.0.1. Built for North American markets with UL, ISO-15118, and CSA certifications, the unit includes robust electrical protections and a weather-rated enclosure with removable wheels for flexible installation.	\$26,816.54
	KEMP25-50KW-MOB-005	Kempower	T800 50kW Mobile charger CCS1	Kempower Movable Charger T800 is a mobile DC fast charger delivering up to 50 kW through a single CCS1 connector, with a 21-foot cable and nominal output current of 80 A. Designed for versatile deployment, it supports 200–920 VDC output and includes a 7-inch touchscreen, RFID reader, and LED status indicators. The unit connects via WiFi, LTE, and Ethernet, with OCPP 1.6j/2.0.1. Built for North American markets with UL, ISO-15118, and CSA certifications, the unit includes robust electrical protections and a weather-rated enclosure with removable wheels for flexible installation.	\$22,899.58

	KEMP25-50KW-MOB-006	Kempower	T800 50kW Mobile charger dual CCS1	Kempower Movable Charger T800 is a mobile DC fast charger delivering up to 50 kW through dual CCS1 connectors, with a 21-foot cable and nominal output current of 80 A. Designed for versatile deployment, it supports 200–920 VDC output and includes a 7-inch touchscreen, RFID reader, and LED status indicators. The unit connects via WiFi, LTE, and Ethernet, with OCPP 1.6j/2.0.1. Built for North American markets with UL, ISO-15118, and CSA certifications, the unit includes robust electrical protections and a weather-rated enclosure with removable wheels for flexible installation.	\$25,697.22
	KEMP25-50KW-MOB-007	Kempower	T800 50kW Mobile charger CCS1/NACS	Kempower Movable Charger T800 is a mobile DC fast charger delivering up to 50 kW through CCS1/NACS connectors, with a 21-foot cable and nominal output current of 80 A and 250 A. Designed for versatile deployment, it supports 200–920 VDC output and includes a 7-inch touchscreen, RFID reader, and LED status indicators. The unit connects via WiFi, LTE, and Ethernet, with OCPP 1.6j/2.0.1. Built for North American markets with UL, ISO-15118, and CSA certifications, the unit includes robust electrical protections and a weather-rated enclosure with removable wheels for flexible installation.	\$25,697.22
	KEMP25-SSC-001	Kempower	Kempower Single Station Charger 50kW C501	Kempower Station Charger C501, equipped with a single 50 kW power module, supports dual CCS1 outputs using Kempower's intelligent dynamic power routing. Although only one vehicle can charge at full power at a time, the system enables basic alternating use of both 200 A CCS1 connectors. Operating across 150–920 VDC, it includes a 7" touchscreen, RFID reader, Payter payment terminal, and full backend connectivity via OCPP 1.6j/2.0.1. The cabinet is outdoor-rated, UL and CSA certified, and measures 25.6 x 94.3 x 33.1 inches.	\$38,481.01
	KEMP25-SSC-005	Kempower	Kempower Single Station Charger 50kW C801	Kempower Station Charger C801, configured with one 50 kW power module, delivers DC charging via dual CCS1 connectors with dynamic power allocation. While both connectors are present, only one vehicle can charge at full capacity at a time. Operating at 200–920 VDC, the system features a 7" touchscreen, RFID authentication, Payter payment terminal, and 23-foot charging cables. Certified to UL and CSA standards, the unit integrates with backend systems via OCPP 1.6j/2.0.1 and is enclosed in a weatherproof cabinet measuring 25.6 x 94.3 x 33.1 inches.	\$38,481.01
	Accessories for Kempower (50kW)				
	KEMP25-50KW-CABLE-001	Kempower	Mobile Unit Charging Cable	Charging cable 7m	\$322.70
	KEMP25-SSC-CABLE-001	Kempower	D4 option for C501/C801	max 4 dynamic outputs	\$6,724.05
	KEMP25-SSC-CABLE-002	Kempower	Upgrade station cable option 300A	CCS1, single charging cable only 5m	\$2,512.74
	KEMP25-SSC-CABLE-003	Kempower	Upgrade cable option to NACS 250A + CCS1 300A	NACS 250A + CCS1 300A cable configuration 5m	\$2,512.74
	KEMP25-SSC-CABLE-004	Kempower	Upgrade cable option to CHAdeMO 125A + CCS1 200A	CHAdeMO 125A + CCS1 200A 5m	\$39.16
	KEMP25-SSC-CABLE-005	Kempower	Upgrade cable option to CHAdeMO 125A + CCS1 300A	CHAdeMO 125A + CCS1 300A 5m	\$2,551.90
	KEMP25-SSC-CABLE-006	Kempower	Upgrade station cable length to 7m	Per each charging cable	\$317.30
	KEMP25-ACCS-001	Kempower	Payter P68 Station	Payter P68 Station, contactless chip, stripe	TBD
	KEMP25-ACCS-002	Kempower	Payter Apollo Station	Payter Apollo Station, contactless with PIN	TBD
	ABB (50kW)				
	Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
	ABB25-50KW-001	ABB	Terra 54 HV CCS1 x1	Terra 54 High Voltage, Dual CCS1, 4G cellular modem and provides 50 kW continuous charging, requiring up to 920 VDC. 7" high-brightness color touchscreen display, 20 foot charging cable(s), RFID, support for OCPP 1.6 integrations, remote activation support, and five years of charger connect	\$25,471.73
	ABB25-50KW-002	ABB	Terra 54 HV CCS1 + Nayax CCR	Terra 54 High Voltage, CCS1/NACS, Nayax CCR, 4G cellular modem and provides 50 kW continuous charging, requiring up to 920 VDC. 7" high-brightness color touchscreen display, 20 foot charging cable(s), RFID, support for OCPP 1.6 integrations, remote activation support, and five years of charger connect	\$27,614.51
	ABB25-50KW-003	ABB	Terra 54 HV CCS1/CHAdeMO	Terra 54 High Voltage, CCS1/CHAdeMO, 4G cellular modem and provides 50 kW continuous charging, requiring up to 920 VDC. 7" high-brightness color touchscreen display, 20 foot charging cable(s), RFID, support for OCPP 1.6 integrations, remote activation support, and five years of charger connect	\$28,199.16
	Accessories for ABB (50kW)				
	ABB25-50KW-ACCS-001	ABB	Terra 54 CMS single CCS1	Terra 54 Cable Management Solution for single outlet CCS1 units (includes one cable retractor)	\$1,566.24
	ABB25-50KW-ACCS-002	ABB	Terra 54 CMS dual CCS1/CHAdeMO	Terra 54 Cable Management Solution for dual outlet CCS1 and CHAdeMO units (each part number includes one cable retractor, price includes both part numbers).	\$3,132.49
	ABB25-50KW-ACCS-003	ABB	Terra 54 metal foundation	Above-ground metal base that replaces the base of the Terra 54 and Terra 124/184 units and allows lateral duct entry when trenching is not possible.	\$1,843.04

Heliox (60kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
HELX- 60KW-001	Heliox	Heliox 60kW UL Charger BAA	Variable Charger, ISO15118, CCS1 23ft cable, wall/pedestal configuration, single port, 7" LCD, 4G/Ethernet, 2 year parts warranty	\$41,344.81
HELX- 60KW-002	Heliox	Heliox 60kW UL Charger BAA	Variable Charger, ISO15118, CCS1 16ft cable, wall/pedestal configuration, single port, 7" LCD, 4G/Ethernet, 2 year parts warranty	\$42,582.95
HELX- 60KW-003	Heliox	Heliox 60kW UL Mobile Charger BAA	Variable Mobile Charger, ISO15118,single port comes with CCS1/11772 16ft cable, wall/pedestal configuration, single port, 7" LCD, 4G/Ethernet, 2 year parts warranty	\$43,428.19
HELX- 60KW-004	Heliox	Heliox 60kW UL Mobile Charger BAA	Variable Mobile Charger, ISO15118,single port comes with CCS1 23ft cable & 11772 33ft cable, wall/pedestal configuration, 7" LCD, 4G/Ethernet, 2 year parts warranty	\$45,188.86
HELX- 60KW-005	Heliox	Heliox 60kW Dual UL	Variable Charger, ISO15118, Dual CCS1 16ft cable, wall/pedestal configuration, 7" LCD, 4G/Ethernet, 2 year parts warranty	\$51,848.10
HELX- 60KW-006	Heliox	Heliox 60kW Dual UL	Variable Charger, ISO15118, Dual CCS1 23ft cable, wall/pedestal configuration, 7" LCD, 4G/Ethernet, 2 year parts warranty	\$53,940.93
Accessories for Heliox (60kW)				
HELX-ACCS-004	Heliox	Pedestal 60kW 30KW	Heliox Pedestal for the Variable 60kW Chager	\$1,894.35
HELX-ACCS-005	Heliox	Cable Management XT4	Cable Management XT4	\$3,156.79
Autel Energy Maxicharger DC Fast (60kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
AUTL-60KW-001	Autel Energy	Maxicharger 60kW DC Fast	Autel Maxicharger 60kW DC Fast charger provides 60 kW output and includes a 27-inch LED touchscreen display, dual CCS1 connectors, support for ISO 15118, and smart network capabilities via OCPP 1.6. Its durable enclosure and modern interface make it suitable for commercial and fleet charging applications.	\$37,724.89
AUTL-60KW-002	Autel Energy	Maxicharger 60kW DC Fast (Boost Cable)	Autel Maxicharger 60kW DC Fast (Boost Cable) delivers up to 60 kW with support for CCS1 and CHAdeMO, a 27-inch LCD touchscreen, and advanced connectivity via 4G, Wi-Fi, and Ethernet. Boost Cable capability enables peak currents up to 400A for faster charging, backed by OCPP 1.6, ISO 15118, and remote update support.	\$52,993.08
Accessories for Autel Energy Maxicharger DC Fast (60kW)				
AUTL-ACCS-003	Autel Energy	18ft CCS1 Cable	18ft CCS1 Cable	\$154.46
AUTL-ACCS-004	Autel Energy	25ft CCS1 Cable	25ft CCS1 Cable	\$380.22
AUTL-ACCS-005	Autel Energy	DCFC CMS	Maxicharger DC Fast Cable Management System	\$3,921.01
AUTL-ACCS-006	Autel Energy	20kW Charging Module Upgrade Kit	20kW Charging Module Upgrade Kit	\$7,842.03
AUTL-ACCS-007	Autel Energy	Nayax Payment Terminal	Nayax Credit Card Reader	\$1,307.00
AUTL-ACCS-008	Autel Energy	20ft CCS1 Boost Cable	20ft CCS1 Boost Cable	\$302.99
AUTL-ACCS-009	Autel Energy	25ft CCS1 Boost Cable	25ft CCS1 Boost Cable	\$760.44
AUTL-ACCS-010	Autel Energy	DC Compact Pedestal Post	DC Compact Pedestal Post	\$858.46
AUTL-ACCS-011	Autel Energy	DC Compact Trolley	DC Compact Trolley Cart	\$1,670.89
AUTL-ACCS-012	Autel Energy	Wallmount Bracket Kit	Wallmount bracket kit	\$836.19
Pre-Commissioning for Autel Energy Maxicharger DC Fast (60kW)				
AUTL-COMM-003	Autel Energy	DC Fast Pre-Commissioning	DC Fast Pre-Commissioning per unit	\$1,822.78
Tellus Power Green (60kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
TPG-60KW-001	TellusPowerGreen	60kW DCFC CCS1/CHAdeMO	TellusPowerGreen 60kW DCFC CCS1/CHAdeMO features dual-standard output at 60 kW, with 150A CCS1 and 125A CHAdeMO connectors, supporting flexible EV compatibility in commercial deployments.	\$36,293.67
TPG-60KW-002	TellusPowerGreen	60kW DCFC Dual CCS1	60kW DCFC Dual CCS1 variant offers two CCS1 connectors capable of up to ~150A combined, supporting load balancing and dynamic charging across ports. Comes with 4G Modem	\$34,497.89
TPG-60KW-003	TellusPowerGreen	60kW DCFC CCS1/NACS	60kW DCFC CCS1/NACS model provides cross-standard output via CCS1 and NACS connectors, with 150A/1000VDC capacity for modern EV infrastructure. Comes with 4G Modem	\$34,497.89
TPG-60KW-004	TellusPowerGreen	60kW DCFC Dual NACS	60kW DCFC Dual NACS version enables dual NACS output at 150A combined, tailored for Tesla-compatible public or private deployments requiring rapid charging throughput. Comes with 4G Modem	\$34,497.89
TPG-60KW-BA-001	TellusPowerGreen	60kW DCFC CCS1/CHAdeMO	60kW DCFC - 150A CCS1 & 125A CHAdeMO Connector / 1000VDC with CCS1 & CHAdeMO(~16ft) ; 4G Modem, Buy America Compliant	\$40,877.64
TPG-60KW-BA-002	TellusPowerGreen	60kW DCFC Dual CCS1	60kW DCFC - 150A / 1000VDC with CCS1 & CCS1(~16ft) ; 4G Modem, Buy America Compliant	\$41,728.27
TPG-60KW-BA-003	TellusPowerGreen	60kW DCFC CCS1/NACS	60kW DCFC - 150A / 1000VDC with CCS1 & NACS(~16ft) ; 4G Modem, Buy America Compliant	\$41,728.27
TPG-60KW-BA-004	TellusPowerGreen	60kW DCFC Dual NACS	60kW DCFC - 150A / 1000VDC with NACS & NACS(~16ft) ; 4G Modem, Buy America Compliant	\$41,728.27
Accessories for Tellus Power Green (60kW)				
TPG-ACCS-001	TellusPowerGreen	Cellular Modem	4G Modem for connectivity	\$303.80
TPG-ACCS-002	TellusPowerGreen	Nayax Credit Card Reader - DC Chargers	Nayax Credit Card Reader with Apple Pay, Samsung Pay	\$1,154.43
TPG-ACCS-005	TellusPowerGreen	Crate DCFC - 60kW/120kW/160kW/180kW	Packing and Crating for 60kW, 120kW, 160kW and 180kW - Non HPC	\$546.84
Warranties for Tellus Power Green (60kW)				
TPG-60KW-WAR-001	TellusPowerGreen	Extended Parts Warranty DC Charger / Year	Parts Only Extended Warranty - 60kW charger Single Connector	\$2,089.34
TPG-60KW-WAR-002	TellusPowerGreen	Extended Parts Warranty DC Charger / Year	Parts Only Extended Warranty - 60kW charger	\$2,089.34

Power Electronics (80kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
POWR25-80KW-001	Power Electronics	NB 80 Standalone 250A	NB 160 Standalone 80 kW DC charger with a single CCS1 connector delivers up to 250A peak current across a 150–1000 VDC range, providing reliable and efficient EV charging for most passenger and light commercial vehicles. The unit features a 10" touchscreen, RFID reader compatible with ISO14443 A/B, MIFARE, Calypso, ISO18092, and ISO15693, and supports Ethernet, Wi-Fi, and 4G/3G/GSM connectivity. It is OCPP 1.6-compliant and supports ISO 15118, Autocharge, and DIN 70121. Designed for all-weather use, it includes a NEMA 3R/IP54-rated enclosure, standard 16.4 ft cable (with 7.6 or 25 ft options), and operates from -22 to 122°F. Integrated insulation monitoring and optional surge and circuit protection ensure safety and compliance with UL 2202 and FCC Class A.	\$48,678.48
POWR25-80KW-002	Power Electronics	NB 80 Standalone dual CCS1 250A	NB 160 Standalone 80 kW DC charger in dual CCS1 configuration provides up to 250A peak current on each port, enabling simultaneous charging of two EVs within a 150–1000 VDC range. It features a high-resolution 10" touchscreen, multi-standard RFID authentication (ISO14443 A/B, MIFARE, Calypso, ISO18092, ISO15693), and network connectivity via Ethernet, Wi-Fi, or 4G/3G/GSM. It supports OCPP 1.6, Autocharge, ISO 15118, and DIN 70121 for seamless backend integration. Housed in a NEMA 3R/IP54 enclosure, the system is suitable for outdoor deployment and includes 16.4 ft standard cables with optional 7.6 or 25 ft lengths. Built-in insulation monitoring and optional surge and overcurrent protection provide safety assurance, meeting UL 2202 and FCC Part 15 Class A standards.	\$52,094.51
POWR25-80KW-003	Power Electronics	NB 80 Standalone 375A	NB 160 Standalone 80 kW charger with a single CCS1 connector rated at 375A supports high-current DC fast charging across a 150–1000 VDC range, ideal for EVs requiring faster turnaround times. Equipped with a 10" touchscreen, ISO-compliant RFID reader (ISO14443 A/B, MIFARE, Calypso, ISO18092, ISO15693), and network connectivity via Ethernet, Wi-Fi, and 4G/3G/GSM. It supports OCPP 1.6, ISO 15118, DIN 70121, and Autocharge protocols. It is housed in a weather-rated NEMA 3R/IP54 cabinet and includes a 16.4 ft charging cable with optional 7.6 or 25 ft alternatives. Operating from -22 to 122°F, the unit includes insulation monitoring and optional surge/circuit protection, ensuring safe, high-performance charging that meets UL 2202 and FCC Class A regulations.	\$49,361.69
POWR25-80KW-004	Power Electronics	NB 80 Standalone dual CCS1 375A	NB 160 Standalone 80 kW DC fast charger in dual CCS1 configuration supports 375A peak per port, delivering high-power, simultaneous charging for two EVs across a 150–1000 VDC voltage range. It includes a 10" color touchscreen, RFID authentication (ISO14443 A/B, MIFARE, Calypso, ISO18092, ISO15693), and connectivity via Ethernet, Wi-Fi, or cellular (4G/3G/GSM). The charger is OCPP 1.6-compliant and supports ISO 15118, DIN 70121, and Autocharge. Built for outdoor use in demanding environments, the charger comes in a NEMA 3R/IP54-rated enclosure with a standard 16.4 ft cable (7.6 or 25 ft optional), and operates from -22 to 122°F. Integrated insulation monitoring and optional surge and breaker protection ensure safety and full compliance with UL 2202 and FCC standards.	\$53,375.53
Accessories for Power Electronics (80kW)				
POWR25-STANDALONE-ACCS-001	Power Electronics	Extended cable to 25ft (250A non-cooled)		\$729.79
POWR25-STANDALONE-ACCS-002	Power Electronics	Extended cable to 25ft (375A non-cooled)		\$1,055.86
POWR25-STANDALONE-ACCS-003	Power Electronics	Surge Arrester Type 2 + RCD Type A		\$543.46
POWR25-STANDALONE-ACCS-004	Power Electronics	Extended cable to 25ft (600A cooled)		\$1,335.36
POWR25-STANDALONE-ACCS-005	Power Electronics	Credit/debit card reader (Nayax vpos)		\$1,754.60
POWR25-STANDALONE-ACCS-006	Power Electronics	Additional dispenser ready		\$1,599.32
Autel Energy Maxicharger DC Fast (80kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
AUTL-80KW-001	Autel Energy	Maxicharger 80kW DC Fast	Autel Maxicharger 80kW DC Fast charger delivers 80 kW charging power with a 27-inch LED display, dual CCS1 connectors, ISO 15118 communication support, and seamless integration via OCPP 1.6. It is designed for high-utilization environments with robust networking and user-friendly operation.	\$42,299.41
AUTL-80KW-002	Autel Energy	Maxicharger 80kW DC Fast (Boost Cable)	Autel Maxicharger 80kW DC Fast (Boost Cable) provides 80 kW charging at 150–950 VDC with dual connector support and Boost Cable technology for enhanced speed. It features a 27-inch touchscreen, smart cloud access, Ethernet/4G/Wi-Fi networking, and robust authentication via app, RFID, or credit card.	\$57,567.59
Accessories for Autel Energy Maxicharger DC Fast (80kW)				
AUTL-ACCS-003	Autel Energy	18ft CCS1 Cable	18ft CCS1 Cable	\$154.46
AUTL-ACCS-004	Autel Energy	25ft CCS1 Cable	25ft CCS1 Cable	\$380.22
AUTL-ACCS-005	Autel Energy	DCFC CMS	Maxicharger DC Fast Cable Management System	\$3,921.01
AUTL-ACCS-006	Autel Energy	20kW Charging Module Upgrade Kit	20kW Charging Module Upgrade Kit	\$7,842.03
AUTL-ACCS-007	Autel Energy	Nayax Payment Terminal	Nayax Credit Card Reader	\$1,307.00
AUTL-ACCS-008	Autel Energy	20ft CCS1 Boost Cable	20ft CCS1 Boost Cable	\$302.99
AUTL-ACCS-009	Autel Energy	25ft CCS1 Boost Cable	25ft CCS1 Boost Cable	\$760.44
AUTL-ACCS-010	Autel Energy	DC Compact Pedestal Post	DC Compact Pedestal Post	\$858.46
AUTL-ACCS-011	Autel Energy	DC Compact Trolley	DC Compact Trolley Cart	\$1,670.89
AUTL-ACCS-012	Autel Energy	Wallmount Bracket Kit	Wallmount bracket kit	\$836.19
Pre-Commissioning for Autel Energy Maxicharger DC Fast (80kW)				
AUTL-COMM-003	Autel Energy	DC Fast Pre-Commissioning	DC Fast Pre-Commissioning per unit	\$1,822.78

XCharge (90kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
XCHG25-90KW-001	X Charge	C6AM 90kW 208V	XCharge C6AM 208V DC Fast Charger is a compact, high-performance solution designed for 208V 3-phase applications, offering up to 95 kW of adaptive charging power. Equipped with dual outputs (CCS1, Tesla, or CHAdeMO 2.0), it features LTE connectivity, OCPP 1.6J protocol support, and an integrated POS system compatible with Payter, Nayax, and Ingenico terminals. The unit supports 200–1000 VDC and up to 200 A, with optional CHAdeMO output at 50 kW. Housed in an IP54, IK10-rated enclosure, it includes remote diagnostics, a 15" HD touchscreen, and customizable LED indicators. Designed for reliable deployment in diverse climates, it offers certified metering, UL2202 compliance, and a Reddot Award-winning user interface.	\$43,868.35
XCHG25-90KW-002	X Charge	C6AM 90kW 208V w/ Cable Management	XCharge C6AM 208V DC Fast Charger is a compact, high-performance solution designed for 208V 3-phase applications, offering up to 95 kW of adaptive charging power. Equipped with dual outputs (CCS1, Tesla, or CHAdeMO 2.0), it features LTE connectivity, OCPP 1.6J protocol support, and an integrated POS system compatible with Payter, Nayax, and Ingenico terminals. The unit supports 200–1000 VDC and up to 200 A, with optional CHAdeMO output at 50 kW. Housed in an IP54, IK10-rated enclosure, it includes remote diagnostics, a 15" HD touchscreen, and customizable LED indicators. Designed for reliable deployment in diverse climates, it offers certified metering, UL2202 compliance, and a Reddot Award-winning user interface.	\$47,716.46
Accessories for XCharge (90kW)				
Warranties for XCharge (90kW)				
XCHG24-WAR-1YR-001	X Charge	C6AM 1-YR Extended Warranty	All in One C6AM Parts Only Warranty– Total 4 Years	\$2,876.87
Samsung (100kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
SAM25-100KW-001	Samsung	Samsung 100kW Charger Dual CCS1 AiO & 2 Year Parts/Labor Warranty	A 100kW charger with 480V three-phase input and rated up to 1000 VDC output. Features include dual outlet CCS1 charging cables, 20-foot cable length, RFID reader, LED display, 4G cellular modem, advanced cable management holsters, and support for OCPP 1.6 integrations. EMC Class B rated. Includes a 2-year parts and labor warranty and 2-year coverage on circuit breaker, digital meter, relay, power module, PLC modem, control board, PC, coupler, and payment terminal.	\$61,600.00
SAM25-100KW-002	Samsung	Samsung 100kW Charger NACS/CCS1 AiO w/pedestal & 2 Year Parts/Labor Warranty	A 100kW charger with 480V three-phase input and rated up to 1000 VDC output. Equipped with both CCS1 and NACS charging connectors in an all-in-one pedestal-mounted configuration. Includes a 20-foot cable, RFID reader, LED display, 4G cellular modem, OCPP 1.6 support, and advanced cable management. EMC Class B rated. Includes a 2-year parts and labor warranty and 2-year coverage on key electrical and control components.	\$63,159.49
SAM25-100KW-003	Samsung	Samsung 100kW Charger Dual CCS1 AiO & 2 Year Parts Warranty	A 100kW charger with 480V three-phase input and rated up to 1000 VDC output. Features include dual outlet CCS1 charging cables, 20-foot cable length, RFID reader, LED display, 4G cellular modem, advanced cable management holsters, and support for OCPP 1.6 integrations. EMC Class B rated. Includes a 2-year parts warranty and 2-year coverage on circuit breaker, digital meter, relay, power module, PLC modem, control board, PC, coupler, and payment terminal.	\$52,243.04
SAM25-100KW-004	Samsung	Samsung 100kW Charger NACS/CCS1 AiO w/pedestal & 2 Year Parts Warranty	A 100kW charger with 480V three-phase input and rated up to 1000 VDC output. Equipped with both CCS1 and NACS charging connectors in an all-in-one pedestal-mounted configuration. Includes a 20-foot cable, RFID reader, LED display, 4G cellular modem, OCPP 1.6 support, and advanced cable management. EMC Class B rated. Includes a 2-year parts warranty and 2-year coverage on key electrical and control components.	\$53,802.53
Accessories for Samsung (100kW)				
Warranties for Samsung (100kW)				
Kempower 100kW				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
KEMP25-SSC-002	Kempower	Kempower Single Station Charger 100kW C501	With two 50 kW power modules installed, the C501 dual CCS1 configuration delivers up to 100 kW of shared output between two 200 A CCS1 plugs. The dynamic power management system prioritizes vehicle demand while maintaining optimal energy use, supporting up to 920 VDC. Integrated features include a cable support system, touchscreen, RFID, payment terminal, and backend interoperability through OCPP. This compact all-in-one unit is ideal for cost-sensitive dual-output installations.	\$51,335.02
KEMP25-SSC-006	Kempower	Kempower Single Station Charger 100kW C801	With two 50 kW modules, the dual CCS1 version of the C801 offers 100 kW of dynamically managed charging power. The system automatically prioritizes energy distribution based on vehicle demand, supporting voltages from 200–920 VDC. It includes dual 200 A CCS1 connectors, intuitive cable support, and remote monitoring via OCPP. This single-cabinet, ETL-listed solution is ideal for shared-use or alternating-access sites.	\$51,335.02
Accessories for Kempower (100kW)				
KEMP25-SSC-CABLE-001	Kempower	D4 option for C501/C801	max 4 dynamic outputs	\$6,724.05
KEMP25-SSC-CABLE-002	Kempower	Upgrade station cable option 300A	CCS1, single charging cable only 5m	\$2,512.74
KEMP25-SSC-CABLE-003	Kempower	Upgrade cable option to NACS 250A + CCS1 300A	NACS 250A + CCS1 300A cable configuration 5m	\$2,512.74
KEMP25-SSC-CABLE-004	Kempower	Upgrade cable option to CHAdeMO 125A + CCS1 200A	CHAdeMO 125A + CCS1 200A 5m	\$39.16
KEMP25-SSC-CABLE-005	Kempower	Upgrade cable option to CHAdeMO 125A + CCS1 300A	CHAdeMO 125A + CCS1 300A 5m	\$2,551.90
KEMP25-SSC-CABLE-006	Kempower	Upgrade station cable length to 7m	Per each charging cable	\$317.30
KEMP25-ACCS-001	Kempower	Payter P68 Station	Payter P68 Station, contactless chip, stripe	TBD
KEMP25-ACCS-002	Kempower	Payter Apollo Station	Payter Apollo Station, contactless with PIN	TBD
iCharge Blueberry Fusion (100kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
ICHG-100KW-001	I-Charging	Blueberry Fusion 100kW CCS (300A)	Provides 100 kW DC charging at 30 A through CCS, combining a 32" interactive display, remote connectivity, CMS, and secure dual SIM modem for high-performance commercial use. 2 year parts warranty	\$45,187.93
ICHG-100KW-002	I-Charging	Blueberry Fusion 100kW 2x CCS (300A)	Dual CCS charger delivering 100 kW shared across two ports at 300A, with cable retraction, touchscreen interface, and modular communications for flexible deployment. 2 year parts warranty	\$50,830.25
ICHG-100KW-003	I-Charging	Blueberry Fusion 100kW NACS & CCS (300A)	Supports both NACS and CCS at 300A with 100 kW output, providing flexible compatibility, CMS retraction, and secure 4G/Ethernet connectivity with full protocol support. 2 year parts warranty	\$50,313.53
Accessories for iCharge Blueberry Fusion (100kW)				

Delta City Charger (100kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
DELT25-100KW-002	Delta Electronics	100kW City Charger	Delta 100kW City Charger enables dual CCS1 charging at 1000 VDC with 4-meter cables, integrated 7-inch LCD panel, Ethernet/Cellular communication, and OCPP 1.6 compatibility, ideal for high-demand commercial or municipal charging scenarios.	\$51,767.09
Accessories for Delta City Charger (100kW)				
Autel Energy Maxicharger DC Fast (100kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
AUTL-100KW-001	Autel Energy	Maxicharger 100kW DC Fast	Autel Maxicharger 100kW DC Fast delivers robust 100 kW charging power at up to 950 VDC through dual CCS1 or CCS1 + CHAdeMO connectors. It features a 27-inch LCD touchscreen, a standard 14.8-foot (4.5 m) cable, and supports Ethernet, Wi-Fi, and 4G communications with full OCPP 1.6 functionality. Designed for commercial-grade applications, it offers advanced user access options via app, RFID, or credit card, and boasts 96% charging efficiency and remote OTA software updates.	\$46,873.92
AUTL-100KW-002	Autel Energy	Maxicharger 100kW DC Fast (Boost Cable)	Autel Maxicharger 100kW DC Fast (Boost Cable) enables fast charging with up to 400A peak current, improving performance by up to 30% with Boost Cable integration. Includes a 27-inch LCD display, OCPP 1.6 protocol, full smart connectivity, and dual CCS1 or CHAdeMO compatibility.	\$62,142.11
Accessories for Autel Energy Maxicharger DC Fast (100kW)				
AUTL-ACCS-003	Autel Energy	18ft CCS1 Cable	18ft CCS1 Cable	\$154.46
AUTL-ACCS-004	Autel Energy	25ft CCS1 Cable	25ft CCS1 Cable	\$380.22
AUTL-ACCS-005	Autel Energy	DCFC CMS	Maxicharger DC Fast Cable Management System	\$3,921.01
AUTL-ACCS-006	Autel Energy	20kW Charging Module Upgrade Kit	20kW Charging Module Upgrade Kit	\$7,842.03
AUTL-ACCS-007	Autel Energy	Nayax Payment Terminal	Nayax Credit Card Reader	\$1,307.00
AUTL-ACCS-008	Autel Energy	20ft CCS1 Boost Cable	20ft CCS1 Boost Cable	\$302.99
AUTL-ACCS-009	Autel Energy	25ft CCS1 Boost Cable	25ft CCS1 Boost Cable	\$760.44
AUTL-ACCS-010	Autel Energy	DC Compact Pedestal Post	DC Compact Pedestal Post	\$858.46
AUTL-ACCS-011	Autel Energy	DC Compact Trolley	DC Compact Trolley Cart	\$1,670.89
AUTL-ACCS-012	Autel Energy	Wallmount Bracket Kit	Wallmount bracket kit	\$836.19
Pre-Commissioning for Autel Energy Maxicharger DC Fast (100kW)				
AUTL-COMM-003	Autel Energy	DC Fast Pre-Commissioning	DC Fast Pre-Commissioning per unit	\$1,822.78
Autel Energy Maxicharger DC Fast (120kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
AUTL-120KW-001	Autel Energy	Maxicharger 120kW DC Fast	Autel Maxicharger 120kW DC Fast supports 120 kW output with up to 400A peak current and a voltage range of 150–950 VDC. Compatible with either dual CCS1 or CCS1 plus CHAdeMO configurations, it includes a 27-inch HD LCD interface, Ethernet/4G/Wi-Fi connectivity, and smart OCPP 1.6 cloud integration. The enclosure is NEMA 3S rated for outdoor use, and the unit supports smart charging, ISO 15118, and optional plug-and-charge capability for enhanced fleet or public access reliability.	\$51,448.44
AUTL-120KW-002	Autel Energy	Maxicharger 120kW DC Fast (Boost Cable)	Autel Maxicharger 120kW DC Fast (Boost Cable) supports 120 kW output with dual CCS1 or CCS1 + CHAdeMO configuration, 400A peak via Boost Cable, Ethernet and wireless connectivity, a 27-inch interface, and remote OTA updates under ISO 15118 and OCPP 1.6 standards.	\$66,716.62
Accessories for Autel Energy Maxicharger DC Fast (120kW)				
AUTL-ACCS-003	Autel Energy	18ft CCS1 Cable	18ft CCS1 Cable	\$154.46
AUTL-ACCS-004	Autel Energy	25ft CCS1 Cable	25ft CCS1 Cable	\$380.22
AUTL-ACCS-005	Autel Energy	DCFC CMS	Maxicharger DC Fast Cable Management System	\$3,921.01
AUTL-ACCS-006	Autel Energy	20kW Charging Module Upgrade Kit	20kW Charging Module Upgrade Kit	\$7,842.03
AUTL-ACCS-007	Autel Energy	Nayax Payment Terminal	Nayax Credit Card Reader	\$1,307.00
AUTL-ACCS-008	Autel Energy	20ft CCS1 Boost Cable	20ft CCS1 Boost Cable	\$302.99
AUTL-ACCS-009	Autel Energy	25ft CCS1 Boost Cable	25ft CCS1 Boost Cable	\$760.44
AUTL-ACCS-010	Autel Energy	DC Compact Pedestal Post	DC Compact Pedestal Post	\$858.46
AUTL-ACCS-011	Autel Energy	DC Compact Trolley	DC Compact Trolley Cart	\$1,670.89
AUTL-ACCS-012	Autel Energy	Wallmount Bracket Kit	Wallmount bracket kit	\$836.19
Pre-Commissioning for Autel Energy Maxicharger DC Fast (120kW)				
AUTL-COMM-003		DC Fast Pre-Commissioning	DC Fast Pre-Commissioning per unit	\$1,822.78

Power Electronics (120kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
POWR25-120KW-001	#N/A	#N/A	#N/A	TBD
POWR25-120KW-002	#N/A	#N/A	#N/A	TBD
POWR25-120KW-003	#N/A	#N/A	#N/A	TBD
POWR25-120KW-004	#N/A	#N/A	#N/A	TBD
Accessories for Power Electronics (120kW)				
POWR25-STANDALONE-ACCS-001	Power Electronics	Extended cable to 25ft (250A non-cooled)		\$729.79
POWR25-STANDALONE-ACCS-002	Power Electronics	Extended cable to 25ft (375A non-cooled)		\$1,055.86
POWR25-STANDALONE-ACCS-009	Power Electronics	Articulated arm system		\$4,270.04
POWR25-STANDALONE-ACCS-010	Power Electronics	DC Meter (LEM MID/EICHRECHT)		\$3,617.89
POWR25-STANDALONE-ACCS-011	Power Electronics	Plug and play		\$232.91
POWR25-STANDALONE-ACCS-012	Power Electronics	Credit/debit card reader (Payter Apollo)		\$2,127.26
POWR25-STANDALONE-ACCS-003	Power Electronics	Surge Arrester Type 2 + RCD Type A		\$543.46
POWR25-STANDALONE-ACCS-004	Power Electronics	Extended cable to 25ft (600A cooled)		\$1,335.36
POWR25-STANDALONE-ACCS-005	Power Electronics	Credit/debit card reader (Nayax vpos)		\$1,754.60
POWR25-STANDALONE-ACCS-006	Power Electronics	Additional dispenser ready		\$1,599.32
Tellus Power Green (120kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
TPG-120KW-001	TellusPowerGreen	120kW DCFC AIO CCS1/CHAdEMO	120kW DCFC All In One Charger - 350A CCS1 & 125A CHAdEMO Connector / 1000VDC with CCS1 & CHAdEMO(~16ft). Can charge 2 cars simultaneously with 60kW each ; 4G Modem	\$60,016.88
TPG-120KW-002	TellusPowerGreen	120kW DCFC AIO Dual CCS1	120kW DCFC All In One Charger - 350A / 1000VDC with CCS1 & CCS1(~16ft); Can charge 2 cars simultaneously with 60kW each ; 4G Modem	\$59,071.73
TPG-120KW-003	TellusPowerGreen	120kW DCFC AIO CCS1/NACS	120kW DCFC All In One Charger - 350A / 1000VDC with CCS1 & NACS(~16ft); Can charge 2 cars simultaneously with 60kW each ; 4G Modem	\$59,071.73
TPG-120KW-004	TellusPowerGreen	120kW DCFC AIO Dual NACS	120kW DCFC All In One Charger - 350A / 1000VDC with NACS & NACS(~16ft); Can charge 2 cars simultaneously with 60kW each ; 4G Modem	\$59,071.73
TPG-120KW-BA-001	TellusPowerGreen	120kW DCFC CCS1/CHAdEMO	120kW DCFC All In One Charger - 350A CCS1 & 125A CHAdEMO Connector / 1000VDC with CCS1 & CHAdEMO(~16ft). Can charge 2 cars simultaneously with 60kW each ; 4G Modem	\$64,364.56
TPG-120KW-BA-002	TellusPowerGreen	120kW DCFC Dual CCS1	120kW DCFC All In One Charger - 350A / 1000VDC with CCS1 & CCS1(~16ft); Can charge 2 cars simultaneously with 60kW each ; 4G Modem	\$65,404.22
TPG-120KW-BA-003	TellusPowerGreen	120kW DCFC CCS1/NACS	120kW DCFC All In One Charger - 350A / 1000VDC with CCS1 & NACS(~16ft); Can charge 2 cars simultaneously with 60kW each ; 4G Modem	\$65,404.22
TPG-120KW-BA-004	TellusPowerGreen	120kW DCFC Dual NACS	120kW DCFC All In One Charger - 350A / 1000VDC with NACS & NACS(~16ft); Can charge 2 cars simultaneously with 60kW each ; 4G Modem	\$65,404.22
Accessories for Tellus Power Green (120kW)				
TPG-ACCS-001	TellusPowerGreen	Cellular Modem	4G Modem for connectivity	\$303.80
TPG-ACCS-002	TellusPowerGreen	Nayax Credit Card Reader - DC Chargers	Nayax Credit Card Reader with Apple Pay, Samsung Pay	\$1,154.43
TPG-ACCS-005	TellusPowerGreen	Crate DCFC - 60kW/120kW/160kW/180kW	Packing and Crating for 60kW, 120kW, 160kW and 180kW - Non HPC	\$546.84
Warranties for Tellus Power Green (120kW)				
TPG-120KW-WAR-001	TellusPowerGreen	Extended Parts Warranty DC Charger / Year	Parts Only Extended Warranty - 120kW charger	\$2,644.52
Autel Energy Maxicharger DC Fast (140kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
AUTL-140KW-001	Autel Energy	Maxicharger 140kW DC Fast (Boost Cable)	Autel Maxicharger 140kW DC Fast (Boost Cable) offers 140 kW of charging with dynamic load management, 400A peak via Boost Cable, high-efficiency design, and smart charging functionality. It includes Ethernet/4G/Wi-Fi, app access, and a 27-inch touchscreen for enhanced control.	\$71,291.14
Accessories for Autel Energy Maxicharger DC Fast (140kW)				
AUTL-ACCS-003	Autel Energy	18ft CCS1 Cable	18ft CCS1 Cable	\$154.46
AUTL-ACCS-004	Autel Energy	25ft CCS1 Cable	25ft CCS1 Cable	\$380.22
AUTL-ACCS-005	Autel Energy	DCFC CMS	Maxicharger DC Fast Cable Management System	\$3,921.01
AUTL-ACCS-006	Autel Energy	20kW Charging Module Upgrade Kit	20kW Charging Module Upgrade Kit	\$7,842.03
AUTL-ACCS-007	Autel Energy	Nayax Payment Terminal	Nayax Credit Card Reader	\$1,307.00
AUTL-ACCS-008	Autel Energy	20ft CCS1 Boost Cable	20ft CCS1 Boost Cable	\$302.99
AUTL-ACCS-009	Autel Energy	25ft CCS1 Boost Cable	25ft CCS1 Boost Cable	\$760.44
AUTL-ACCS-010	Autel Energy	DC Compact Pedestal Post	DC Compact Pedestal Post	\$858.46
AUTL-ACCS-011	Autel Energy	DC Compact Trolley	DC Compact Trolley Cart	\$1,670.89
AUTL-ACCS-012	Autel Energy	Wallmount Bracket Kit	Wallmount bracket kit	\$836.19
Pre-Commissioning for Autel Energy Maxicharger DC Fast (140kW)				
AUTL-COMM-003	Autel Energy	DC Fast Pre-Commissioning	DC Fast Pre-Commissioning per unit	\$1,822.78

iCharge Blueberry Fusion (150kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
ICHG-150KW-001	I-Charging	Blueberry Fusion 150kW CCS (300A)	High-power 150 kW CCS charger with 300 A output, featuring advanced thermal and power management, CMS cable handling, and full backend integration via OCPP 2.0.1. 2 year parts warranty	\$53,419.02
ICHG-150KW-002	I-Charging	Blueberry Fusion 150kW 2x CCS (300A)	Two-port 150 kW charger supporting 300A CCS outputs, engineered for high-traffic environments with dual CMS, interactive UI, and dynamic power allocation. 2 year parts warranty	\$59,058.75
ICHG-150KW-003	I-Charging	Blueberry Fusion 150kW NACS & CCS (300A)	150 kW Fusion model with NACS and CCS connectors at 300A each, offering wide EV compatibility, seamless user experience via touchscreen, and advanced backend integration. 2 year parts warranty	\$58,544.63
Accessories for iCharge Blueberry Fusion (150kW)				
Kempower 150kW				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
KEMP25-SSC-003	Kempower	Kempower Single Station Charger 150kW C501	The C501, configured with three 50 kW power modules, provides 150 kW of dynamically distributed DC power across two CCS1 outputs. The unit supports up to 200 A per plug and enables smart load allocation based on each vehicle's charging requirements. Its compact enclosure houses comprehensive features including a 23-foot cable, authentication, and payment options, and real-time remote management via backend systems. Fully certified for outdoor use and North American safety standards.	\$64,186.33
KEMP25-SSC-007	Kempower	Kempower Single Station Charger 150kW C801	Outfitted with three power modules, the Kempower C801 delivers 150 kW of shared DC output through two CCS1 plugs. Each connector supports up to 200 A and benefits from Kempower's on-demand load balancing system. The compact charger is equipped with advanced cable management, full outdoor certification, a 7" display, and built-in payment and RFID functionality. Remote configuration is enabled through OCPP 1.6j/2.0.1 integration with backendsystems.	\$64,186.33
Accessories for Kempower 150kW				
KEMP25-SSC-CABLE-001	Kempower	D4 option for C501/C801	max 4 dynamic outputs	\$6,724.05
KEMP25-SSC-CABLE-002	Kempower	Upgrade station cable option 300A	CCS1, single charging cable only 5m	\$2,512.74
KEMP25-SSC-CABLE-003	Kempower	Upgrade cable option to NACS 250A + CCS1 300A	NACS 250A + CCS1 300A cable configuration 5m	\$2,512.74
KEMP25-SSC-CABLE-004	Kempower	Upgrade cable option to CHAdeMO 125A + CCS1 200A	CHAdeMO 125A + CCS1 200A 5m	\$39.16
KEMP25-SSC-CABLE-005	Kempower	Upgrade cable option to CHAdeMO 125A + CCS1 300A	CHAdeMO 125A + CCS1 300A 5m	\$2,551.90
KEMP25-SSC-CABLE-006	Kempower	Upgrade station cable length to 7m	Per each charging cable	\$317.30
KEMP25-ACCS-001	Kempower	Payter P68 Station	Payter P68 Station, contactless chip, stripe	TBD
KEMP25-ACCS-002	Kempower	Payter Apollo Station	Payter Apollo Station, contactless with PIN	TBD
XCharge (150kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
XCHG25-150KW-001	X Charge	C6AM 150KW	XCharge C6AM 480V DC Fast Charger is a high-capacity, turnkey charging solution designed for commercial applications requiring up to 150 kW of output. Operating on 480V 3-phase input, the unit supports dual output connectors (CCS1, NACS, Tesla, or CHAdeMO 2.0) and delivers up to 1000 VDC and 300 A. It features OCPP 1.6j support, LTE connectivity, remote diagnostics, and an integrated POS terminal compatible with Payter, Nayax, and Ingenico. Built with a compact, IP54/IK10-rated enclosure, it includes a 15" HD touchscreen, advanced safety protections, and adaptive power settings configurable via backend or firmware. The charger meets UL2202, ISO 15118, and Energy Star standards, and offers customizable display content and optional heat pump for extreme climates.	\$42,329.11
XCHG25-150KW-002	X Charge	C6AM 150KW w/ Cable Management	XCharge C6AM 480V DC Fast Charger is a high-capacity, turnkey charging solution designed for commercial applications requiring up to 150 kW of output. Operating on 480V 3-phase input, the unit supports dual output connectors (CCS1, NACS, Tesla, or CHAdeMO 2.0) and delivers up to 1000 VDC and 300 A. It features OCPP 1.6j support, LTE connectivity, remote diagnostics, and an integrated POS terminal compatible with Payter, Nayax, and Ingenico. Built with a compact, IP54/IK10-rated enclosure, it includes a 15" HD touchscreen, advanced safety protections, and adaptive power settings configurable via backend or firmware. The charger meets UL2202, ISO 15118, and Energy Star standards, and offers customizable display content and optional heat pump for extreme climates.	\$46,177.22
Accessories for XCharge (150kW)				
Warranties for XCharge (150kW)				
Power Electronics 150kW				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
POWR25-150KW-001	Power Electronics	NB 150 Standalone 375A	NB 240 Standalone 150 kW DC fast charger with a single CCS1 connector delivers up to 375 A peak current across a 150–1000 VDC	\$70,797.30
POWR25-150KW-002	Power Electronics	NB 150 Standalone Dual CCS1 375A	NB 240 Standalone 150 kW charger with dual CCS1 connectors provides up to 375 A per port, supporting simultaneous charging of two	\$77,116.96
Accessories for Power Electronics 150kW				
POWR25-STANDALONE-ACCS-001	Power Electronics	Extended cable to 25ft (250A non-cooled)		\$729.79
POWR25-STANDALONE-ACCS-002	Power Electronics	Extended cable to 25ft (375A non-cooled)		\$1,055.86
POWR25-STANDALONE-ACCS-009	Power Electronics	Articulated arm system		\$4,270.04
POWR25-STANDALONE-ACCS-010	Power Electronics	DC Meter (LEM MID/EICHRECHT)		\$3,617.89
POWR25-STANDALONE-ACCS-011	Power Electronics	Plug and play		\$232.91
POWR25-STANDALONE-ACCS-012	Power Electronics	Credit/debit card reader (Payter Apollo)		\$2,127.26
POWR25-STANDALONE-ACCS-003	Power Electronics	Surge Arrester Type 2 + RCD Type A		\$543.46
POWR25-STANDALONE-ACCS-004	Power Electronics	Extended cable to 25ft (600A cooled)		\$1,335.36
POWR25-STANDALONE-ACCS-005	Power Electronics	Credit/debit card reader (Nayax vpos)		\$1,754.60
POWR25-STANDALONE-ACCS-006	Power Electronics	Additional dispenser ready		\$1,599.32

Power Electronics 160kW				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
POWR25-160KW-001	Power Electronics	NB 160 Standalone 250A	NB 160 Standalone 160 kW DC fast charger with a single CCS1 connector delivers up to 250A peak current across a 150–1000 VDC range, offering fast and dependable EV charging for high-power applications. It features a 10" touchscreen, ISO-compliant RFID (ISO14443 A/B, MIFARE, Calypso, ISO18092, ISO15693), and network options including Ethernet, Wi-Fi, and 4G/3G/GSM. The charger supports OCPP 1.6, Autocharge, ISO 15118, and DIN 70121, ensuring seamless backend integration. Enclosed in a NEMA 3R/IP54-rated cabinet, it supports operations from -22 to 122°F and includes a standard 16.4 ft cable, with 7.6 or 25 ft options. Built-in insulation monitoring and optional overcurrent and surge protection deliver full safety compliance with UL 2202 and FCC Class A.	\$55,339.75
POWR25-160KW-002	Power Electronics	NB 160 Standalone dual CCS1 250A	NB 160 Standalone 160 kW charger in dual CCS1 250A configuration enables concurrent high-speed charging for two EVs, with each port delivering up to 250A at 150–1000 VDC. Designed for high-traffic or fleet environments, it includes a 10" touchscreen interface, RFID authentication (ISO14443 A/B, MIFARE, Calypso, ISO18092, ISO15693), and connectivity via Ethernet, Wi-Fi, or cellular (4G/3G/GSM). The system supports OCPP 1.6, Autocharge, ISO 15118, and DIN 70121 protocols. A weather-resistant NEMA 3R/IP54 enclosure ensures reliable operation in temperatures from -22 to 122°F. Standard 16.4 ft cables are included, with optional 7.6 or 25 ft lengths. Safety systems include insulation monitoring and optional surge and circuit protection, meeting UL and FCC standards.	\$58,755.78
POWR25-160KW-003	Power Electronics	NB 160 Standalone 375A	NB 160 Standalone 160 kW charger with a single CCS1 connector rated at 375A provides ultra-fast DC charging across a 150–1000 VDC range, ideal for next-generation EVs requiring high-current support. It integrates a 10" touchscreen, RFID reader (ISO14443 A/B, MIFARE, Calypso, ISO18092, ISO15693), and full connectivity options including Ethernet, Wi-Fi, and 4G/3G/GSM. With OCPP 1.6, Autocharge, ISO 15118, and DIN 70121 compatibility, it ensures advanced software integration. The unit features a durable NEMA 3R/IP54-rated enclosure, standard 16.4 ft cable (7.6 or 25 ft optional), and operates from -22 to 122°F. Insulation monitoring and optional surge/circuit protection deliver robust electrical safety in compliance with UL 2202 and FCC Class A.	\$55,937.55
POWR25-160KW-004	Power Electronics	NB 160 Standalone dual CCS1 375A	NB 160 Standalone 160 kW charger in dual CCS1 375A configuration enables simultaneous high-current charging for two EVs, with each port supporting up to 375A across a 150–1000 VDC range. This configuration is optimized for high-throughput or fleet operations requiring maximum charge speed. It features a 10" color touchscreen, RFID system (ISO14443 A/B, MIFARE, Calypso, ISO18092, ISO15693), and connectivity via Ethernet, Wi-Fi, or 4G/3G/GSM. The system is compatible with OCPP 1.6, ISO 15118, DIN 70121, and Autocharge. The enclosure is NEMA 3R/IP54 rated, operating in environments from -22 to 122°F. Insulation monitoring and optional surge/circuit protection ensure safe, code-compliant operation.	\$60,036.79
Accessories for Power Electronics 160kW				
POWR25-STANDALONE-ACCS-001	Power Electronics	Extended cable to 25ft (250A non-cooled)		\$729.79
POWR25-STANDALONE-ACCS-002	Power Electronics	Extended cable to 25ft (375A non-cooled)		\$1,055.86
POWR25-STANDALONE-ACCS-009	Power Electronics	Articulated arm system		\$4,270.04
POWR25-STANDALONE-ACCS-010	Power Electronics	DC Meter (LEM MID/EICHRECHT)		\$3,617.89
POWR25-STANDALONE-ACCS-011	Power Electronics	Plug and play		\$232.91
POWR25-STANDALONE-ACCS-012	Power Electronics	Credit/debit card reader (Payter Apollo)		\$2,127.26
POWR25-STANDALONE-ACCS-003	Power Electronics	Surge Arrester Type 2 + RCD Type A		\$543.46
POWR25-STANDALONE-ACCS-004	Power Electronics	Extended cable to 25ft (600A cooled)		\$1,335.36
POWR25-STANDALONE-ACCS-005	Power Electronics	Credit/debit card reader (Nayax vpos)		\$1,754.60
POWR25-STANDALONE-ACCS-006	Power Electronics	Additional dispenser ready		\$1,599.32
Autel Energy Maxicharger DC Fast (160kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
AUTL-160KW-001	Autel Energy	Maxicharger 160kW DC Fast (Boost Cable)	Autel Maxicharger 160kW DC Fast (Boost Cable) delivers 160 kW charging with peak 400A output and supports dual connector configurations. Features include a 27-inch display, cloud integration via OCPP 1.6, and compatibility with ISO 15118, RFID, and credit card payment.	\$75,865.65
AUTL25-160KW-002	Autel Energy	Maxicharger 160kW DC Fast (Boost Cable) BABA	Autel Maxicharger 160kW DC Fast (Boost Cable) delivers 160 kW charging with peak 400A output and supports dual connector configurations. Features include a 27-inch display, cloud integration via OCPP 1.6, and compatibility with ISO 15118, RFID, and credit card payment. Buy-America Compliant	TBD
Accessories for Autel Energy Maxicharger DC Fast (160kW)				
AUTL-ACCS-003	Autel Energy	18ft CCS1 Cable	18ft CCS1 Cable	\$154.46
AUTL-ACCS-004	Autel Energy	25ft CCS1 Cable	25ft CCS1 Cable	\$380.22
AUTL-ACCS-005	Autel Energy	DCFC CMS	Maxicharger DC Fast Cable Management System	\$3,921.01
AUTL-ACCS-006	Autel Energy	20kW Charging Module Upgrade Kit	20kW Charging Module Upgrade Kit	\$7,842.03
AUTL-ACCS-007	Autel Energy	Nayax Payment Terminal	Nayax Credit Card Reader	\$1,307.00
AUTL-ACCS-008	Autel Energy	20ft CCS1 Boost Cable	20ft CCS1 Boost Cable	\$302.99
AUTL-ACCS-009	Autel Energy	25ft CCS1 Boost Cable	25ft CCS1 Boost Cable	\$760.44
AUTL-ACCS-010	Autel Energy	DC Compact Pedestal Post	DC Compact Pedestal Post	\$858.46
AUTL-ACCS-011	Autel Energy	DC Compact Trolley	DC Compact Trolley Cart	\$1,670.89
AUTL-ACCS-012	Autel Energy	Wallmount Bracket Kit	Wallmount bracket kit	\$836.19
Pre-Commissioning for Autel Energy Maxicharger DC Fast (160kW)				
AUTL-COMM-003	Autel Energy	DC Fast Pre-Commissioning	DC Fast Pre-Commissioning per unit	\$1,822.78

Tellus Power Green (160kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
TPG-160KW-001	TellusPowerGreen	160kW DCFC AIO CCS1/CHAdEMO	160kW DCFC All In One Charger - 350A CCS1 & 125A CHAdEMO Connector / 1000VDC with CCS1 & CHAdEMO(~16ft); It can dispense 350A on single connector and can charge 2 cars simultaneously (100kW CCS1 and 60kW CHAdEMO) ; 4G Modem	\$70,413.50
TPG-160KW-002	TellusPowerGreen	160kW DCFC AIO Dual CCS1	160kW DCFC All In One Charger - 350A / 1000VDC with CCS1 & CCS1(~16ft); It can dispense 350A on single connector and can charge 2 cars simultaneously with 80kW each ; 4G Modem	\$68,617.72
TPG-160KW-003	TellusPowerGreen	160kW DCFC AIO CCS1/NACS	160kW DCFC All In One Charger - 350A / 1000VDC with CCS1 & NACS (~16ft); It can dispense 350A on single connector and can charge 2 cars simultaneously with 80kW each ; 4G Modem	\$68,617.72
TPG-160KW-004	TellusPowerGreen	160kW DCFC AIO Dual NACS	160kW DCFC All In One Charger - 350A / 1000VDC with NACS & NACS(~16ft); It can dispense 350A on single connector and can charge 2 cars simultaneously with 80kW each ; 4G Modem	\$68,617.72
TPG-160KW-BA-001	TellusPowerGreen	160kW DCFC CCS1/CHAdEMO	160kW DCFC All In One Charger - 350A CCS1 & 125A CHAdEMO Connector / 1000VDC with CCS1 & CHAdEMO(~16ft); It can dispense 350A on single connector and can charge 2 cars simultaneously (100kW CCS1 and 60kW CHAdEMO) ; 4G Modem	\$77,171.31
TPG-160KW-BA-002	TellusPowerGreen	160kW DCFC Dual CCS1	160kW DCFC All In One Charger - 350A / 1000VDC with CCS1 & CCS1(~16ft); It can dispense 350A on single connector and can charge 2 cars simultaneously with 80kW each ; 4G Modem	\$77,974.68
TPG-160KW-BA-003	TellusPowerGreen	160kW DCFC CCS1/NACS	160kW DCFC All In One Charger - 350A / 1000VDC with CCS1 & NACS (~16ft); It can dispense 350A on single connector and can charge 2 cars simultaneously with 80kW each ; 4G Modem	\$77,974.68
TPG-160KW-BA-004	TellusPowerGreen	160kW DCFC Dual NACS	160kW DCFC All In One Charger - 350A / 1000VDC with NACS & NACS(~16ft); It can dispense 350A on single connector and can charge 2 cars simultaneously with 80kW each ; 4G Modem	\$77,974.68
Accessories for Tellus Power Green (160kW)				
TPG-ACCS-001	TellusPowerGreen	Cellular Modem	4G Modem for connectivity	\$303.80
TPG-ACCS-002	TellusPowerGreen	Nayax Credit Card Reader - DC Chargers	Nayax Credit Card Reader with Apple Pay, Samsung Pay	\$1,154.43
TPG-ACCS-005	TellusPowerGreen	Crate DCFC - 60kW/120kW/160kW/180kW	Packing and Crating for 60kW, 120kW, 160kW and 180kW - Non HPC	\$546.84
Warranties for Tellus Power Green (160kW)				
TPG-160KW-WAR-001	TellusPowerGreen	Extended Parts Warranty DC Charger / Year	Parts Only Extended Warranty - 160kW charger	\$3,156.33
TPG-160KW-WAR-002	TellusPowerGreen	Extended Parts Warranty HPC Charger / Year	Parts Only Extended Warranty - 160kW HPC charger	\$4,199.70
Heliox (180kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
HELX-180KW-002	Heliox	Heliox 180kW Dynamic AIO U/L	180kW Charger, ISO15118, 4G/LTE/Ethernet, must purchase dispenser with unit, 2 year parts warranty,	\$93,699.24
HELX-180KW-001	Heliox	Heliox 180kW Dynamic U/L BAA	180kW Power Cabinet, ISO15118, Split system 1:1-3 , 4G/LTE/Ethernet, must purchase dispenser with unit, 2 year parts warranty,	\$98,345.32
Accessories for Heliox (180kW)				
Autel Energy Maxicharger DC Fast (180kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
AUTL-180KW-001	Autel Energy	Maxicharger 180kW DC Fast (Boost Cable)	Autel Maxicharger 180kW DC Fast (Boost Cable) provides 180 kW output, 400A peak current via Boost Cable, and dual CCS1 or CCS1 + CHAdEMO support. Enclosed in a NEMA 3S-rated chassis, it features a 27-inch LCD, Ethernet and cellular connectivity, and OTA firmware updates.	\$80,440.17
Accessories for Autel Energy Maxicharger DC Fast (180kW)				
AUTL-ACCS-003	Autel Energy	18ft CCS1 Cable	18ft CCS1 Cable	\$154.46
AUTL-ACCS-004	Autel Energy	25ft CCS1 Cable	25ft CCS1 Cable	\$380.22
AUTL-ACCS-005	Autel Energy	DCFC CMS	Maxicharger DC Fast Cable Management System	\$3,921.01
AUTL-ACCS-006	Autel Energy	20kW Charging Module Upgrade Kit	20kW Charging Module Upgrade Kit	\$7,842.03
AUTL-ACCS-007	Autel Energy	Nayax Payment Terminal	Nayax Credit Card Reader	\$1,307.00
AUTL-ACCS-008	Autel Energy	20ft CCS1 Boost Cable	20ft CCS1 Boost Cable	\$302.99
AUTL-ACCS-009	Autel Energy	25ft CCS1 Boost Cable	25ft CCS1 Boost Cable	\$760.44
AUTL-ACCS-010	Autel Energy	DC Compact Pedestal Post	DC Compact Pedestal Post	\$858.46
AUTL-ACCS-011	Autel Energy	DC Compact Trolley	DC Compact Trolley Cart	\$1,670.89
AUTL-ACCS-012	Autel Energy	Wallmount Bracket Kit	Wallmount bracket kit	\$836.19
Pre-Commissioning for Autel Energy Maxicharger DC Fast (180kW)				
AUTL-COMM-003	Autel Energy	DC Fast Pre-Commissioning	DC Fast Pre-Commissioning per unit	\$1,822.78

DCFC - ALL IN ONE (AIO) UNITS	Tellus Power Green (180kW)				
	Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
	TPG-180KW-001	TellusPowerGreen	180kW DCFC AIO CCS1/CHAdEMO	180kW DCFC All In One Charger - 350A CCS1 & 125A CHAdEMO Connector / 1000VDC with CCS1 & CHAdEMO(~16ft); Can charge 2 cars simultaneously - 120kW on CCS1 and 60kW on CHAdEMO; 4G Modem	\$79,061.60
	TPG-180KW-002	TellusPowerGreen	180kW DCFC AIO Dual CCS1	180kW DCFC All In One Charger - 350A / 1000VDC with CCS1 & CCS1(~16ft); Can charge 2 cars simultaneously with 90kW each ; 4G Modem	\$77,880.17
	TPG-180KW-003	TellusPowerGreen	180kW DCFC AIO CCS1/NACS	180kW DCFC All In One Charger - 350A / 1000VDC with CCS1 & NACS(~16ft); Can charge 2 cars simultaneously with 90kW each ; 4G Modem	\$77,880.17
	TPG-180KW-004	TellusPowerGreen	180kW DCFC AIO Dual NACS	180kW DCFC All In One Charger - 350A / 1000VDC with NACS & NACS(~16ft); Can charge 2 cars simultaneously with 90kW each ; 4G Modem	\$77,880.17
	TPG-180KW-005	TellusPowerGreen	180kW HPC AIO CCS1/CHAdEMO	180kW HPC All In One Charger - 500 Amps / 1000VDC with Liquid Cooled Connector for CCS1 & CHAdEMO(~14ft) ; It can deliver 500A on the CCS coconnector. Also can charge 2 cars simultaneously with 120kW on CCS1 and 60kW on CHAdEMO ; 4G Modem	\$99,807.59
	TPG-180KW-006	TellusPowerGreen	180kW HPC AIO Dual CCS1	180kW HPC All In One Charger - 500 Amps / 1000VDC with Liquid Cooled Connector for Dual CCS1 ; Can deliver 500A on one CCS coconnector and 250A on each connector if used simultaneously ; 4G Modem	\$104,155.27
	TPG-180KW-007	TellusPowerGreen	180kW HPC AIO CCS1/NACS	180kW HPC All In One Charger - 500 Amps / 1000VDC with Liquid Cooled Connector for Dual NACS ; Can deliver 500A on either CCS or NACS coconnector and 250A on each connector if used simultaneously ; 4G Modem	\$104,155.27
	TPG-180KW-008	TellusPowerGreen	180kW HPC AIO Dual NACS	180kW HPC All In One Charger - 500 Amps / 1000VDC with Liquid Cooled Connector for Dual NACS ; Can deliver 500A on one NACS coconnector and 250A on each connector if used simultaneously ; 4G Modem	\$104,155.27
	TPG-180KW-BA-001	TellusPowerGreen	180kW DCFC CCS1/CHAdEMO	180kW DCFC All In One Charger - 350A CCS1 & 125A CHAdEMO Connector / 1000VDC with CCS1 & CHAdEMO(~16ft); Can charge 2 cars simultaneously - 120kW on CCS1 and 60kW on CHAdEMO; 4G Modem	\$89,080.17
	TPG-180KW-BA-002	TellusPowerGreen	180kW DCFC Dual CCS1	180kW DCFC All In One Charger - 350A / 1000VDC with CCS1 & CCS1(~16ft); Can charge 2 cars simultaneously with 90kW each ; 4G Modem	\$91,017.72
	TPG-180KW-BA-003	TellusPowerGreen	180kW DCFC CCS1/NACS	180kW DCFC All In One Charger - 350A / 1000VDC with CCS1 & NACS(~16ft); Can charge 2 cars simultaneously with 90kW each ; 4G Modem	\$91,017.72
	TPG-180KW-BA-004	TellusPowerGreen	180kW DCFC Dual NACS	180kW DCFC All In One Charger - 350A / 1000VDC with NACS & NACS(~16ft); Can charge 2 cars simultaneously with 90kW each ; 4G Modem	\$91,017.72
	Accessories for Tellus Power Green (180kW)				
	TPG-ACCS-001	TellusPowerGreen	Cellular Modem	4G Modem for connectivity	\$303.80
	TPG-ACCS-002	TellusPowerGreen	Nayax Credit Card Reader - DC Chargers	Nayax Credit Card Reader with Apple Pay, Samsung Pay	\$1,154.43
	TPG-ACCS-005	TellusPowerGreen	Crate DCFC - 60kW/120kW/160kW/180kW	Packing and Crating for 60kW, 120kW, 160kW and 180kW - Non HPC	\$546.84
	Warranties for Tellus Power Green (180kW)				
	TPG-180KW-WAR-001	TellusPowerGreen	Extended Parts Warranty DC Charger / Year	Parts Only Extended Warranty - 180kW charger	\$3,418.82
	TPG-180KW-WAR-002	TellusPowerGreen	Extended Parts Warranty HPC Charger / Year	Parts Only Extended Warranty - 180kW HPC charger	\$4,462.18
	Samsung (180kW)				
	Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
	SAM25-180KW-001	Samsung	Samsung 180kW Charger Dual CCS1 AIO & 2 Year Parts/Labor Warranty	A 180kW charger with 480V three-phase input and rated up to 1000 VDC output. Provides dual CCS1 outputs, each supported by 20-foot cables with integrated cable management. Additional features include RFID authentication, LED status display, 4G modem, OCPP 1.6 protocol support, and EMC Class B compliance. Includes 2-year parts and labor warranty with 2-year coverage on internal components including power modules and digital systems.	\$81,873.42
	SAM25-180KW-002	Samsung	Samsung 180kW Charger NACS/CCS1 AIO w/pedestal & 2 Year Parts/Labor Warranty	A 180kW charger with 480V three-phase input and 1000 VDC output capacity. Designed with CCS1 and NACS dual-output pedestal architecture, supporting 20-foot cables, cable holsters, RFID access, LED display, 4G communications, and OCPP 1.6 network integration. EMC Class B rated. Comes with a 2-year parts and labor warranty and 2-year warranty on high-value internal systems.	\$83,432.91
	SAM25-180KW-003	Samsung	Samsung 180kW Charger Dual CCS1 AIO & 2 Year Parts Warranty	A 180kW charger with 480V three-phase input and rated up to 1000 VDC output. Provides dual CCS1 outputs, each supported by 20-foot cables with integrated cable management. Additional features include RFID authentication, LED status display, 4G modem, OCPP 1.6 protocol support, and EMC Class B compliance. Includes 2-year parts warranty with 2-year coverage on internal components including power modules and digital systems.	\$72,516.46
	SAM25-180KW-004	Samsung	Samsung 180kW Charger NACS/CCS1 AIO w/pedestal & 2 Year Parts Warranty	A 180kW charger with 480V three-phase input and 1000 VDC output capacity. Designed with CCS1 and NACS dual-output pedestal architecture, supporting 20-foot cables, cable holsters, RFID access, LED display, 4G communications, and OCPP 1.6 network integration. EMC Class B rated. Comes with a 2-year parts and labor warranty and 2-year warranty on high-value internal systems.	\$74,075.95
	Accessories for Samsung (180kW)				
	Power Electronics 180kW				
	Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
	POWR25-180KW-001	Power Electronics	NB 180 Standalone 375A	NB 240 Standalone 180 kW DC fast charger with a single CCS1 connector rated at 375 A provides high-speed charging within a 150–1000	\$74,811.14
	POWR25-180KW-002	Power Electronics	NB 180 Standalone dual CCS1 375A	NB 240 Standalone 180 kW charger in dual CCS1 375 A configuration enables ultra-fast, concurrent charging of two EVs, with each port	\$81,130.80
	POWR25-180KW-003	Power Electronics	NB 180 Standalone dual CCS1 250A	NB 240 Standalone 180 kW charger in dual CCS1 250 A configuration enables ultra-fast, concurrent charging of two EVs, with each	\$76,860.76
	Accessories for Power Electronics 180kW				
	POWR25-STANDALONE-ACCS-001	Power Electronics	Extended cable to 25ft (250A non-cooled)		\$729.79
	POWR25-STANDALONE-ACCS-002	Power Electronics	Extended cable to 25ft (375A non-cooled)		\$1,055.86
	POWR25-STANDALONE-ACCS-009	Power Electronics	Articulated arm system		\$4,270.04
	POWR25-STANDALONE-ACCS-010	Power Electronics	DC Meter (LEM MID/EICHRECHT)		\$3,617.89
	POWR25-STANDALONE-ACCS-011	Power Electronics	Plug and play		\$232.91
	POWR25-STANDALONE-ACCS-012	Power Electronics	Credit/debit card reader (Payter Apollo)		\$2,127.26
	POWR25-STANDALONE-ACCS-003	Power Electronics	Surge Arrester Type 2 + RCD Type A		\$543.46
	POWR25-STANDALONE-ACCS-004	Power Electronics	Extended cable to 25ft (600A cooled)		\$1,335.36
	POWR25-STANDALONE-ACCS-005	Power Electronics	Credit/debit card reader (Nayax vpos)		\$1,754.60
	POWR25-STANDALONE-ACCS-006	Power Electronics	Additional dispenser ready		\$1,599.32

ABB (180kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
ABB25-180KW-001	ABB	Terra 184 CCS1/CCS1	ABB Terra 184 provides up to 180 kW DC fast charging at 920 VDC, supporting one EV at full power or two EVs simultaneously at 90 kW each. It includes CCS1, NACS, or CHAdeMO options, with a 7" daylight-readable color touchscreen, integrated OCPP 1.6j/2.0.1, GSM/4G/Ethernet connectivity, and RFID and payment terminal options. This compact, modular unit features cable management, ADA compliance, and NEVI-compliant configurations for FHWA Build America programs. Designed for continuous duty, it operates from -35 °C to +55 °C with NEMA 3R outdoor-rated protection and delivers up to 400 A peak output current.	\$70,391.90
ABB25-180KW-002	ABB	Terra 184 CCS1/NACS	ABB Terra 184 provides up to 180 kW DC fast charging at 920 VDC, supporting one EV at full power or two EVs simultaneously at 90 kW each. It includes CCS1, NACS, or CHAdeMO options, with a 7" daylight-readable color touchscreen, integrated OCPP 1.6j/2.0.1, GSM/4G/Ethernet connectivity, and RFID and payment terminal options. This compact, modular unit features cable management, ADA compliance, and NEVI-compliant configurations for FHWA Build America programs. Designed for continuous duty, it operates from -35 °C to +55 °C with NEMA 3R outdoor-rated protection and delivers up to 400 A peak output current.	\$70,391.90
ABB25-180KW-003	ABB	Terra 184 CCS1/CCS1 + Nayax + CTEP	ABB Terra 184 provides up to 180 kW DC fast charging at 920 VDC, supporting one EV at full power or two EVs simultaneously at 90 kW each. It includes CCS1, NACS, or CHAdeMO options, with a 7" daylight-readable color touchscreen, integrated OCPP 1.6j/2.0.1, GSM/4G/Ethernet connectivity, and RFID and payment terminal options. This compact, modular unit features cable management, ADA compliance, and NEVI-compliant configurations for FHWA Build America programs. Designed for continuous duty, it operates from -35 °C to +55 °C with NEMA 3R outdoor-rated protection and delivers up to 400 A peak output current.	\$75,428.19
ABB25-180KW-004	ABB	Terra 184 CCS1/NACS + Nayax + CTEP	ABB Terra 184 provides up to 180 kW DC fast charging at 920 VDC, supporting one EV at full power or two EVs simultaneously at 90 kW each. It includes CCS1, NACS, or CHAdeMO options, with a 7" daylight-readable color touchscreen, integrated OCPP 1.6j/2.0.1, GSM/4G/Ethernet connectivity, and RFID and payment terminal options. This compact, modular unit features cable management, ADA compliance, and NEVI-compliant configurations for FHWA Build America programs. Designed for continuous duty, it operates from -35 °C to +55 °C with NEMA 3R outdoor-rated protection and delivers up to 400 A peak output current.	\$75,428.19
Accessories for ABB (180kW)				
ABB25-180KW-ACCS-001	ABB	Terra 184 CMS dual CCS1	Cable management system dual CCS1	\$3,591.56
ABB25-180KW-ACCS-002	ABB	Terra 184 CMS CCS1/NACS	Cable management system dual CCS1/NACS	\$3,591.56
ABB25-180KW-ACCS-003	ABB	Terra 184 metal foundation	Terra 180kW metal foundation	\$1,843.04
ABB25-180KW-ACCS-004	ABB	Terra 184 cable ice cover CCS1	Ice cover for CCS1 connector	\$209.28
ABB25-180KW-ACCS-005	ABB	Terra 184 cable ice cover NACS	Ice cover for NACS connector	\$209.28
ABB25-180KW-ACCS-006	ABB	CTEP Kit T184 Nayax payment terminal single	Nayax POS single	\$4,266.67
ABB25-180KW-ACCS-007	ABB	CTEP Kit T184 Nayax payment terminal dual	Nayax POS dual	\$6,235.27
ABB25-180KW-COMM-001	ABB	T184 Commissioning kit (per station)	Onsite commissioning Fee Terra 184 (per station) - Required for NEVI projects or CTEP kit upgrades. Only approved service partners trained by ABB can perform commissioning. ABB Certified commissioning channel partners can self perform and are not required to purchase, required for all other customers. Includes 2 hours of drive time by technician - remote sites may incur an additional travel-time surcharge	\$3,744.14
BTC Power (180kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
BTC25-180KW-001	BTC Power	180kW AIO Charger	BTC Power 180kW All-in-One DC Fast Charger delivers up to 180 kW of continuous DC power and supports dual CCS1 (up to 500 A liquid-cooled) connectors. Designed for commercial use, it operates on 480 VAC 3-phase input and provides 200–950 VDC output. The unit features a touchscreen interface, RFID access, ISO 15118 and OCPP connectivity, Payter POS and supports dual-vehicle charging with cable reach up to 15.42 feet. Housed in a durable IP54, IK08-rated enclosure, it includes integrated cellular support, advanced protection systems, and remote configuration capabilities.	\$56,684.16
BTC25-180KW-002	BTC Power	180kW AIO Charger BABA	BTC Power 180kW All-in-One DC Fast Charger delivers up to 180 kW of continuous DC power and supports dual CCS1 (up to 500 A liquid-cooled) connectors. Designed for commercial use, it operates on 480 VAC 3-phase input and provides 200–950 VDC output. The unit features a touchscreen interface, RFID access, ISO 15118, Buy America compliance, and OCPP connectivity, Payter POS and supports dual-vehicle charging with cable reach up to 15.42 feet. Housed in a durable IP54, IK08-rated enclosure, it includes integrated cellular support, advanced protection systems, and remote configuration capabilities.	\$87,763.71
Accessories for BTC Power (180kW)				
Delta City Charger (200kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
DELT25-200KW-001	Delta Electronics	200kW City Charger	Delta 200kW City Charger delivers 200 kW charging at 950 VDC with dual CCS1 connectors and 4-meter cables, offering Ethernet/Cellular networking and OCPP 1.6 integration, paired with rugged construction and a 7-inch LCD interface for high-throughput charging hubs.	\$80,445.57
Accessories for Delta City Charger (200kW)				

Kempower 200kW				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
KEMP25-SSC-004	Kempower	Kempower Single Station Charger 200kW CS01	With four installed power modules, the Kempower CS01 delivers 200 kW of adaptive charging power through dual CCS1 connectors. Both outputs support 300 A current and full voltage range up to 920 VDC. Kempower's power management system automatically balances delivery across outputs for simultaneous charging when demand allows. The charger integrates LTE, WiFi, and Ethernet, supports OCPP 1.6j/2.0.1, and is housed in a compact cabinet suitable for space-constrained outdoor deployments.	\$77,038.99
KEMP25-SSC-008	Kempower	Kempower Single Station Charger 200kW C801	Configured with four 50 kW power modules, the Kempower Station Charger C801 delivers 200 kW through two CCS1 outputs with intelligent power sharing. Supporting 200–920 VDC and up to 300 A per connector, the system enables flexible fast charging in a compact footprint. It includes dual cable assemblies with 23 ft reach, a Payter payment terminal, OCPP connectivity, and full compatibility with backend systems. Enclosed in a rugged, UL-certified housing, the unit is purpose-built for North American EV infrastructure deployments.	\$77,038.99
Accessories for Kempower 200kW				
KEMP25-SSC-CABLE-001	Kempower	D4 option for CS01/C801	max 4 dynamic outputs	\$6,724.05
KEMP25-SSC-CABLE-002	Kempower	Upgrade station cable option 300A	CCS1, single charging cable only 5m	\$2,512.74
KEMP25-SSC-CABLE-003	Kempower	Upgrade cable option to NACS 250A + CCS1 300A	NACS 250A + CCS1 300A cable configuration 5m	\$2,512.74
KEMP25-SSC-CABLE-004	Kempower	Upgrade cable option to CHAdeMO 125A + CCS1 200A	CHAdeMO 125A + CCS1 200A 5m	\$39.16
KEMP25-SSC-CABLE-005	Kempower	Upgrade cable option to CHAdeMO 125A + CCS1 300A	CHAdeMO 125A + CCS1 300A 5m	\$2,551.90
KEMP25-SSC-CABLE-006	Kempower	Upgrade station cable length to 7m	Per each charging cable	\$317.30
KEMP25-ACCS-001	Kempower	Payter P68 Station	Payter P68 Station, contactless chip, stripe	TBD
KEMP25-ACCS-002	Kempower	Payter Apollo Station	Payter Apollo Station, contactless with PIN	TBD
Autel Energy Maxicharger DC Fast (200kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
AUTL-200KW-001	Autel Energy	Maxicharger 200kW DC Fast (Boost Cable)	Autel Maxicharger 200kW DC Fast (Boost Cable) supports 200 kW charging with high-efficiency Boost Cable output, 400A peak, dual outlet flexibility, and cloud-based diagnostics. The 27-inch touchscreen interface ensures user-friendly interaction across networked installations.	\$85,014.68
Accessories for Autel Energy Maxicharger DC Fast (200kW)				
AUTL-ACCS-003	Autel Energy	18ft CCS1 Cable	18ft CCS1 Cable	\$154.46
AUTL-ACCS-004	Autel Energy	25ft CCS1 Cable	25ft CCS1 Cable	\$380.22
AUTL-ACCS-005	Autel Energy	DCFC CMS	Maxicharger DC Fast Cable Management System	\$3,921.01
AUTL-ACCS-006	Autel Energy	20kW Charging Module Upgrade Kit	20kW Charging Module Upgrade Kit	\$7,842.03
AUTL-ACCS-007	Autel Energy	Nayax Payment Terminal	Nayax Credit Card Reader	\$1,307.00
AUTL-ACCS-008	Autel Energy	20ft CCS1 Boost Cable	20ft CCS1 Boost Cable	\$302.99
AUTL-ACCS-009	Autel Energy	25ft CCS1 Boost Cable	25ft CCS1 Boost Cable	\$760.44
AUTL-ACCS-010	Autel Energy	DC Compact Pedestal Post	DC Compact Pedestal Post	\$858.46
AUTL-ACCS-011	Autel Energy	DC Compact Trolley	DC Compact Trolley Cart	\$1,670.89
AUTL-ACCS-012	Autel Energy	Wallmount Bracket Kit	Wallmount bracket kit	\$836.19
Pre-Commissioning for Autel Energy Maxicharger DC Fast (200kW)				
AUTL-COMM-003	Autel Energy	DC Fast Pre-Commissioning	DC Fast Pre-Commissioning per unit	\$1,822.78
Tellus Power Green (200kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
TPG-200KW-001	TellusPowerGreen	200kW DCFC AIO CCS1/CHAdeMO	200kW DCFC All In One Charger - 350A CCS1 & 125A CHAdeMO Connector / 1000VDC with CCS1 & CHAdeMO(~16ft); Can charge 2 cars simultaneously - 140kW on CCS1 and 60kW on CHAdeMO; 4G Modem	\$88,135.02
TPG-200KW-002	TellusPowerGreen	200kW DCFC AIO Dual CCS1	200kW DCFC All In One Charger - 350A / 1000VDC with CCS1 & CCS1(~16ft); Can charge 2 cars simultaneously with 100kW each ; 4G Modem	\$86,481.01
TPG-200KW-003	TellusPowerGreen	200kW DCFC AIO CCS1/NACS	200kW DCFC All In One Charger - 350A / 1000VDC with CCS1 & NACS(~16ft); Can charge 2 cars simultaneously with 100kW each ; 4G Modem	\$86,481.01
TPG-200KW-004	TellusPowerGreen	200kW DCFC AIO Dual NACS	200kW DCFC All In One Charger - 350A / 1000VDC with NACS & NACS(~16ft); Can charge 2 cars simultaneously with 100kW each ; 4G Modem	\$86,481.01
TPG-200KW-005	TellusPowerGreen	200kW HPC AIO CCS1/CHAdeMO	200kW HPC All In One Charger - 500 Amps / 1000VDC with Liquid Cooled Connector for CCS1 & CHAdeMO(~14ft) ; It can deliver 500A on the CCS coonnector. Also can charge 2 cars simultaneously with 120kW on CCS1 and 60kW on CHAdeMO ; 4G Modem	\$104,193.08
TPG-200KW-006	TellusPowerGreen	200kW HPC AIO Dual CCS1	200kW HPC All In One Charger - 500 Amps / 1000VDC with Liquid Cooled Connector for Dual CCS1 ; Can deliver 500A on one CCS coonnector and 250A on each connector if used simultaneously ; 4G Modem	\$110,109.70
TPG-200KW-007	TellusPowerGreen	200kW HPC AIO CCS1/NACS	200kW HPC All In One Charger - 500 Amps / 1000VDC with Liquid Cooled Connector for CCS1 and NACS ; Can deliver 500A on either CCS or NACS coonnector and 250A on each connector if used simultaneously ; 4G Modem	\$110,109.70
TPG-200KW-008	TellusPowerGreen	200kW HPC AIO Dual NACS	200kW HPC All In One Charger - 500 Amps / 1000VDC with Liquid Cooled Connector for Dual NACS ; Can deliver 500A on one NACS coonnector and 250A on each connector if used simultaneously ; 4G Modem	\$110,109.70
Accessories for Tellus Power Green (200kW)				
TPG-ACCS-001	TellusPowerGreen	Cellular Modem	4G Modem for connectivity	\$303.80
TPG-ACCS-002	TellusPowerGreen	Nayax Credit Card Reader - DC Chargers	Nayax Credit Card Reader with Apple Pay, Samsung Pay	\$1,154.43
TPG-ACCS-006	TellusPowerGreen	Crate HPC - 200kW/240kW/300kW/360kW	Packing and Crating for HPC - 200kW/240kW/300kW/360kW	\$668.35
Warranties for Tellus Power Green (200kW)				
TPG-200KW-WAR-002	TellusPowerGreen	Extended Parts Warranty HPC Charger / Year	Parts Only Extended Warranty - 200kW HPC charger	\$4,724.66

XCharge (200kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
XCHG25-200KW-001	X Charge	C6AM 200kW	XCharge C6AM 480V DC Fast Charger is a high-capacity, turnkey charging solution designed for commercial applications requiring up to 200 kW of output. Operating on 480V 3-phase input, the unit supports dual output connectors (CCS1, NACS, Tesla, or CHAdeMO 2.0) and delivers up to 1000 VDC and 300 A. It features OCPP 1.6J support, LTE connectivity, remote diagnostics, and an integrated POS terminal compatible with Payter, Nayax, and Ingenico. Built with a compact, IP54/IK10-rated enclosure, it includes a 15" HD touchscreen, advanced safety protections, and adaptive power settings configurable via backend or firmware. The charger meets UL2202, ISO 15118, and Energy Star standards, and offers customizable display content and optional heat pump for extreme climates.	\$43,868.35
XCHG25-200KW-002	X Charge	C6AM 200kW w/ Cable Management	XCharge C6AM 480V DC Fast Charger is a high-capacity, turnkey charging solution designed for commercial applications requiring up to 200 kW of output. Operating on 480V 3-phase input, the unit supports dual output connectors (CCS1, NACS, Tesla, or CHAdeMO 2.0) and delivers up to 1000 VDC and 300 A. It features OCPP 1.6J support, LTE connectivity, remote diagnostics, and an integrated POS terminal compatible with Payter, Nayax, and Ingenico. Built with a compact, IP54/IK10-rated enclosure, it includes a 15" HD touchscreen, advanced safety protections, and adaptive power settings configurable via backend or firmware. The charger meets UL2202, ISO 15118, and Energy Star standards, and offers customizable display content and optional heat pump for extreme climates.	\$47,716.46
Accessories for XCharge (200kW)				
Warranties for XCharge (200kW)				
Power Electronics 210kW				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
POWR25-210KW-001	Power Electronics	NB 210 Standalone 375A	NB 240 Standalone 210 kW DC fast charger with a single CCS1 connector delivers up to 375A of peak current across a 150–1000 VDC	\$78,910.38
POWR25-210KW-002	Power Electronics	NB 210 Standalone dual CCS1 375A	NB 240 Standalone 210 kW charger with dual CCS1 connectors offers up to 375A per port, enabling simultaneous high-power DC	\$85,230.04
POWR25-210KW-003	Power Electronics	NB 210 Standalone dual CCS1 250A	NB 240 Standalone 210 kW charger with dual CCS1 connectors offers up to 250A per port, enabling simultaneous high-power DC	\$80,960.00
Accessories for Power Electronics 210kW				
POWR25-STANDALONE-ACCS-001	Power Electronics	Extended cable to 25ft (250A non-cooled)		\$729.79
POWR25-STANDALONE-ACCS-002	Power Electronics	Extended cable to 25ft (375A non-cooled)		\$1,055.86
POWR25-STANDALONE-ACCS-009	Power Electronics	Articulated arm system		\$4,270.04
POWR25-STANDALONE-ACCS-010	Power Electronics	DC Meter (LEM MID/EICHRECHT)		\$3,617.89
POWR25-STANDALONE-ACCS-011	Power Electronics	Plug and play		\$232.91
POWR25-STANDALONE-ACCS-012	Power Electronics	Credit/debit card reader (Payter Apollo)		\$2,127.26
POWR25-STANDALONE-ACCS-003	Power Electronics	Surge Arrester Type 2 + RCD Type A		\$543.46
POWR25-STANDALONE-ACCS-004	Power Electronics	Extended cable to 25ft (600A cooled)		\$1,335.36
POWR25-STANDALONE-ACCS-005	Power Electronics	Credit/debit card reader (Nayax vpos)		\$1,754.60
POWR25-STANDALONE-ACCS-006	Power Electronics	Additional dispenser ready		\$1,599.32
Autel Energy Maxicharger DC Fast (220kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
AUTL-220KW-001	Autel Energy	Maxicharger 220kW DC Fast (Boost Cable)	Autel Maxicharger 220kW DC Fast (Boost Cable) enables ultra-fast 220 kW output with 400A peak, leveraging Boost Cable for enhanced performance. Supports OCPP 1.6, ISO 15118, dual connector use, remote updates, and is equipped with a durable, weather-resistant housing.	\$89,589.20
Accessories for Autel Energy Maxicharger DC Fast (220kW)				
AUTL-ACCS-003	Autel Energy	18ft CCS1 Cable	18ft CCS1 Cable	\$154.46
AUTL-ACCS-004	Autel Energy	25ft CCS1 Cable	25ft CCS1 Cable	\$380.22
AUTL-ACCS-005	Autel Energy	DCFC CMS	Maxicharger DC Fast Cable Management System	\$3,921.01
AUTL-ACCS-006	Autel Energy	20kW Charging Module Upgrade Kit	20kW Charging Module Upgrade Kit	\$7,842.03
AUTL-ACCS-007	Autel Energy	Nayax Payment Terminal	Nayax Credit Card Reader	\$1,307.00
AUTL-ACCS-008	Autel Energy	20ft CCS1 Boost Cable	20ft CCS1 Boost Cable	\$302.99
AUTL-ACCS-009	Autel Energy	25ft CCS1 Boost Cable	25ft CCS1 Boost Cable	\$760.44
AUTL-ACCS-010	Autel Energy	DC Compact Pedestal Post	DC Compact Pedestal Post	\$858.46
AUTL-ACCS-011	Autel Energy	DC Compact Trolley	DC Compact Trolley Cart	\$1,670.89
AUTL-ACCS-012	Autel Energy	Wallmount Bracket Kit	Wallmount bracket kit	\$836.19
Pre-Commissioning for Autel Energy Maxicharger DC Fast (220kW)				
AUTL-COMM-003	Autel Energy	DC Fast Pre-Commissioning	DC Fast Pre-Commissioning per unit	\$1,822.78
Autel Energy Maxicharger DC Fast (240kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
AUTL-240KW-001	Autel Energy	Maxicharger 240kW DC Fast (Boost Cable)	Autel Maxicharger 240kW DC Fast (Boost Cable) delivers maximum 240 kW DC output, supported by Boost Cable technology for rapid energy transfer at up to 400A. It offers a 27-inch touchscreen, smart connectivity via 4G/Wi-Fi/Ethernet, and flexible authentication with app, RFID, or credit card.	\$94,163.71
Accessories for Autel Energy Maxicharger DC Fast (240kW)				
AUTL-ACCS-003	Autel Energy	18ft CCS1 Cable	18ft CCS1 Cable	\$154.46
AUTL-ACCS-004	Autel Energy	25ft CCS1 Cable	25ft CCS1 Cable	\$380.22
AUTL-ACCS-005	Autel Energy	DCFC CMS	Maxicharger DC Fast Cable Management System	\$3,921.01
AUTL-ACCS-006	Autel Energy	20kW Charging Module Upgrade Kit	20kW Charging Module Upgrade Kit	\$7,842.03
AUTL-ACCS-007	Autel Energy	Nayax Payment Terminal	Nayax Credit Card Reader	\$1,307.00
AUTL-ACCS-008	Autel Energy	20ft CCS1 Boost Cable	20ft CCS1 Boost Cable	\$302.99
AUTL-ACCS-009	Autel Energy	25ft CCS1 Boost Cable	25ft CCS1 Boost Cable	\$760.44
AUTL-ACCS-010	Autel Energy	DC Compact Pedestal Post	DC Compact Pedestal Post	\$858.46
AUTL-ACCS-011	Autel Energy	DC Compact Trolley	DC Compact Trolley Cart	\$1,670.89
AUTL-ACCS-012	Autel Energy	Wallmount Bracket Kit	Wallmount bracket kit	\$836.19
Pre-Commissioning for Autel Energy Maxicharger DC Fast (240kW)				
AUTL-COMM-003	Autel Energy	DC Fast Pre-Commissioning	DC Fast Pre-Commissioning per unit	\$1,822.78

	Tellus Power Green (240kW)				
	Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
	TPG-240KW-001	TellusPowerGreen	240kW DCFC AIO CCS1/CHAdEMO	240kW DCFC All In One Charger - 350A CCS1 & 125A CHAdEMO Connector / 1000VDC with CCS1 & CHAdEMO(~16ft); Can charge 2 cars simultaneously - 180kW on CCS1 and 60kW on CHAdEMO; 4G Modem	\$98,862.45
	TPG-240KW-002	TellusPowerGreen	240kW DCFC AIO Dual CCS1	240kW DCFC All In One Charger - 350A / 1000VDC with CCS1 & CCS1(~16ft); Can charge 2 cars simultaneously with 120kW each ; 4G Modem	\$96,688.61
	TPG-240KW-003	TellusPowerGreen	240kW DCFC AIO CCS1/NACS	240kW DCFC All In One Charger - 350A / 1000VDC with CCS1 & NACS(~16ft); Can charge 2 cars simultaneously with 120kW each ; 4G Modem	\$96,688.61
	TPG-240KW-004	TellusPowerGreen	240kW DCFC AIO Dual NACS	240kW DCFC All In One Charger - 350A / 1000VDC with NACS & NACS(~16ft); Can charge 2 cars simultaneously with 120kW each ; 4G Modem	\$96,688.61
	TPG-240KW-005	TellusPowerGreen	240kW HPC AIO CCS1/CHAdEMO	240kW HPC All In One Charger - 500 Amps / 1000VDC with Liquid Cooled Connector for CCS1 & CHAdEMO(~14ft) ; It can deliver 500A on the CCS connector. Also can charge 2 cars simultaneously with 120kW on CCS1 and 60kW on CHAdEMO ; 4G Modem	\$114,612.39
	TPG-240KW-006	TellusPowerGreen	240kW HPC AIO Dual CCS1	240kW all-in-one DC fast charger with dual CCS1 ports; delivers 500A on one connector or 250A each when used simultaneously. Supports up to 1000VDC with liquid-cooled cables. Includes 4G modem for network connectivity and OCPP backend integration.	\$122,396.62
	TPG-240KW-007	TellusPowerGreen	240kW HPC AIO CCS1/NACS	240kW HPC All In One Charger - 500 Amps / 1000VDC with Liquid Cooled Connector for CCS1 and NACS; Can deliver 500A on either CCS or NACS coconnector and 250A on each connector if used simultaneously ; 4G Modem	\$122,396.62
	TPG-240KW-008	TellusPowerGreen	240kW HPC AIO Dual NACS	240kW HPC All In One Charger - 500 Amps / 1000VDC with Liquid Cooled Connector for Dual NACS ; Can deliver 500A on one NACS coconnector and 250A on each connector if used simultaneously ; 4G Modem	\$122,396.62
	Accessories for Tellus Power Green (240kW)				
	TPG-ACCS-001	TellusPowerGreen	Cellular Modem	4G Modem for connectivity	\$303.80
	TPG-ACCS-002	TellusPowerGreen	Nayax Credit Card Reader - DC Chargers	Nayax Credit Card Reader with Apple Pay, Samsung Pay	\$1,154.43
	TPG-ACCS-006	TellusPowerGreen	Crate HPC - 200kW/240kW/300kW/360kW	Packing and Crating for HPC - 200kW/240kW/300kW/360kW	\$668.35
	Warranties for Tellus Power Green (240kW)				
	TPG-240KW-WAR-002	TellusPowerGreen	Extended Parts Warranty HPC Charger / Year	Parts Only Extended Warranty - 240kW HPC charger	\$4,987.14
	Power Electronics (240kW)				
	Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
	POWR25-240KW-001	Power Electronics	NB 240 Standalone 375A	NB 240 Standalone 240 kW DC charger with a single CCS1 375 A connector delivers maximum-output fast charging across a wide	\$82,924.22
	POWR25-240KW-002	Power Electronics	NB 240 Standalone dual CCS1 375A	NB 240 Standalone 240 kW charger in dual CCS1 375 A configuration supports simultaneous high-current charging across two ports,	\$89,243.88
	POWR25-240KW-003	Power Electronics	NB 240 Standalone dual CCS1 250A	NB 240 Standalone 240 kW charger in dual CCS1 375 A configuration supports simultaneous high-current charging across two ports,	\$84,973.84
	POWR25-240KW-004	Power Electronics	NB 240 Standalone dual CCS1 375A	NB 400 Standalone 240 kW DC charger in dual CCS1 375 A configuration delivers high-efficiency fast charging for two vehicles	\$107,946.67
	Accessories for Power Electronics (240kW)				
	POWR25-STANDALONE-ACCS-001	Power Electronics	Extended cable to 25ft (250A non-cooled)		\$729.79
	POWR25-STANDALONE-ACCS-002	Power Electronics	Extended cable to 25ft (375A non-cooled)		\$1,055.86
	POWR25-STANDALONE-ACCS-009	Power Electronics	Articulated arm system		\$4,270.04
	POWR25-STANDALONE-ACCS-010	Power Electronics	DC Meter (LEM MID/EICHRECHT)		\$3,617.89
	POWR25-STANDALONE-ACCS-011	Power Electronics	Plug and play		\$232.91
	POWR25-STANDALONE-ACCS-012	Power Electronics	Credit/debit card reader (Payter Apollo)		\$2,127.26
	POWR25-STANDALONE-ACCS-003	Power Electronics	Surge Arrester Type 2 + RCD Type A		\$543.46
	POWR25-STANDALONE-ACCS-004	Power Electronics	Extended cable to 25ft (600A cooled)		\$1,335.36
	POWR25-STANDALONE-ACCS-005	Power Electronics	Credit/debit card reader (Nayax vpos)		\$1,754.60
	POWR25-STANDALONE-ACCS-006	Power Electronics	Additional dispenser ready		\$1,599.32
	Samsung (240kW)				
	Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
	SAM25-240KW-001	Samsung	Samsung 240kW Charger Dual CCS1 AIO & 2 Year Parts/Labor Warranty	A 240kW charger with 480V three-phase input and up to 1000 VDC output. Supports dual CCS1 connectors with 20-foot charging cables and integrated cable management holsters. Includes LED display, RFID access, 4G modem for backend connectivity, and OCPP 1.6 support. EMC Class B rated. Includes a 2-year parts and labor warranty and 2-year coverage on major electronic assemblies and control hardware.	\$92,789.87
	SAM25-240KW-002	Samsung	Samsung 240kW Charger NACS/CCS1 AIO w/pedestal & 2 Year Parts/Labor Warranty	A 240kW charger with dual-output pedestal format supporting CCS1 and NACS connectors. Rated for 480V three-phase input and 1000 VDC output. Built with 20-foot cables, advanced cable holsters, RFID reader, LED interface, and 4G cellular communications. Supports OCPP 1.6. EMC Class B rated. Comes with a 2-year parts and labor warranty and 2-year warranty on internal electronics and interface hardware.	\$94,349.37
	SAM25-240KW-003	Samsung	Samsung 240kW Charger Dual NACS AIO w/pedestal & 2 Year Parts/Labor Warranty	A 240kW charger pedestal with dual NACS connectors and 480V three-phase input, supporting up to 1000 VDC output. Designed with 20-foot retractable cables, RFID reader, LED display, 4G modem, OCPP 1.6 protocol compatibility, and EMC Class B certification. Includes a 2-year parts and labor warranty with 2-year coverage on internal electronic and mechanical components.	\$95,207.09
	SAM25-240KW-004	Samsung	Samsung 240kW Charger Dual CCS1 AIO & 2 Year Parts Warranty	A 240kW charger with 480V three-phase input and up to 1000 VDC output. Supports dual CCS1 connectors with 20-foot charging cables and integrated cable management holsters. Includes LED display, RFID access, 4G modem for backend connectivity, and OCPP 1.6 support. EMC Class B rated. Includes a 2-year parts warranty and 2-year coverage on major electronic assemblies and control hardware.	\$83,432.91
	SAM25-240KW-005	Samsung	Samsung 240kW Charger NACS/CCS1 AIO w/pedestal & 2 Year Parts Warranty	A 240kW charger with dual-output pedestal format supporting CCS1 and NACS connectors. Rated for 480V three-phase input and 1000 VDC output. Built with 20-foot cables, advanced cable holsters, RFID reader, LED interface, and 4G cellular communications. Supports OCPP 1.6. EMC Class B rated. Comes with a 2-year parts warranty and 2-year warranty on internal electronics and interface hardware.	\$84,992.41
	Accessories for Samsung (240kW)				
	BTC Power (240kW)				
	Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
	BTC25-240KW-001	BTC Power	Gen 4 240kW Tower, dual port	BTC Power Gen4.1 240kW Power Cabinet is a scalable DC fast charging unit engineered for multi-vehicle support with four independent 500A output channels. Operating on 480VAC 3-phase input, it delivers up to 950VDC and supports a total output of 240 kW using eight 30 kW power modules. Designed for compatibility with Gen4 Public Dispensers, it features integrated surge protection, high efficiency (>94%), and advanced safety mechanisms including overvoltage, overload, and thermal shutdown. The cabinet meets UL 2202, FCC, and IEC standards, and is housed in an IP54-rated, IK10 enclosure for outdoor reliability in demanding environments.	\$61,994.44
	Accessories for BTC Power (240kW)				

	Xcharge (240kW)				
	Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
	XCHG25-240KW-001	X Charge	C7AM 240kW w/ Cable Management	XCharge C7 HyperX is a premium, dual-port DC fast charger delivering up to 240 kW with advanced features tailored for high-demand public and commercial EV charging environments. Designed with ADA accessibility in mind, the unit includes a 13.3-inch touchscreen HMI and a 21.5-inch HD screen for media or advertising. It supports continuous charging up to 250A at 200–1000 VDC and is compatible with CCS1 and NACS connectors, available with both liquid- and air-cooled cable options. The C7 HyperX is fully compliant with OCPP 1.6 and 2.0.1, supports remote diagnostics, and enables secure OTA firmware updates. Housed in a compact, IP54/IK10-rated enclosure, it also features an integrated cable management system and customizable LED lighting for branding or functional use.	\$105,437.97
	Kempower 250kW				
	Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
	KEMP25-DSC-001	Kempower	Kempower Double Station Charger 250kW C502	Kempower Station Charger C502, configured with five 50 kW power modules, delivers 250 kW of adaptive DC charging through two CCS1 connectors rated at up to 300 A each. Designed with Kempower's dynamic power management, the system intelligently distributes power between outputs over a 150–920 VDC range. The all-in-one cabinet features 23-foot cables with support arms, a 7" touchscreen, Payter P68 payment terminal, RFID reader, and backend support via OCPP 1.6j/2.0.1. ETL-listed for North American deployment, the cabinet measures 49.2 x 94.3 x 33.1 inches.	\$106,896.20
	KEMP25-DSC-005	Kempower	Kempower Double Station Charger 250kW C802	The Kempower Station Charger C802, equipped with five 50 kW power modules, delivers 250 kW of total DC charging through two CCS1 connectors rated at 300 A each. With adaptive power management, the system distributes energy dynamically between outputs based on vehicle demand, operating at 200–920 VDC. The unit includes 23-foot cable assemblies, a 7" touchscreen, Payter payment terminal, RFID authentication, and full connectivity via OCPP 1.6j/2.0.1. Enclosed in a dual-cabinet weatherproof housing measuring 49.2 x 94.3 x 33.1 inches, the system is ETL-certified for North American use.	\$106,896.20
	KEMP25-240KW-001	Kempower	Kempower Control Unit – CCS1 200A 5 m with Equipment stop on unit	Kempower Control Unit with a CCS1 connector and 5-meter charging cable delivers up to 200 A, supporting 80 kW at 400 VDC and 160 kW at 800 VDC. Designed for rugged applications, this unit includes an integrated equipment stop button, NEMA 3R/IP65 enclosure, and supports OCPP 1.6j/2.0.1 communication via Ethernet. It operates up to 1000 VDC, features advanced compatibility with OCPP, and complies with UL, CSA, and IEC standards for North American deployment.	\$9,516.29
	KEMP25-240KW-002	Kempower	Kempower Control Unit – CCS1 200A 7 m with Equipment stop on unit	Kempower Control Unit includes a CCS1 connector with a 7-meter cable rated for 200 A, offering charging power up to 160 kW at 800 VDC. Built to UL and CSA standards, it features an integrated emergency stop button, durable IP65 housing, and Ethernet-based OCPP 1.6j/2.0.1 support. Ideal for depot or off-highway charging, it connects to Kempower Power Units and enables smart monitoring through OCPP.	\$9,988.86
	KEMP25-240KW-003	Kempower	Kempower Control Unit – CCS1 200A 10 m with Equipment stop on unit	Equipped with a 10-meter CCS1 cable rated at 200 A, the Kempower Control Unit provides 80 kW at 400 VDC or up to 160 kW at 800 VDC. The system includes robust environmental protection (IP65/IK10), Ethernet connectivity for OCPP 1.6j/2.0.1, and integration with OCPP. A built-in stop button enhances safety, and the unit is certified for use in North America.	\$11,840.00
	KEMP25-240KW-004	Kempower	Kempower Control Unit – CCS1 300A 5 m with Equipment stop on unit	Kempower Control Unit with a 5-meter CCS1 cable supports charging up to 300 A, delivering 120 kW at 400 VDC and 240 kW at 800 VDC. It features an integrated equipment stop button, IP65-rated enclosure, and is compatible with OCPP 1.6j/2.0.1 over Ethernet. UL and CSA certified for the North American market, it offers seamless integration with Kempower Power Units and advanced fleet control via OCPP.	\$13,314.43
	KEMP25-240KW-005	Kempower	Kempower Control Unit – CCS1 300A 7 m with Equipment stop on unit	Providing high-current charging with a 7-meter CCS1 cable rated for 300 A, this Kempower Control Unit supports up to 240 kW at 800 VDC. It includes an emergency stop button, weather-resistant IP65 construction, and supports Ethernet/OCPP 1.6j/2.0.1 for backend communications. Built for depot or industrial environments, it integrates with Kempower Power Units and OCPP management systems.	\$14,347.34
	KEMP25-240KW-006	Kempower	Kempower Control Unit – CCS1 300A 10 m with Equipment stop on unit	Kempower Control Unit equipped with a 10-meter, 300 A CCS1 cable enables up to 240 kW charging at 800 VDC. Featuring rugged construction, an integrated stop button, and full compliance with UL, CSA, and IEC standards, this model offers Ethernet connectivity and support for OCPP 1.6j/2.0.1. It is optimized for fleet and depot charging via Kempower's OCPP platform.	\$18,065.82
	KEMP25-240KW-007	Kempower	Kempower Control Unit – CCS1 200A 5 m with external Equipment stop accessory	Kempower Control Unit with a CCS1 connector and 5-meter charging cable delivers up to 200 A, supporting 80 kW at 400 VDC and 160 kW at 800 VDC. Designed for rugged applications, this unit includes an integrated equipment stop button, NEMA 3R/IP65 enclosure, and supports OCPP 1.6j/2.0.1 communication via Ethernet. It operates up to 1000 VDC, features advanced compatibility with OCPP, and complies with UL, CSA, and IEC standards for North American deployment.	\$9,516.29
	KEMP25-240KW-008	Kempower	Kempower Control Unit – CCS1 200A 7 m with external Equipment stop accessory	Kempower Control Unit includes a CCS1 connector with a 7-meter cable rated for 200 A, offering charging power up to 160 kW at 800 VDC. Built to UL and CSA standards, it features an integrated emergency stop button, durable IP65 housing, and Ethernet-based OCPP 1.6j/2.0.1 support. Ideal for depot or off-highway charging, it connects to Kempower Power Units and enables smart monitoring through OCPP.	\$9,988.86
	KEMP25-240KW-009	Kempower	Kempower Control Unit – CCS1 200A 10 m with external Equipment stop accessory	Equipped with a 10-meter CCS1 cable rated at 200 A, the Kempower Control Unit provides 80 kW at 400 VDC or up to 160 kW at 800 VDC. The system includes robust environmental protection (IP65/IK10), Ethernet connectivity for OCPP 1.6j/2.0.1, and integration with OCPP. A built-in stop button enhances safety, and the unit is certified for use in North America.	\$11,840.00
	KEMP25-240KW-010	Kempower	Kempower Control Unit – CCS1 300A 5 m with external Equipment stop accessory	Kempower Control Unit with a 5-meter CCS1 cable supports charging up to 300 A, delivering 120 kW at 400 VDC and 240 kW at 800 VDC. It features an integrated equipment stop button, IP65-rated enclosure, and is compatible with OCPP 1.6j/2.0.1 over Ethernet. UL and CSA certified for the North American market, it offers seamless integration with Kempower Power Units and advanced fleet control via OCPP.	\$13,314.43
	KEMP25-240KW-011	Kempower	Kempower Control Unit – CCS1 300A 7 m with external Equipment stop accessory	Providing high-current charging with a 7-meter CCS1 cable rated for 300 A, this Kempower Control Unit supports up to 240 kW at 800 VDC. It includes an emergency stop button, weather-resistant IP65 construction, and supports Ethernet/OCPP 1.6j/2.0.1 for backend communications. Built for depot or industrial environments, it integrates with Kempower Power Units and OCPP management systems.	\$14,347.34
	KEMP25-240KW-012	Kempower	Kempower Control Unit – CCS1 300A 10 m with external Equipment stop accessory	Kempower Control Unit equipped with a 10-meter, 300 A CCS1 cable enables up to 240 kW charging at 800 VDC. Featuring rugged construction, an integrated stop button, and full compliance with UL, CSA, and IEC standards, this model offers Ethernet connectivity and support for OCPP 1.6j/2.0.1. It is optimized for fleet and depot charging via Kempower's OCPP platform.	\$18,065.82
	Accessories for Kempower 250kW				
	Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
	KEMP25-DSC-CABLE-001	Kempower	D4 option for C502/C802	max 4 dynamic outputs	\$13,445.40
	KEMP25-DSC-CABLE-002	Kempower	Upgrade station cable option 300A	CCS1, single charging cable only 5m	\$2,512.74
	KEMP25-DSC-CABLE-003	Kempower	Upgrade cable option to NACS 250A + CCS1 300A	NACS 250A + CCS1 300A cable configuration 5m	\$2,512.74
	KEMP25-DSC-CABLE-004	Kempower	Upgrade cable option to CHAdEMO 125A + CCS1 200A	CHAdEMO 125A + CCS1 200A 5m	\$39.16
	KEMP25-DSC-CABLE-005	Kempower	Upgrade cable option to CHAdEMO 125A + CCS1 300A	CHAdEMO 125A + CCS1 300A 5m	\$2,551.90
	KEMP25-DSC-CABLE-006	Kempower	Upgrade station cable length to 7m	Per each charging cable	\$317.30
	KEMP25-ACCS-001	Kempower	Payter P68 Station	Payter P68 Station, contactless chip, stripe	TBD
	KEMP25-ACCS-002	Kempower	Payter Apollo Station	Payter Apollo Station, contactless with PIN	TBD

Tellus Power Green (300kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
TPG-300KW-001	TellusPowerGreen	300kW DCFC AIO CCS1/CHAdEMO	300kW DCFC All In One Charger - 350A CCS1 & 125A CHAdEMO Connector / 1000VDC with CCS1 & CHAdEMO(~16ft); Can charge 2 cars simultaneously - 240kW on CCS1 and 60kW on CHAdEMO; 4G Modem	\$118,710.55
TPG-300KW-002	TellusPowerGreen	300kW DCFC AIO Dual CCS1	300kW DCFC All In One Charger - 350A / 1000VDC with CCS1 & CCS1(~16ft); Can charge 2 cars simultaneously with 150kW each ; 4G Modem	\$117,387.34
TPG-300KW-003	TellusPowerGreen	300kW DCFC AIO CCS1/NACS	300kW DCFC All In One Charger - 350A / 1000VDC with CCS1 & NACS(~16ft); Can charge 2 cars simultaneously with 150kW each ; 4G Modem	\$117,387.34
TPG-300KW-004	TellusPowerGreen	300kW DCFC AIO Dual NACS	300kW DCFC All In One Charger - 350A / 1000VDC with NACS & NACS(~16ft); Can charge 2 cars simultaneously with 150kW each ; 4G Modem	\$117,387.34
TPG-300KW-005	TellusPowerGreen	300kW HPC AIO CCS1/CHAdEMO	300kW all-in-one DC fast charger with CCS1 (500A liquid-cooled) and CHAdEMO (125A) connectors; supports up to 1000VDC output. Features 10" touchscreen, RFID access, OCPP 1.6i, and integrated 4G/Wi-Fi/Ethernet connectivity. Includes cable retraction, NEMA 3S/IP54 enclosure, and UL-2202 compliance.	\$134,778.06
TPG-300KW-006	TellusPowerGreen	300kW HPC AIO Dual CCS1	300kW HPC All In One Charger - 500 Amps / 1000VDC with Liquid Cooled Connector for Dual CCS1 ; Can deliver 500A on one CCS connector and 250A on each connector if used simultaneously ; 4G Modem	\$146,497.89
TPG-300KW-007	TellusPowerGreen	300kW HPC AIO CCS1/NACS	300kW HPC All In One Charger - 500 Amps / 1000VDC with Liquid Cooled Connector for CCS1 and NACS; Can deliver 500A on either CCS or NACS coconnector and 250A on each connector if used simultaneously ; 4G Modem	\$146,497.89
TPG-300KW-008	TellusPowerGreen	300kW HPC AIO Dual NACS	300kW HPC All In One Charger - 500 Amps / 1000VDC with Liquid Cooled Connector for Dual NACS ; Can deliver 500A on one NACS coconnector and 250A on each connector if used simultaneously ; 4G Modem	\$146,497.89
TPG-300KW-BA-001	TellusPowerGreen	300kW DCFC CCS1/CHAdEMO	300kW DCFC All In One Charger - 350A CCS1 & 125A CHAdEMO Connector / 1000VDC with CCS1 & CHAdEMO(~16ft); Can charge 2 cars simultaneously - 240kW on CCS1 and 60kW on CHAdEMO; 4G Modem	\$118,710.55
TPG-300KW-BA-002	TellusPowerGreen	300kW DCFC Dual CCS1	300kW DCFC All In One Charger - 350A / 1000VDC with CCS1 & CCS1(~16ft); Can charge 2 cars simultaneously with 150kW each ; 4G Modem	\$117,387.34
TPG-300KW-BA-003	TellusPowerGreen	300kW DCFC CCS1/NACS	300kW DCFC All In One Charger - 350A / 1000VDC with CCS1 & NACS(~16ft); Can charge 2 cars simultaneously with 150kW each ; 4G Modem	\$117,387.34
TPG-300KW-BA-004	TellusPowerGreen	300kW DCFC Dual NACS	300kW DCFC All In One Charger - 350A / 1000VDC with NACS & NACS(~16ft); Can charge 2 cars simultaneously with 150kW each ; 4G Modem	\$117,387.34
TPG-300KW-BA-005	TellusPowerGreen	300kW HPC AIO CCS1/CHAdEMO	300kW HPC All In One Charger - 500 Amps / 1000VDC with Liquid Cooled Connector for CCS1 & CHAdEMO(~14ft) ; It can deliver 500A on the CCS coconnector. Also can charge 2 cars simultaneously with 120kW on CCS1 and 60kW on CHAdEMO ; 4G Modem	\$134,778.06
TPG-300KW-BA-006	TellusPowerGreen	300kW HPC AIO Dual CCS1	300kW HPC All In One Charger - 500 Amps / 1000VDC with Liquid Cooled Connector for Dual CCS1 ; Can deliver 500A on one CCS coconnector and 250A on each connector if used simultaneously ; 4G Modem	\$146,497.89
TPG-300KW-BA-007	TellusPowerGreen	300kW HPC AIO CCS1/NACS	300kW HPC All In One Charger - 500 Amps / 1000VDC with Liquid Cooled Connector for CCS1 and NACS; Can deliver 500A on either CCS or NACS coconnector and 250A on each connector if used simultaneously ; 4G Modem	\$146,497.89
TPG-300KW-BA-008	TellusPowerGreen	300kW HPC AIO Dual NACS	300kW HPC All In One Charger - 500 Amps / 1000VDC with Liquid Cooled Connector for Dual NACS ; Can deliver 500A on one NACS coconnector and 250A on each connector if used simultaneously ; 4G Modem	\$146,497.89
Accessories for Tellus Power Green (300kW)				
TPG-ACCS-001	TellusPowerGreen	Cellular Modem	4G Modem for connectivity	\$303.80
TPG-ACCS-002	TellusPowerGreen	Nayax Credit Card Reader - DC Chargers	Nayax Credit Card Reader with Apple Pay, Samsung Pay	\$1,154.43
TPG-ACCS-006	TellusPowerGreen	Crate HPC - 200kW/240kW/300kW/360kW	Packing and Crating for HPC - 200kW/240kW/300kW/360kW	\$668.35
Warranties for Tellus Power Green (300kW)				
TPG-300KW-WAR-002	TellusPowerGreen	Extended Parts Warranty HPC Charger / Year	Parts Only Extended Warranty - 300kW HPC charger	\$5,249.62
TPG-300KW-WAR-003	TellusPowerGreen	Extended Parts Warranty HPC Charger / Year	Parts Only Extended Warranty - 300kW HPC Dual CCS1 charger	\$5,774.58
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
KEMP25-DSC-002	Kempower	Kempower Double Station Charger 300kW C502	With six power modules installed, the C502 dual CCS1 system supplies 300 kW of total charging capacity with smart load balancing between the two 300 A CCS1 outputs. Operating at up to 920 VDC, the charger includes high-efficiency power electronics, advanced safety protections, and network connectivity for remote monitoring and control. The unit is housed in a robust, weather-rated enclosure that meets UL and CSA standards for commercial and fleet infrastructure applications.	\$119,750.21
KEMP25-DSC-006	Kempower	Kempower Double Station Charger 300kW C802	Configured with six power modules, the C802 dual CCS1 charger provides 300 kW of fast charging with load balancing between two 300 A CCS1 plugs. Kempower's dynamic power routing optimizes energy allocation for simultaneous vehicle charging, while maintaining 94% power conversion efficiency. The system integrates LTE, WiFi, Ethernet, and remote monitoring capabilities, supporting public infrastructure, transit depots, and fleet applications.	\$119,750.21
Accessories for Kempower 300kW				
KEMP25-DSC-CABLE-001	Kempower	D4 option for C502/C802	max 4 dynamic outputs	\$13,445.40
KEMP25-DSC-CABLE-002	Kempower	Upgrade station cable option 300A	CCS1, single charging cable only 5m	\$2,512.74
KEMP25-DSC-CABLE-003	Kempower	Upgrade cable option to NACS 250A + CCS1 300A	NACS 250A + CCS1 300A cable configuration 5m	\$2,512.74
KEMP25-DSC-CABLE-004	Kempower	Upgrade cable option to CHAdEMO 125A + CCS1 200A	CHAdEMO 125A + CCS1 200A 5m	\$39.16
KEMP25-DSC-CABLE-005	Kempower	Upgrade cable option to CHAdEMO 125A + CCS1 300A	CHAdEMO 125A + CCS1 300A 5m	\$2,551.90
KEMP25-DSC-CABLE-006	Kempower	Upgrade station cable length to 7m	Per each charging cable	\$317.30
KEMP25-ACCS-001	Kempower	Payter P68 Station	Payter P68 Station, contactless chip, stripe	TBD
KEMP25-ACCS-002	Kempower	Payter Apollo Station	Payter Apollo Station, contactless with PIN	TBD
BTC Power (320kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
BTC25-320KW-001	BTC Power	320KW AIO Charger	BTC Power 320kW All-in-One DC Fast Charger delivers up to 320 kW of continuous DC power and supports dual CCS1 (up to 350A non-cooled) connectors. Designed for commercial use, it operates on 480 VAC 3-phase input and provides 200-950 VDC output. The unit features a touchscreen interface, RFID access, ISO 15118 and OCPP connectivity, Payter POS and supports dual-vehicle charging with cable reach up to 15.42 feet. Housed in a durable IP54, IK08-rated enclosure, it includes integrated cellular support, advanced protection systems, and remote configuration capabilities.	\$86,446.43
Accessories for BTC Power (320kW)				

Power Electronics (320kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
POWR25-320KW-001	Power Electronics	NB 320 Standalone 600A	NB 400 Standalone 320 kW charger with CCS1 connector delivers up to 600A in its configuration, supporting high-power DC fast	\$134,164.73
POWR25-320KW-002	Power Electronics	NB 320 Standalone dual CCS1 375A	NB 400 Standalone 320 kW charger in dual CCS1 configuration delivers up to 375 A per port using air-cooled cables, enabling efficient	\$115,120.34
POWR25-320KW-004	Power Electronics	NB 320 Standalone dual CCS1 600A	NB 400 Standalone 320 kW charger in dual CCS1 600 A configuration supports simultaneous ultra-high-power charging for two EVs,	\$145,181.43
Accessories for Power Electronics (320kW)				
POWR25-STANDALONE-ACCS-001	Power Electronics	Extended cable to 25ft (250A non-cooled)		\$729.79
POWR25-STANDALONE-ACCS-002	Power Electronics	Extended cable to 25ft (375A non-cooled)		\$1,055.86
POWR25-STANDALONE-ACCS-009	Power Electronics	Articulated arm system		\$4,270.04
POWR25-STANDALONE-ACCS-010	Power Electronics	DC Meter (LEM MID/EICHRECHT)		\$3,617.89
POWR25-STANDALONE-ACCS-011	Power Electronics	Plug and play		\$232.91
POWR25-STANDALONE-ACCS-012	Power Electronics	Credit/debit card reader (Payter Apollo)		\$2,127.26
POWR25-STANDALONE-ACCS-003	Power Electronics	Surge Arrester Type 2 + RCD Type A		\$543.46
POWR25-STANDALONE-ACCS-004	Power Electronics	Extended cable to 25ft (600A cooled)		\$1,335.36
POWR25-STANDALONE-ACCS-005	Power Electronics	Credit/debit card reader (Nayax vpos)		\$1,754.60
POWR25-STANDALONE-ACCS-006	Power Electronics	Additional dispenser ready		\$1,599.32
Samsung (350kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
SAM25-350KW-001	Samsung	Samsung 350kW Charger Dual CCS1 distributed & 2 Year Parts/Labor Warranty	A 350kW charger with distributed architecture and dual CCS1 output, 480V three-phase input, and up to 1000 VDC output. Includes 20-foot cables with cable management, LED status screen, RFID authentication, 4G modem for remote connectivity, and OCPP 1.6 support. EMC Class B compliant. Includes a 2-year parts and labor warranty and 2-year warranty on power and control modules.	\$201,174.68
SAM25-350KW-002	Samsung	Samsung 350kW Charger Dual CCS1 distributed & 2 Year Parts Warranty	A 350kW charger with distributed architecture and dual CCS1 output, 480V three-phase input, and up to 1000 VDC output. Includes 20-foot cables with cable management, LED status screen, RFID authentication, 4G modem for remote connectivity, and OCPP 1.6 support. EMC Class B compliant. Includes a 2-year parts warranty and 2-year warranty on power and control modules.	\$190,258.23
Accessories for Samsung (350kW)				
Kempower 350kW				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
KEMP25-DSC-003	Kempower	Kempower Double Station Charger 350kW C502	Outfitted with seven power modules, the Kempower Station Charger C502 provides 350 kW of combined output power, supporting dynamic distribution between two CCS1 plugs. Kempower's adaptive system ensures efficient, demand-based energy routing with full support for AutoCharge, RFID, and payment terminal authentication. Integrated OCPP support and backend system connectivity enable live session tracking, remote diagnostics, and OTA updates. Designed for high-demand public or fleet charging environments.	\$132,602.87
KEMP25-DSC-007	Kempower	Kempower Double Station Charger 350kW C802	With seven installed modules, the C802 delivers 350 kW of scalable DC output shared between two high-current CCS1 connectors. Ideal for high-throughput commercial sites, the charger supports 200–920 VDC and features real-time diagnostics, RFID authentication, and payment terminal integration. Full backend support is available via OCPP, and the cabinet meets UL, CSA, and FCC standards.	\$132,602.87
Accessories for Kempower 350kW				
KEMP25-DSC-CABLE-001	Kempower	D4 option for C502/C802	max 4 dynamic outputs	\$13,445.40
KEMP25-DSC-CABLE-002	Kempower	Upgrade station cable option 300A	CCS1, single charging cable only 5m	\$2,512.74
KEMP25-DSC-CABLE-003	Kempower	Upgrade cable option to NACS 250A + CCS1 300A	NACS 250A + CCS1 300A cable configuration 5m	\$2,512.74
KEMP25-DSC-CABLE-004	Kempower	Upgrade cable option to CHAdeMO 125A + CCS1 200A	CHAdeMO 125A + CCS1 200A 5m	\$39.16
KEMP25-DSC-CABLE-005	Kempower	Upgrade cable option to CHAdeMO 125A + CCS1 300A	CHAdeMO 125A + CCS1 300A 5m	\$2,551.90
KEMP25-DSC-CABLE-006	Kempower	Upgrade station cable length to 7m	Per each charging cable	\$317.30
KEMP25-ACCS-001	Kempower	Payter P68 Station	Payter P68 Station, contactless chip, stripe	TBD
KEMP25-ACCS-002	Kempower	Payter Apollo Station	Payter Apollo Station, contactless with PIN	TBD

Tellus Power Green (360kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
TPG-360KW-001	TellusPowerGreen	360kW DCFC AIO CCS1/CHAdEMO	360kW DCFC All In One Charger - 350A CCS1 & 125A CHAdEMO Connector / 1000VDC with CCS1 & CHAdEMO(~16ft); Can charge 2 cars simultaneously - 300kW on CCS1 and 60kW on CHAdEMO; 4G Modem	\$137,235.44
TPG-360KW-002	TellusPowerGreen	360kW DCFC AIO Dual CCS1	360kW DCFC All In One Charger - 350A / 1000VDC with CCS1 & CCS1(~16ft); Can charge 2 cars simultaneously with 180kW each ; 4G Modem	\$133,832.91
TPG-360KW-003	TellusPowerGreen	360kW DCFC AIO CCS1/NACS	360kW DCFC All In One Charger - 350A / 1000VDC with CCS1 & NACS(~16ft); Can charge 2 cars simultaneously with 180kW each ; 4G Modem	\$133,832.91
TPG-360KW-004	TellusPowerGreen	360kW DCFC AIO Dual NACS	360kW DCFC All In One Charger - 350A / 1000VDC with NACS & NACS(~16ft); Can charge 2 cars simultaneously with 180kW each ; 4G Modem	\$133,832.91
TPG-360KW-005	TellusPowerGreen	360kW HPC AIO CCS1/CHAdEMO	360kW HPC All In One Charger - 500 Amps / 1000VDC with Liquid Cooled Connector for CCS1 & CHAdEMO(~14ft) ; It can deliver 500A on the CCS coconnector. Also can charge 2 cars simultaneously with 120kW on CCS1 and 60kW on CHAdEMO ; 4G Modem	\$154,531.65
TPG-360KW-006	TellusPowerGreen	360kW HPC AIO Dual CCS1	360kW HPC All In One Charger - 500 Amps / 1000VDC with Liquid Cooled Connector for Dual CCS1 ; Can deliver 500A on one CCS coconnector and 250A on each connector if used simultaneously ; 4G Modem	\$171,544.30
TPG-360KW-007	TellusPowerGreen	360kW HPC AIO CCS1/NACS	360kW HPC All In One Charger - 500 Amps / 1000VDC with Liquid Cooled Connector for CCS1 and NACS; Can deliver 500A on either CCS or NACS coconnector and 250A on each connector if used simultaneously ; 4G Modem	\$171,544.30
TPG-360KW-008	TellusPowerGreen	360kW HPC AIO Dual NACS	360kW HPC All In One Charger - 500 Amps / 1000VDC with Liquid Cooled Connector for Dual NACS ; Can deliver 500A on one NACS coconnector and 250A on each connector if used simultaneously ; 4G Modem	\$171,544.30
TPG-360KW-BA-001	TellusPowerGreen	360kW DCFC CCS1/CHAdEMO	360kW DCFC All In One Charger - 350A CCS1 & 125A CHAdEMO Connector / 1000VDC with CCS1 & CHAdEMO(~16ft); Can charge 2 cars simultaneously - 300kW on CCS1 and 60kW on CHAdEMO; 4G Modem	\$137,235.44
TPG-360KW-BA-002	TellusPowerGreen	360kW DCFC Dual CCS1	360kW DCFC All In One Charger - 350A / 1000VDC with CCS1 & CCS1(~16ft); Can charge 2 cars simultaneously with 180kW each ; 4G Modem	\$133,832.91
TPG-360KW-BA-003	TellusPowerGreen	360kW DCFC CCS1/NACS	360kW DCFC All In One Charger - 350A / 1000VDC with CCS1 & NACS(~16ft); Can charge 2 cars simultaneously with 180kW each ; 4G Modem	\$133,832.91
TPG-360KW-BA-004	TellusPowerGreen	360kW DCFC Dual NACS	360kW DCFC All In One Charger - 350A / 1000VDC with NACS & NACS(~16ft); Can charge 2 cars simultaneously with 180kW each ; 4G Modem	\$133,832.91
TPG-360KW-BA-005	TellusPowerGreen	360kW HPC AIO CCS1/CHAdEMO	360kW HPC All In One Charger - 500 Amps / 1000VDC with Liquid Cooled Connector for CCS1 & CHAdEMO(~14ft) ; It can deliver 500A on the CCS coconnector. Also can charge 2 cars simultaneously with 120kW on CCS1 and 60kW on CHAdEMO ; 4G Modem	\$154,531.65
TPG-360KW-BA-006	TellusPowerGreen	360kW HPC AIO Dual CCS1	360kW HPC All In One Charger - 500 Amps / 1000VDC with Liquid Cooled Connector for Dual CCS1 ; Can deliver 500A on one CCS coconnector and 250A on each connector if used simultaneously ; 4G Modem	\$171,544.30
TPG-360KW-BA-007	TellusPowerGreen	360kW HPC AIO CCS1/NACS	360kW HPC All In One Charger - 500 Amps / 1000VDC with Liquid Cooled Connector for CCS1 and NACS; Can deliver 500A on either CCS or NACS coconnector and 250A on each connector if used simultaneously ; 4G Modem	\$171,544.30
TPG-360KW-BA-008	TellusPowerGreen	360kW HPC AIO Dual NACS	360kW HPC All In One Charger - 500 Amps / 1000VDC with Liquid Cooled Connector for Dual NACS ; Can deliver 500A on one NACS coconnector and 250A on each connector if used simultaneously ; 4G Modem	\$171,544.30
Accessories for Tellus Power Green (360kW)				
TPG-ACCS-001	TellusPowerGreen	Cellular Modem	4G Modem for connectivity	\$303.80
TPG-ACCS-002	TellusPowerGreen	Nayax Credit Card Reader - DC Chargers	Nayax Credit Card Reader with Apple Pay, Samsung Pay	\$1,154.43
TPG-ACCS-006	TellusPowerGreen	Crate HPC - 200kW/240kW/300kW/360kW	Packing and Crating for HPC - 200kW/240kW/300kW/360kW	\$668.35
Warranties for Tellus Power Green (360kW)				
TPG-360KW-WAR-001	TellusPowerGreen	Extended Parts Warranty HPC Charger / Year	Parts Only Extended Warranty - 360kW HPC charger	\$5,905.82
TPG-360KW-WAR-002	TellusPowerGreen	Extended Parts Warranty HPC Charger / Year	Parts Only Extended Warranty - 360kW HPC Dual CCS1 charger	\$6,562.03
XCharge (400kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
XCHG25-400KW-001	X Charge	C7AM 400kW w/ Cable Management	XCharge C7 HyperX is a premium, dual-port DC fast charger delivering up to 400 kW with advanced features tailored for high-demand public and commercial EV charging environments. Designed with ADA accessibility in mind, the unit includes a 13.3-inch touchscreen HMI and a 21.5-inch HD screen for media or advertising. It supports continuous charging up to 500 A at 200–1000 VDC and is compatible with CCS1 and NACS connectors, available with both liquid- and air-cooled cable options. The C7 HyperX is fully compliant with OCPP 1.6 and 2.0.1, supports remote diagnostics, and enables secure OTA firmware updates. Housed in a compact, IP54/IK10-rated enclosure, it also features an integrated cable management system and customizable LED lighting for branding or functional use.	\$113,134.18
XCHG25-400KW-002	X Charge	C7AM 400kW w/ Cable Management & Liquid Cooled cables	XCharge C7 HyperX is a premium, dual-port DC fast charger delivering up to 400 kW with advanced features tailored for high-demand public and commercial EV charging environments. Designed with ADA accessibility in mind, the unit includes a 13.3-inch touchscreen HMI and a 21.5-inch HD screen for media or advertising. It supports continuous charging up to 500 A at 200–1000 VDC and is compatible with CCS1 and NACS connectors, available with both liquid- and air-cooled cable options. The C7 HyperX is fully compliant with OCPP 1.6 and 2.0.1, supports remote diagnostics, and enables secure OTA firmware updates. Housed in a compact, IP54/IK10-rated enclosure, it also features an integrated cable management system and customizable LED lighting for branding or functional use.	\$138,531.65
Accessories for XCharge (400kW)				
Samsung (400kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
SAM25-400KW-001	Samsung	Samsung 400kW Charger Dual CCS1 distributed & 2 Year Parts/Labor Warranty	A 400kW charger with dual CCS1 outputs in a distributed power configuration. Rated for 480V three-phase input and 1000 VDC output. Equipped with 20-foot cables, smart holster management, RFID reader, LED display, 4G modem, and OCPP 1.6 support. EMC Class B rated. Standard 2-year parts and labor warranty included, with 2-year protection on core components such as relays, breakers, PLC, and power electronics.	\$221,448.10
SAM25-400KW-002	Samsung	Samsung 400kW Charger Dual CCS1 distributed & 2 Year Parts Warranty	A 400kW charger with dual CCS1 outputs in a distributed power configuration. Rated for 480V three-phase input and 1000 VDC output. Equipped with 20-foot cables, smart holster management, RFID reader, LED display, 4G modem, and OCPP 1.6 support. EMC Class B rated. Standard 2-year parts warranty included, with 2-year protection on core components such as relays, breakers, PLC, and power electronics.	\$210,531.65
Accessories for Samsung (400kW)				

Power Electronics (400kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
POWR25-400KW-002	Power Electronics	NB 400 Standalone dual CCS1 375A	NB 400 Standalone 400 kW charger in dual CCS1 375 A configuration delivers efficient, concurrent charging for two EVs over a	\$122,806.41
POWR25-400KW-003	Power Electronics	NB 400 Standalone 600A	NB 400 Standalone 400 kW charger with CCS1 connector delivers ultra-fast, high-current charging simultaneously across two ports	\$141,680.00
POWR25-400KW-004	Power Electronics	NB 400 Standalone dual CCS1 600A	NB 400 Standalone 400 kW charger in dual CCS1 600 A configuration enables simultaneous ultra-high-speed DC charging across a	\$152,696.71
Accessories for Power Electronics (400kW)				
POWR25-STANDALONE-ACCS-001	Power Electronics	Extended cable to 25ft (250A non-cooled)		\$729.79
POWR25-STANDALONE-ACCS-002	Power Electronics	Extended cable to 25ft (375A non-cooled)		\$1,055.86
POWR25-STANDALONE-ACCS-009	Power Electronics	Articulated arm system		\$4,270.04
POWR25-STANDALONE-ACCS-010	Power Electronics	DC Meter (LEM MID/EICHRECHT)		\$3,617.89
POWR25-STANDALONE-ACCS-011	Power Electronics	Plug and play		\$232.91
POWR25-STANDALONE-ACCS-012	Power Electronics	Credit/debit card reader (Payter Apollo)		\$2,127.26
POWR25-STANDALONE-ACCS-003	Power Electronics	Surge Arrester Type 2 + RCD Type A		\$543.46
POWR25-STANDALONE-ACCS-004	Power Electronics	Extended cable to 25ft (600A cooled)		\$1,335.36
POWR25-STANDALONE-ACCS-005	Power Electronics	Credit/debit card reader (Nayax vpos)		\$1,754.60
POWR25-STANDALONE-ACCS-006	Power Electronics	Additional dispenser ready		\$1,599.32
Kempower 400kW				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
KEMP25-DSC-004	Kempower	Kempower Double Station Charger 400kW C502	At maximum capacity with eight 50 kW modules, the C502 dual CCS1 configuration offers 400 kW of high-power DC fast charging, dynamically shared across two 300 A outputs. Voltage support from 150–920 VDC, combined with advanced cable management and compact installation footprint, make this unit ideal for heavy-duty commercial use. The cabinet supports OCPP 1.6J/2.0.1, LTE, WIFI, and Ethernet connectivity, and includes full electrical safety protections in a durable ETL-certified enclosure.	\$145,455.53
KEMP25-DSC-008	Kempower	Kempower Double Station Charger 400kW C802	At full capacity with eight power modules, the C802 provides 400 kW of DC output distributed across two CCS1 plugs, each rated for up to 300 A. The system features dynamic power allocation, advanced cable support, 23 ft. reach, and user-friendly UI through a 7" touchscreen. With robust safety systems and environmental ratings, the charger is purpose-built for demanding outdoor installations in public, commercial, and fleet settings.	\$145,455.53
Accessories for Kempower 400kW				
KEMP25-DSC-CABLE-001	Kempower	D4 option for C502/C802	max 4 dynamic outputs	\$13,445.40
KEMP25-DSC-CABLE-002	Kempower	Upgrade station cable option 300A	CCS1, single charging cable only 5m	\$2,512.74
KEMP25-DSC-CABLE-003	Kempower	Upgrade cable option to NACS 250A + CCS1 300A	NACS 250A + CCS1 300A cable configuration 5m	\$2,512.74
KEMP25-DSC-CABLE-004	Kempower	Upgrade cable option to CHAdeMO 125A + CCS1 200A	CHAdeMO 125A + CCS1 200A 5m	\$39.16
KEMP25-DSC-CABLE-005	Kempower	Upgrade cable option to CHAdeMO 125A + CCS1 300A	CHAdeMO 125A + CCS1 300A 5m	\$2,551.90
KEMP25-DSC-CABLE-006	Kempower	Upgrade station cable length to 7m	Per each charging cable	\$317.30
KEMP25-ACCS-001	Kempower	Payter P68 Station	Payter P68 Station, contactless chip, stripe	TBD
KEMP25-ACCS-002	Kempower	Payter Apollo Station	Payter Apollo Station, contactless with PIN	TBD
ABB (400kW)				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
ABB25-400KW-001	ABB	A400 dual CCS1 + CMS + Nayax + CTEP	ABB A400 offers ultra-fast 400 kW charging with 150–980 VDC output and 600 A peak via dual CCS1, supporting dynamic power sharing in 50 kW increments. A 32" HD LCD with 1300 nits brightness enables premium UI/UX, customizable branding, and integrated payment and diagnostics. This aluminum-bodied unit features self-retracting swing arms, dual cable reach up to 20.7 ft, Plug & Charge, Autocharge, OCPP 1.6J/2.0.1, and ADA-compliant design. Field-upgradable from 200 or 300 kW, the A400 meets NEMA 3R and IP54 standards and operates reliably in temperatures from -30 °C to +55 °C, making it ideal for high-throughput commercial corridors.	\$126,883.38
ABB25-400KW-002	ABB	A400 CCS1/NACS + CMS + Nayax + CTEP	ABB A400 offers ultra-fast 400 kW charging with 150–980 VDC output and 600 A peak via CCS1/NACS, supporting dynamic power sharing in 50 kW increments. A 32" HD LCD with 1300 nits brightness enables premium UI/UX, customizable branding, and integrated payment and diagnostics. This aluminum-bodied unit features self-retracting swing arms, dual cable reach up to 20.7 ft, Plug & Charge, Autocharge, OCPP 1.6J/2.0.1, and ADA-compliant design. Field-upgradable from 200 or 300 kW, the A400 meets NEMA 3R and IP54 standards and operates reliably in temperatures from -30 °C to +55 °C, making it ideal for high-throughput commercial corridors.	\$126,883.38
ABB25-400KW-003	ABB	A400 dual CCS1 + CMS + METER	ABB A400 offers ultra-fast 400 kW charging with 150–980 VDC output and 600 A peak via dual CCS1, supporting dynamic power sharing in 50 kW increments. A 32" HD LCD with 1300 nits brightness enables premium UI/UX, customizable branding, and integrated payment and diagnostics. This aluminum-bodied unit features self-retracting swing arms, dual cable reach up to 20.7 ft, Plug & Charge, Autocharge, OCPP 1.6J/2.0.1, and ADA-compliant design. Field-upgradable from 200 or 300 kW, the A400 meets NEMA 3R and IP54 standards and operates reliably in temperatures from -30 °C to +55 °C, making it ideal for high-throughput commercial corridors.	\$125,196.96
ABB25-400KW-004	ABB	A400 CCS1/NACS + CMS + METER	ABB A400 offers ultra-fast 400 kW charging with 150–980 VDC output and 600 A peak via CCS1, 375A peak via NACS supporting dynamic power sharing in 50 kW increments. A 32" HD LCD with 1300 nits brightness enables premium UI/UX, customizable branding, and integrated payment and diagnostics. This aluminum-bodied unit features self-retracting swing arms, dual cable reach up to 20.7 ft, Plug & Charge, Autocharge, OCPP 1.6J/2.0.1, and ADA-compliant design. Field-upgradable from 200 or 300 kW, the A400 meets NEMA 3R and IP54 standards and operates reliably in temperatures from -30 °C to +55 °C, making it ideal for high-throughput commercial corridors.	\$125,196.96
Accessories for ABB (400kW)				
ABB25-400KW-COMM-001	ABB	A400 Commissioning kit (per station)	Onsite commissioning Fee A400 (per station). Only approved service partners trained by ABB can perform commissioning. ABB Certified commissioning channel partners can self perform and are not required to purchase, required for all other customers. Includes 2 hours of drive time by technician - remote sites may incur an additional travel-time surcharge.	\$3,744.14

DCFC - BESS Systems	X Charge Battery Energy System Storage Chargers				
	Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
	XCHG25-215KW-001	X Charge	Gridlink BESS 215kWh/194kW	XCharge GridLink is a compact, floor-mounted DC fast charger with integrated energy storage up to 430 kWh (2x215 kWh LFP batteries) and delivers up to 194 kW via dual CCS1 or NACS connectors. It supports 300–1000 VDC, 350 A continuous output, and off-grid operation up to 150 kW. Features include a 55" LCD screen, ISO 15118 Plug and Charge, OCPP 1.6J/2.0.1, RFID and credit card payment, GSM/LTE/LAN connectivity, and IP54-rated alloy enclosure. Compatible with PV input (30 kW), the unit operates from –13°F to 131°F and meets UL9540, UL2202, and UL1973 standards. 3 year parts and labor warranty included.	\$257,822.78
	XCHG25-430KW-001	X Charge	Gridlink BESS 430kWh/194kW	XCharge GridLink is a compact, floor-mounted DC fast charger with integrated energy storage up to 430 kWh (2x215 kWh LFP batteries) and delivers up to 194 kW via dual CCS1 or NACS connectors. It supports 300–1000 VDC, 350 A continuous output, and off-grid operation up to 150 kW. Features include a 55" LCD screen, ISO 15118 Plug and Charge, OCPP 1.6J/2.0.1, RFID and credit card payment, GSM/LTE/LAN connectivity, and IP54-rated alloy enclosure. Compatible with PV input (30 kW), the unit operates from –13°F to 131°F and meets UL9540, UL2202, and UL1973 standards. 3 year parts and labor warranty included	\$384,810.13
	Accessories for X Charge Battery Energy System Storage Chargers				
	Warranties for X Charge Battery Energy System Storage Chargers				
	Heliox Power Cabinets				
	Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
	HELX-180KW-001	Heliox	Heliox 180kW Dynamic UL BAA	180kW Power Cabinet, ISO15118, Split system 1:1-3 , 4G/LTE/Ethernet, must purchase dispenser with unit, 2 year parts warranty,	\$98,345.32
	HELX-360KW-001	Heliox	Heliox 360kW Dynamic UL BAA	360kW Power Cabinet, ISO15118, Split System 1:1-3 , 4G/LTE/Ethernet, must purchase dispenser with unit, 2 year parts warranty,	\$190,730.80
	HELX-540KW-001	Heliox	Heliox 540kW Dynamic UL BAA	540kW Power Cabinet, ISO15118, Split System 1:1-3 , 4G/LTE/Ethernet, must purchase dispenser with unit, 2 year parts warranty,	\$334,485.06
	Dispensers for Heliox Power Cabinets				
	HELX-180KW-DSP-001	Heliox	Heliox Flex Dispenser Column CCS1 250A UL	Charging Dispenser for 180kW Power Cabinet and higher, BAA, 10ft cable	\$20,640.68
	HELX-180KW-DSP-002	Heliox	Heliox Flex Dispenser Column CCS1 250A UL	Charging Dispenser for 180kW Power Cabinet and higher, BAA, 23ft cable	\$23,797.47
	HELX-180KW-DSP-003	Heliox	Heliox Flex Dispenser Column CCS1 250A UL	Charging Dispenser for 180kW Power Cabinet and higher, BAA, 33ft cable	\$23,797.47
	HELX-180KW-DSP-004	Heliox	Heliox Flex Dispenser Cabinet OppCharge 250A UL Landscape	Charging Dispenser for 180kW Inverted Pantograph and higher, BAA	\$26,827.34
	HELX-360KW-DSP-001	Heliox	Heliox Flex Dispenser Cabinet OppCharge 600A UL Landscape	Charging Dispenser for 360kW Inverted Pantograph and higher, BAA	\$26,827.34
	HELX-360KW-DSP-002	Heliox	Heliox Flex Dispenser Cabinet OppCharge 600A UL Landscape	Charging Dispenser for 360kW Inverted Pantograph and higher, BAA	\$26,827.34
	Accessories for Heliox Power Cabinets				
	HELX-180KW-ACCS-001	Heliox	ACD Depot Inverted Pantograph	Depot inverted pantograph 250A UL BAA	\$32,621.10
	HELX-180KW-ACCS-002	Heliox	ACD Fast Inverted Pantograph	Fast inverted pantograph 600A UL BAA	\$65,824.14
	HELX-180KW-ACCS-003	Heliox	ACD Slow Inverted Pantograph	Slow inverted pantograph w/capacitor 600A UL BAA	\$51,829.20
	HELX-ACCS-001	Heliox	MAST Shell Mast OppC Cabinet PT	Shell Mast IP UL Assembly Portrait Opp Charge	\$265,019.41
	HELX-ACCS-002	Heliox	MAST Shell Mast OppC Cabinet PT	Shell Mast IP UL Assembly Portrait Opp Charge	\$246,246.08
	HELX-ACCS-003	Heliox	Mast L-Mast	L Mast	\$50,466.84
	HELX-ACCS-006	Heliox	Gleason Spring Reel	DWR12-751-0408-EV-1 Wire Rope Spring Reel	\$8,972.15
	HELX-ACCS-007	Heliox	Gleason Motor Reel	DWR12-0408-EV-50 Wire Rope Motor Reel	\$14,463.46

	Kempower Single Power Cabinets				
	Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
	KEMP25-SPU-001	Kempower	Kempower Single Power Unit 50kW C501	Kempower Power Unit C501 is a modular DC power cabinet delivering up to 50 kW through a single PM550LV1 power module. Operating within an adaptive voltage range of 150–920 VDC, the C501 offers high-efficiency power conversion (94%) and integrates seamlessly with Kempower Satellites or Pantograph systems. It supports connectivity via WiFi, Ethernet, and LTE, and is fully compatible with OCPP 1.6j/2.0.1. Certified for North American installations (UL, CSA, ETL), the C501 includes advanced safety protections and is rated for outdoor use. The cabinet measures 25.6 x 86.4 x 34.3 inches and weighs approximately 661 lbs.	\$38,971.14
	KEMP25-SPU-002	Kempower	Kempower Single Power Unit 100kW C501	Kempower Power Unit C501, configured with two PM550LV1 power modules, delivers up to 100 kW of DC power with dynamic voltage support from 150 to 920 VDC. Designed for scalable deployments, it enables flexible integration with Kempower Satellite or Pantograph charging systems while maintaining a compact footprint. The system supports remote connectivity via WiFi, Ethernet, and LTE, and is compatible with OCPP 1.6j/2.0.1. ETL-listed and compliant with UL and CSA standards, the outdoor-rated C501 includes robust protections such as overvoltage, short-circuit, and thermal safeguards. The cabinet measures 25.6 x 86.4 x 34.3 inches and weighs approximately 750 lbs.	\$52,431.39
	KEMP25-SPU-003	Kempower	Kempower Single Power Unit 150kW C501	Kempower Power Unit C501, equipped with three PM550LV1 power modules, delivers up to 150 kW of DC output with a voltage range of 150–920 VDC, making it ideal for medium- to high-demand EV charging scenarios. Its modular design supports integration with Kempower Satellites or Pantographs, allowing for dynamic power distribution and enhanced system efficiency. The unit features remote connectivity via WiFi, Ethernet, and LTE, and supports OCPP 1.6j/2.0.1. Certified to UL and CSA standards for North America and enclosed in a weather-resistant cabinet, the C501 includes full electrical protections and measures 25.6 x 86.4 x 34.3 inches, weighing approximately 838 lbs.	\$65,890.30
	KEMP25-SPU-004	Kempower	Kempower Single Power Unit 200kW C501	Configured with four PM550LV1 power modules, the Kempower Power Unit C501 delivers up to 200 kW of high-efficiency DC charging power across a 150–920 VDC range. This cabinet supports dynamic load sharing to Kempower Satellites or Pantographs, optimizing power use across multiple EVs. It includes built-in LTE, Ethernet, and WiFi connectivity, is compatible with OCPP 1.6j/2.0.1, and is certified to UL, CSA, and ETL standards for North American deployment. The outdoor-rated enclosure features comprehensive electrical safety systems and measures 25.6 x 86.4 x 34.3 inches, with a total weight of approximately 926 lbs.	\$79,350.55
	KEMP25-SPU-005	Kempower	Kempower Single Power Unit 50kW C801	Kempower Power Unit C800 in a single-cabinet C801 configuration with one PM850V1 power module delivers 50 kW of continuous DC charging power across a voltage range of 200–920 VDC. Engineered for modular integration with Kempower Satellites or Pantographs, it supports up to 8 dynamic outputs and enables real-time power allocation. The cabinet includes built-in connectivity via Ethernet, WiFi, and LTE, supports OCPP 1.6j/2.0.1. The system is ETL-listed and compliant with UL, CSA, and FCC standards, features full electrical protections, and is rated for outdoor installation. Dimensions are 25.6 x 86.4 x 34.3 inches, with a total weight of 661 lbs.	\$38,971.14
	KEMP25-SPU-006	Kempower	Kempower Single Power Unit 100kW C801	Outfitted with two PM850V1 power modules, the Kempower Power Unit C800 (C801) provides 100 kW of scalable DC charging with an output range of 200–920 VDC. Its dynamic load-sharing capability allows optimal energy distribution across connected charge points, reducing infrastructure costs. This outdoor-rated, North America-certified unit supports OCPP 1.6j/2.0.1, offers connectivity through Ethernet, LTE, and WiFi. Measuring 25.6 x 86.4 x 34.3 inches, the unit weighs approximately 750 lbs.	\$52,431.39
	KEMP25-SPU-007	Kempower	Kempower Single Power Unit 150kW C801	With three PM850V1 modules installed, the Kempower Power Unit C800 delivers 150 kW of output power, adaptable across a wide DC voltage range of 200–920 VDC. Designed for high-demand environments, it enables concurrent operation of multiple charging outputs with intelligent power routing. This fully networked system features LTE, WiFi, and Ethernet, supports OCPP 1.6j/2.0.1. The unit is ETL-listed, compliant with UL and CSA standards, and housed in a weatherproof cabinet measuring 25.6 x 86.4 x 34.3 inches, weighing 838 lbs.	\$65,890.30
	KEMP25-SPU-008	Kempower	Kempower Single Power Unit 200kW C801	200 kW variant of the Kempower Power Unit C800 (C801) incorporates four PM850V1 power modules to deliver high-efficiency DC charging over 200–920 VDC. Engineered for deployment in fleet, commercial, and public charging infrastructure, it supports up to 8 outputs with dynamic power allocation. The cabinet includes robust connectivity options, OCPP 1.6j/2.0.1 compatibility. Certified for North American markets, the weather-sealed cabinet weighs 926 lbs and measures 25.6 x 86.4 x 34.3 inches.	\$79,350.55
	Dispensers for Kempower Single Power Cabinets				
	KEMP25-DISP-001	Kempower	Kempower Satellite CCS1	Kempower Satellite Version 2 in single CCS1 configuration delivers up to 320 kW of DC fast charging using a 200 A cable, with voltage support up to 1000 VDC. It features a 7" touchscreen, RFID authentication, optional payment terminal, and advanced cable support. Designed for integration with a Kempower Power Unit, it supports up to 8 charging outputs per system and is ideal for public and fleet charging sites. ETL-listed and compliant with UL and CSA standards.	\$8,490.13
	KEMP25-DISP-002	Kempower	Kempower Satellite NACS	Equipped with a single J3400/NACS connector, this Kempower Satellite provides up to 200 kW of output using a 250 A cable. Built to serve NEVI-funded and public charging programs, the unit supports intuitive user access, payment, and backend integration through OCPP 1.6j/2.0.1. The system supports cable lengths of 16.4 ft or 23 ft and maintains full environmental and electrical certifications for outdoor operation.	\$8,490.13
	KEMP25-DISP-003	Kempower	Kempower Satellite dual CCS1	The dual CCS1 version of the Kempower Satellite enables simultaneous charging through two outputs, each rated up to 200 A and 160 kW at 800 VDC. Kempower's intelligent load distribution system manages each session independently, with up to 8 Satellites supported by a single Power Unit. This configuration is well suited for high-volume locations such as highway corridors and transit hubs.	\$13,005.23
	KEMP25-DISP-004	Kempower	Kempower Satellite CCS1/NACS	This hybrid version combines one CCS1 and one J3400/NACS connector in a single Satellite, enabling flexible service for a wider EV base. Each output supports dynamic charging—up to 200 A on CCS1 and 250 A on NACS—with shared power up to 360 kW depending on system configuration. Ideal for NEVI-compliant stations, it integrates seamlessly with charging management platforms and supports both AutoCharge and ISO 15118 Plug & Charge.	\$13,005.23
	KEMP25-DISP-005	Kempower	Kempower Satellite CCS1/CHAdemo	The Kempower Satellite Version 2 with CCS1 and CHAdemo connectors supports dual-output charging with respective maximums of 200 A and 125 A. The system can deliver up to 160 kW on CCS1 and 100 kW on CHAdemo at 800 VDC, supporting both legacy and modern EV platforms. This dual-standard configuration is built for flexibility in mixed-vehicle fleets and remains compliant with all major North American safety and communication standards.	\$13,045.74
	KEMP25-DISP-CABLE-001	Kempower	Upgraded CCS1 cable option 300A	Upgraded CCS1 cable option 300A 5m	\$2,632.91
	KEMP25-DISP-CABLE-002	Kempower	Upgraded CCS1 cable option 400A	Upgraded CCS1 cable option 400A 5m	\$3,212.15
	KEMP25-DISP-CABLE-003	Kempower	Upgraded NACS cable option 350A	Upgraded NACS cable option 350A 5m	\$2,632.91
	KEMP25-DISP-CABLE-004	Kempower	Upgraded NACS cable option 380A	Upgraded NACS cable option 380A 5m	\$3,212.15
	KEMP25-DISP-CABLE-005	Kempower	Extra cable length 7m	Extra cable length 7m per charging cable	\$492.83
	KEMP25-DISP-MCS-001	Kempower	Megawatt Charging System	Kempower Mega Satellite MCS 1500A/2m/ID ETL	TBD
	Accessories for Kempower Single Power Cabinets				
	KEMP25-SPU-CABLE-001	Kempower	D6 option for C501	6 dynamic output configuration	\$5,797.81
	KEMP25-SPU-CABLE-002	Kempower	D6 option for C801	6 dynamic output configuration	\$5,797.81
	KEMP25-SPU-CABLE-003	Kempower	D8 option for C501	8 dynamic output configuration	\$5,797.81
	KEMP25-SPU-CABLE-004	Kempower	D8 option for C801	8 dynamic output configuration	\$5,797.81
	KEMP25-SPU-ACCS-001	Kempower	Steel base 200mm raise kit for C501/C801	Steel base 200mm raise kit for C501/C801	\$808.78
	KEMP25-ACCS-001	Kempower	Payter P68 Station	Payter P68 Station, contactless chip, stripe	TBD
	KEMP25-ACCS-002	Kempower	Payter Apollo Station	Payter Apollo Station, contactless with PIN	TBD

	Kempower Double Power Cabinets				
	Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
	KEMP25-DPU-001	Kempower	Kempower Double Power Unit 200kW C502	Kempower Power Unit C502, configured with four PM550LV1 power modules, delivers up to 200 kW of high-efficiency DC charging at 150–920 VDC. Designed for flexible deployment with dynamic power distribution across up to six outputs, it features advanced connectivity via Ethernet, WiFi, and LTE, and OCPP 1.6j/2.0.1. Housed in a rugged outdoor-rated enclosure, the unit meets UL, CSA, and FCC standards and weighs approximately 1,620 lbs.	\$104,198.48
	KEMP25-DPU-002	Kempower	Kempower Double Power Unit 250kW C502	Outfitted with five 50 kW power modules, the Kempower C502 delivers 250 kW of scalable DC power, ideal for fleet and commercial EV infrastructure. It supports dynamic load routing across six outputs and operates across 150–920 VDC. With built-in safety protections and full networking capabilities including LTE, Ethernet, and WiFi, the system is OCPP 1.6j/2.0.1 compliant. The cabinet measures 49.2 x 86.4 x 34.3 inches and weighs approximately 1,709 lbs.	\$117,658.73
	KEMP25-DPU-003	Kempower	Kempower Double Power Unit 300kW C502	300 kW variant of the Kempower Power Unit C502 utilizes six power modules to support high-throughput EV charging while maintaining system flexibility via dynamic power sharing. Offering voltage support from 150 to 920 VDC, the unit includes robust connectivity, OCPP integration. Built for outdoor use and certified to North American standards, the C502 weighs roughly 1,797 lbs.	\$131,118.99
	KEMP25-DPU-004	Kempower	Kempower Double Power Unit 350kW C502	Configured with seven 50 kW modules, the Kempower C502 provides 350 kW of adaptive DC power over a wide 150–920 VDC range. The system supports dynamic allocation across six outputs, enabling efficient power utilization across multiple vehicles. Integrated LTE, WiFi, and Ethernet interfaces support OCPP 1.6j/2.0.1, while advanced protections ensure safe operation. The enclosure weighs approximately 1,885 lbs and is ETL-certified for North America.	\$144,580.59
	KEMP25-DPU-005	Kempower	Kempower Double Power Unit 400kW C502	With eight PM550LV1 power modules installed, the Kempower Power Unit C502 delivers a full 400 kW of output power with intelligent power management across up to six dynamic outputs. Operating from 150 to 920 VDC, and having OCPP compliance. Fully compliant with UL and CSA standards, the unit is housed in a weatherproof cabinet measuring 49.2 x 86.4 x 34.3 inches and weighs approximately 1,885 lbs.	\$158,039.49
	KEMP25-DPU-006	Kempower	Kempower Double Power Unit 200kW C802	Kempower Power Unit C802, equipped with four PM850V1 modules, delivers 200 kW of DC output with dynamic distribution across up to six charging outputs. Operating from 200–920 VDC, it offers 94% efficiency, full outdoor rating, and ETL compliance to UL, CSA, and FCC standards. Integrated Ethernet, WiFi, and LTE connectivity and support for OCPP 1.6j/2.0.1. The cabinet measures 49.2 x 86.4 x 34.3 inches and weighs approximately 1,620 lbs.	\$104,198.48
	KEMP25-DPU-007	Kempower	Kempower Double Power Unit 250kW C802	Configured with five power modules, the C802 provides 250 kW of scalable charging capacity while retaining dynamic power routing and broad voltage compatibility (200–920 VDC). It includes advanced connectivity, full safety protections, and OCPP compliance. The enclosure meets North American regulatory requirements and weighs approximately 1,709 lbs.	\$117,658.73
	KEMP25-DPU-008	Kempower	Kempower Double Power Unit 300kW C802	With six 50 kW modules, the Kempower C802 supports a 300 kW output optimized for high-demand environments. The system ensures precise energy management via dynamic allocation and supports OCPP 1.6j/2.0.1, LTE, and WiFi. Enclosed in a robust weather-rated cabinet, this configuration weighs approximately 1,797 lbs and complies with all relevant UL and CSA standards.	\$131,118.99
	KEMP25-DPU-009	Kempower	Kempower Double Power Unit 350kW C802	C802 unit with seven PM850V1 modules delivers 350 kW of power across 200–920 VDC, supporting up to six outputs with intelligent load balancing. Designed for fleet, transit, or public charging applications, it integrates seamlessly with backend systems and OCPP protocols. Certified for outdoor use in North America, the system weighs 1,885 lbs.	\$144,580.59
	KEMP25-DPU-010	Kempower	Kempower Double Power Unit 400kW C802	Maxed out with eight power modules, the Kempower Power Unit C802 delivers 400 kW with full support for adaptive output management and multiple charge sessions. The system offers remote diagnostics, OTA updates, and OCPP 2.0.1. The weatherproof cabinet retains a footprint of 49.2 x 86.4 x 34.3 inches and a weight of 1,885 lbs.	\$158,039.49
				Dispensers for Kempower Double Power Cabinets	
	KEMP25-DISP-001	Kempower	Kempower Satellite CCS1	Kempower Satellite Version 2 in single CCS1 configuration delivers up to 320 kW of DC fast charging using a 200 A cable, with voltage support up to 1000 VDC. It features a 7" touchscreen, RFID authentication, optional payment terminal, and advanced cable support. Designed for integration with a Kempower Power Unit, it supports up to 8 charging outputs per system and is ideal for public and fleet charging sites. ETL-listed and compliant with UL and CSA standards.	\$8,490.13
	KEMP25-DISP-002	Kempower	Kempower Satellite NACS	Equipped with a single J3400/NACS connector, this Kempower Satellite provides up to 200 kW of output using a 250 A cable. Built to serve NEVI-funded and public charging programs, the unit supports intuitive user access, payment, and backend integration through OCPP 1.6j/2.0.1. The system supports cable lengths of 16.4 ft or 23 ft and maintains full environmental and electrical certifications for outdoor operation.	\$8,490.13
	KEMP25-DISP-003	Kempower	Kempower Satellite dual CCS1	The dual CCS1 version of the Kempower Satellite enables simultaneous charging through two outputs, each rated up to 200 A and 160 kW at 800 VDC. Kempower's intelligent load distribution system manages each session independently, with up to 8 Satellites supported by a single Power Unit. This configuration is well suited for high-volume locations such as highway corridors and transit hubs.	\$13,005.23
	KEMP25-DISP-004	Kempower	Kempower Satellite CCS1/NACS	This hybrid version combines one CCS1 and one J3400/NACS connector in a single Satellite, enabling flexible service for a wider EV base. Each output supports dynamic charging—up to 200 A on CCS1 and 250 A on NACS—with shared power up to 360 kW depending on system configuration. Ideal for NEVI-compliant stations, it integrates seamlessly with charging management platforms and supports both AutoCharge and ISO 15118 Plug & Charge.	\$13,005.23
	KEMP25-DISP-005	Kempower	Kempower Satellite CCS1/CHAdemo	The Kempower Satellite Version 2 with CCS1 and CHAdemo connectors supports dual-output charging with respective maximums of 200 A and 125 A. The system can deliver up to 160 kW on CCS1 and 100 kW on CHAdemo at 800 VDC, supporting both legacy and modern EV platforms. This dual-standard configuration is built for flexibility in mixed-vehicle fleets and remains compliant with all major North American safety and communication standards.	\$13,045.74
	KEMP25-DISP-CABLE-001	Kempower	Upgraded CCS1 cable option 300A	Upgraded CCS1 cable option 300A 5m	\$2,632.91
	KEMP25-DISP-CABLE-002	Kempower	Upgraded CCS1 cable option 400A	Upgraded CCS1 cable option 400A 5m	\$3,212.15
	KEMP25-DISP-CABLE-003	Kempower	Upgraded NACS cable option 350A	Upgraded NACS cable option 350A 5m	\$2,632.91
	KEMP25-DISP-CABLE-004	Kempower	Upgraded NACS cable option 380A	Upgraded NACS cable option 380A 5m	\$3,212.15
	KEMP25-DISP-CABLE-005	Kempower	Extra cable length 7m	Extra cable length 7m per charging cable	\$492.83
	KEMP25-DISP-MCS-001	Kempower	Megawatt Charging System	Kempower Mega Satellite MCS 1500A/2m/1ID ETL	TBD
				Accessories for Kempower Double Power Cabinets	
	KEMP25-DPU-CABLE-001	Kempower	D6 option for C502	6 dynamic output configuration	\$11,595.61
	KEMP25-DPU-CABLE-002	Kempower	D6 option for C802	6 dynamic output configuration	\$11,595.61
	KEMP25-DPU-CABLE-003	Kempower	D8 option for C502	8 dynamic output configuration	\$11,595.61
	KEMP25-DPU-CABLE-004	Kempower	D8 option for C802	8 dynamic output configuration	\$11,595.61
	KEMP25-DPU-ACCS-001	Kempower	Steel base 200mm raise kit for C502/C802	Steel base 200mm raise kit for C502/C802	\$1,616.20
	KEMP25-ACCS-001	Kempower	Payter P68 Station	Payter P68 Station, contactless chip, stripe	TBD
	KEMP25-ACCS-002	Kempower	Payter Apollo Station	Payter Apollo Station, contactless with PIN	TBD

DCFC - HP Cabinets/Dispensers	Kempower Triple Power Cabinets				
	Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
	KEMP25-TPU-001	Kempower	Kempower Triple Power Unit 300kW C503	Kempower Power Unit C503, configured with six PM550LV1 power modules, provides 300 kW of DC fast charging power with dynamic	\$155,966.92
	KEMP25-TPU-002	Kempower	Kempower Triple Power Unit 350kW C503	With seven 50 kW modules, the C503 provides 350 kW of intelligent DC charging, utilizing Kempower's adaptive power management to	\$169,427.17
	KEMP25-TPU-003	Kempower	Kempower Triple Power Unit 400kW C503	Outfitted with eight PM550LV1 modules, the Kempower C503 delivers 400 kW of high-capacity DC charging. Ideal for large-scale	\$182,887.43
	KEMP25-TPU-004	Kempower	Kempower Triple Power Unit 450kW C503	Equipped with nine power modules, the C503 configuration enables 450 kW of flexible charging over eight dynamic outputs. This model	\$196,346.33
	KEMP25-TPU-005	Kempower	Kempower Triple Power Unit 500kW C503	The C503, operating at 500 kW with ten installed modules, delivers rapid, scalable EV charging supported by dynamic power	\$209,809.28
	KEMP25-TPU-006	Kempower	Kempower Triple Power Unit 550kW C503	With eleven power modules, the Kempower Power Unit C503 provides 550 kW of output and supports concurrent charging across eight	\$223,268.19
	KEMP25-TPU-007	Kempower	Kempower Triple Power Unit 600kW C503	Fully configured with twelve PM550LV1 modules, the Kempower Power Unit C503 delivers 600 kW of total charging capacity with	\$236,727.09
	KEMP25-TPU-008	Kempower	Kempower Triple Power Unit 300kW C803	Kempower Power Unit C803, equipped with six PM850V1 power modules, delivers 300 kW of dynamic DC charging power with output	\$155,966.92
	KEMP25-TPU-009	Kempower	Kempower Triple Power Unit 350kW C803	Configured with seven power modules, the Kempower C803 offers 350 kW of high-performance charging capability with intelligent load	\$169,427.17
	KEMP25-TPU-010	Kempower	Kempower Triple Power Unit 400kW C803	Outfitted with eight PM850V1 modules, the Kempower Power Unit C803 delivers 400 kW of scalable DC output for multi-vehicle	\$182,887.43
	KEMP25-TPU-011	Kempower	Kempower Triple Power Unit 450kW C803	With nine installed modules, the C803 provides 450 kW of intelligent charging across a wide voltage range of 200–920 VDC. The unit	\$196,346.33
	KEMP25-TPU-012	Kempower	Kempower Triple Power Unit 500kW C803	Kempower Power Unit C803 in a 500 kW configuration utilizes ten PM850V1 modules to support fast, adaptive charging across multiple	\$209,809.28
	KEMP25-TPU-013	Kempower	Kempower Triple Power Unit 550kW C803	With eleven PM850V1 modules, the C803 delivers 550 kW of continuous DC charging with dynamic routing across up to eight outputs.	\$223,268.19
	KEMP25-TPU-014	Kempower	Kempower Triple Power Unit 600kW C803	At full capacity with twelve modules, the Kempower Power Unit C803 delivers 600 kW of maximum DC output with smart energy	\$236,727.09
	Dispenser for Kempower Triple Power Cabinets				
	KEMP25-DISP-001	Kempower	Kempower Satellite CCS1	Kempower Satellite Version 2 in single CCS1 configuration delivers up to 320 kW of DC fast charging using a 200 A cable, with voltage support up to 1000 VDC. It features a 7" touchscreen, RFID authentication, optional payment terminal, and advanced cable support. Designed for integration with a Kempower Power Unit, it supports up to 8 charging outputs per system and is ideal for public and fleet charging sites. ETL-listed and compliant with UL and CSA standards.	\$8,490.13
	KEMP25-DISP-002	Kempower	Kempower Satellite NACS	Equipped with a single J3400/NACS connector, this Kempower Satellite provides up to 200 kW of output using a 250 A cable. Built to serve NEVI-funded and public charging programs, the unit supports intuitive user access, payment, and backend integration through OCPP 1.6j/2.0.1. The system supports cable lengths of 16.4 ft or 23 ft and maintains full environmental and electrical certifications for outdoor operation.	\$8,490.13
	KEMP25-DISP-003	Kempower	Kempower Satellite dual CCS1	The dual CCS1 version of the Kempower Satellite enables simultaneous charging through two outputs, each rated up to 200 A and 160 kW at 800 VDC. Kempower's intelligent load distribution system manages each session independently, with up to 8 Satellites supported by a single Power Unit. This configuration is well suited for high-volume locations such as highway corridors and transit hubs.	\$13,005.23
	KEMP25-DISP-004	Kempower	Kempower Satellite CCS1/NACS	This hybrid version combines one CCS1 and one J3400/NACS connector in a single Satellite, enabling flexible service for a wider EV base. Each output supports dynamic charging—up to 200 A on CCS1 and 250 A on NACS—with shared power up to 360 kW depending on system configuration. Ideal for NEVI-compliant stations, it integrates seamlessly with charging management platforms and supports both AutoCharge and ISO 15118 Plug & Charge.	\$13,005.23
	KEMP25-DISP-005	Kempower	Kempower Satellite CCS1/CHAdemo	The Kempower Satellite Version 2 with CCS1 and CHAdemo connectors supports dual-output charging with respective maximums of 200 A and 125 A. The system can deliver up to 160 kW on CCS1 and 100 kW on CHAdemo at 800 VDC, supporting both legacy and modern EV platforms. This dual-standard configuration is built for flexibility in mixed-vehicle fleets and remains compliant with all major North American safety and communication standards.	\$13,045.74
	KEMP25-DISP-CABLE-001	Kempower	Upgraded CCS1 cable option 300A	Upgraded CCS1 cable option 300A 5m	\$2,632.91
	KEMP25-DISP-CABLE-002	Kempower	Upgraded CCS1 cable option 400A	Upgraded CCS1 cable option 400A 5m	\$3,212.15
	KEMP25-DISP-CABLE-003	Kempower	Upgraded NACS cable option 350A	Upgraded NACS cable option 350A 5m	\$2,632.91
	KEMP25-DISP-CABLE-004	Kempower	Upgraded NACS cable option 380A	Upgraded NACS cable option 380A 5m	\$3,212.15
	KEMP25-DISP-CABLE-005	Kempower	Extra cable length 7m	Extra cable length 7m per charging cable	\$492.83
	KEMP25-DISP-MCS-001	Kempower	Megawatt Charging System	Kempower Mega Satellite MCS 1500A/2m/IIID ETL	TBD
	Accessories for Kempower Triple Power Cabinets				
	KEMP25-TPU-CABLE-001	Kempower	D6 option for C503	6 dynamic output configuration	\$17,393.42
	KEMP25-TPU-CABLE-002	Kempower	D6 option for C803	6 dynamic output configuration	\$17,393.42
	KEMP25-TPU-CABLE-003	Kempower	D8 option for C503	8 dynamic output configuration	\$17,393.42
	KEMP25-TPU-CABLE-004	Kempower	D8 option for C803	8 dynamic output configuration	\$17,393.42
	KEMP25-TPU-ACCS-001	Kempower	Steel base 200mm raise kit for C503/C803	Steel base 200mm raise kit for C503/C803	\$2,424.98
	KEMP25-ACCS-001	Kempower	Payer P68 Station	Payer P68 Station, contactless chip, stripe	TBD
	KEMP25-ACCS-002	Kempower	Payer Apollo Station	Payer Apollo Station, contactless with PIN	TBD
	BTC Power Cabinets				
	Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
	BTC25-240KW-001	BTC Power	Gen 4 240kW Tower, dual port	BTC Power Gen4.1 240kW Power Cabinet is a scalable DC fast charging unit engineered for multi-vehicle support with four independent	\$61,994.44
	BTC25-240KW-002	BTC Power	Gen 4 240kW Tower, dual port BABA	BTC Power Gen4.1 240kW Power Cabinet is a scalable DC fast charging unit engineered for multi-vehicle support with four independent	\$85,738.40
	BTC25-360KW-001	BTC Power	Gen 4 360kW Tower, dual port	BTC Power Gen4.1 360kW Power Cabinet (Tower) is a high-capacity, modular DC fast charging system designed to support up to four	\$67,181.23
	BTC25-1280KW-001	BTC Power	Gen 4 1280kW Tower, 8 or 10 ports	Please request a quote for this item for up to date information	\$227,076.26
	Dispensers for BTC Power Cabinets				
	BTC25-170KW-001	BTC Power	Gen 4 Dispenser 350A Dual CCS1	BTC Power Gen4 Public Dispenser is a high-performance EV charging unit designed for integration with a 360kW power cabinet. It	\$48,163.01
	BTC25-240KW-003	BTC Power	Gen 4 Dispenser 500A Dual CCS1 BABA	BTC Power Gen4 Public Dispenser is a high-performance EV charging unit designed for integration with a 240-360kW power cabinet. It	\$72,236.29
	Accessories for BTC Power Cabinets				

Autel Energy Power Cabinets				
AUTL-480KW-001	Autel Energy	480kW PC + liquid cool dispenser + CMS	DC HiPower 480kW split system delivers ultra-fast DC charging with a modular, scalable architecture designed for high-performance fleet and public charging applications. Featuring liquid-cooled dispensers, each capable of delivering up to 480 kW at 150–950 VDC and 650A peak current, this system supports up to 8 simultaneous outputs. The air-cooled power cabinet operates on a 3-phase 480V AC ±15% input, supports Ethernet, Wi-Fi, and 4G connectivity, and includes dynamic load balancing with a minimum adjustable power of 40 kW. NEMA 3S-rated enclosures, 15.6" LCD touchscreens, OCPP 1.6J (2.0.1 optional), RFID/QR/credit card authentication, and OTA updates provide robust site management, user convenience, and long-term reliability.	\$218,121.18
AUTL-480KW-002	Autel Energy	480kW PC + 2 boost dispenser + 2 CMS	DC HiPower 480kW split system delivers ultra-fast DC charging with a modular, scalable architecture designed for high-performance fleet and public charging applications. Featuring air-cooled boost dispensers, each capable of delivering up to 480 kW at 150–950 VDC and 650A peak current, this system supports up to 8 simultaneous outputs. The air-cooled power cabinet operates on a 3-phase 480V AC ±15% input, supports Ethernet, Wi-Fi, and 4G connectivity, and includes dynamic load balancing with a minimum adjustable power of 40 kW. NEMA 3S-rated enclosures, 15.6" LCD touchscreens, OCPP 1.6J (2.0.1 optional), RFID/QR/credit card authentication, and OTA updates provide robust site management, user convenience, and long-term reliability.	\$192,812.83
AUTL-480KW-003	Autel Energy	480kW PC + liquid cool dispenser + 1 boost dispenser + 2 CMS	DC HiPower 480kW split system delivers ultra-fast DC charging with a modular, scalable architecture designed for high-performance fleet and public charging applications. Featuring liquid-cooled & boost dispensers, each capable of delivering up to 480 kW at 150–950 VDC and 650A peak current, this system supports up to 8 simultaneous outputs. The air-cooled power cabinet operates on a 3-phase 480V AC ±15% input, supports Ethernet, Wi-Fi, and 4G connectivity, and includes dynamic load balancing with a minimum adjustable power of 40 kW. NEMA 3S-rated enclosures, 15.6" LCD touchscreens, OCPP 1.6J (2.0.1 optional), RFID/QR/credit card authentication, and OTA updates provide robust site management, user convenience, and long-term reliability.	\$242,716.62
AUTL-480KW-004	Autel Energy	480kW PC + 2 liquid dispenser + 2 CMS	DC HiPower 480kW split system delivers ultra-fast DC charging with a modular, scalable architecture designed for high-performance fleet and public charging applications. Featuring liquid-cooled dispensers, each capable of delivering up to 480 kW at 150–950 VDC and 650A peak current, this system supports up to 8 simultaneous outputs. The air-cooled power cabinet operates on a 3-phase 480V AC ±15% input, supports Ethernet, Wi-Fi, and 4G connectivity, and includes dynamic load balancing with a minimum adjustable power of 40 kW. NEMA 3S-rated enclosures, 15.6" LCD touchscreens, OCPP 1.6J (2.0.1 optional), RFID/QR/credit card authentication, and OTA updates provide robust site management, user convenience, and long-term reliability.	\$292,620.42
AUTL-640KW-001	Autel Energy	640kW PC + liquid cool dispenser + CMS	DC HiPower 640kW split system is a high-capacity, distributed charging platform engineered for next-generation commercial EV infrastructure. Configured with modular liquid-cooled dispensers and a 640kW air-cooled power cabinet expandable via 40kW increments, this system enables charging up to 8 vehicles simultaneously with a maximum single-port output of 480kW at 650A. Supporting a wide voltage range of 150–950 VDC, it integrates OCPP software for dynamic power allocation, and features intelligent guided commissioning. The system includes 4G/Wi-Fi/Ethernet communication, OCPP 1.6J (2.0.1 optional), RFID and credit card access, dual 15.6" LCD touchscreens	\$251,390.38
AUTL-640KW-002	Autel Energy	640kW PC + 2 boost dispenser + 2 CMS	DC HiPower 640kW split system is a high-capacity, distributed charging platform engineered for next-generation commercial EV infrastructure. Configured with modular boost dispensers and a 640kW air-cooled power cabinet expandable via 40kW increments, this system enables charging up to 8 vehicles simultaneously with a maximum single-port output of 480kW at 650A. Supporting a wide voltage range of 150–950 VDC, it integrates OCPP software for dynamic power allocation, and features intelligent guided commissioning. The system includes 4G/Wi-Fi/Ethernet communication, OCPP 1.6J (2.0.1 optional), RFID and credit card access, dual 15.6" LCD touchscreens	\$226,082.03
AUTL-640KW-003	Autel Energy	640kW PC + liquid cool dispenser + 1 boost dispenser + 2 CMS	DC HiPower 640kW split system is a high-capacity, distributed charging platform engineered for next-generation commercial EV infrastructure. Configured with modular liquid-cooled & boost dispensers and a 640kW air-cooled power cabinet expandable via 40kW increments, this system enables charging up to 8 vehicles simultaneously with a maximum single-port output of 480kW at 650A. Supporting a wide voltage range of 150–950 VDC, it integrates OCPP software for dynamic power allocation, and features intelligent guided commissioning. The system includes 4G/Wi-Fi/Ethernet communication, OCPP 1.6J (2.0.1 optional), RFID and credit card access, dual 15.6" LCD touchscreens	\$275,985.82
AUTL-640KW-004	Autel Energy	640kW PC + 2 liquid dispenser + 2 CMS	DC HiPower 640kW split system is a high-capacity, distributed charging platform engineered for next-generation commercial EV infrastructure. Configured with modular liquid-cooled dispensers and a 640kW air-cooled power cabinet expandable via 40kW increments, this system enables charging up to 8 vehicles simultaneously with a maximum single-port output of 480kW at 650A. Supporting a wide voltage range of 150–950 VDC, it integrates OCPP software for dynamic power allocation, and features intelligent guided commissioning. The system includes 4G/Wi-Fi/Ethernet communication, OCPP 1.6J (2.0.1 optional), RFID and credit card access, dual 15.6" LCD touchscreens	\$325,889.62
Accessories for Autel Energy Power Cabinets				
AUTL-ACCS-014	Autel Energy	DCHP POS (Nayax)	Nayax credit card reader for DC Hi Power split systems	\$1,840.50
Power Electronics Power Cabinets				
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
POWR25-60KW-PC-001	Power Electronics	NBI60 Power Cabinet (180kW Max)	NBI 180 Power Cabinet at 60 kW provides centralized DC power distribution for one to three simultaneous charging points, supporting	\$44,920.84
POWR25-90KW-PC-001	Power Electronics	NBI90 Power Cabinet (180kW Max)	NBI 180 Power Cabinet at 90 kW is a compact and scalable DC power solution designed for one to three simultaneous EV charge points	\$49,617.89
POWR25-120KW-PC-001	Power Electronics	NBI120 Power Cabinet (180kW Max)	Rated at 120 kW, the NBI 180 Power Cabinet delivers high-efficiency DC power to support up to three concurrent or four sequential EV	\$54,314.94
POWR25-150KW-PC-001	Power Electronics	NBI150 Power Cabinet (180kW Max)	The 150 kW NBI 180 Power Cabinet is engineered for high-demand DC distribution to one to three simultaneous charge points, with	\$59,011.98
POWR25-180KW-PC-001	Power Electronics	NBI180 Power Cabinet (180kW Max)	The NBI 180 Power Cabinet at full 180 kW capacity delivers reliable, high-efficiency centralized power for one to three EV charging	\$63,709.03
POWR25-180KW-PC-002	Power Electronics	NBI180 Power Cabinet (360kW Max)	NBI 360 Power Cabinet at 180 kW delivers centralized, high-efficiency DC output to charging dispensers or pantographs with support for	\$102,481.01
POWR25-240KW-PC-001	Power Electronics	NBI240 Power Cabinet (360kW Max)	Configured with 8 power modules, the NBI 360 Power Cabinet at 240 kW provides stable, modular DC output for large-scale EV charging	\$111,021.10
POWR25-360KW-PC-001	Power Electronics	NBI360 Power Cabinet (360kW Max)	At full capacity, the NBI 360 Power Cabinet delivers 360 kW of scalable DC power using 12 power modules, supporting dynamic multi-	\$128,101.27
POWR25-840KW-PC-001	Power Electronics	NB Station LV 840kW	NB Station GEN 3 840 kW power cabinet delivers centralized high-efficiency DC power distribution via 28 integrated power modules.	\$448,354.43
POWR25-1080KW-PC-001	Power Electronics	NB Station LV 1080kW	Configured with 36 power modules, the NB Station GEN 3 1080 kW cabinet provides scalable DC power up to 360 kW per dispenser or	\$482,514.77
POWR25-1200KW-PC-001	Power Electronics	NB Station LV 1200kW	The NB Station GEN 3 at 1200 kW delivers advanced high-capacity EV charging using 40 power modules, distributing up to 360 kW per	\$495,324.89
POWR25-1320KW-PC-001	Power Electronics	NB Station LV 1320kW	With 44 power modules, the NB Station GEN 3 1320 kW cabinet supports dynamic DC distribution for high-demand multi-vehicle sites,	\$516,675.11
POWR25-1440KW-PC-001	Power Electronics	NB Station LV 1440kW	At full capacity with 48 power modules, the NB Station GEN 3 1440 kW cabinet is the highest-output configuration available, supporting	\$533,755.27

	Dispensers for Power Electronics Power Cabinets				
	POWR25-DDSP-001	Power Electronics	Depot Dispenser CCS1 200A	Depot Dispenser with a single CCS1 connector rated at 200 A delivers safe, reliable DC charging across a 150–1000 VDC range, designed	\$14,774.35
	POWR25-DDSP-002	Power Electronics	Depot Dispenser CCS1 375A	Depot Dispenser configured with a single CCS1 connector rated at 375A provides high-current DC output within a 150–1000 VDC range,	\$16,738.57
	POWR25-DDSP-003	Power Electronics	Depot Dispenser dual CCS1 200A	Dual CCS1 200 A Depot Dispenser enables two-vehicle simultaneous or sequential charging up to 200 A per port across a 150–1000 VDC	\$18,617.38
	POWR25-DDSP-004	Power Electronics	Depot Dispenser dual CCS1 375A	Depot Dispenser with dual CCS1 connectors rated at 375A each delivers simultaneous high-current charging within a 150–1000 VDC	\$22,460.42
	POWR25-SDSP-001	Power Electronics	Slim Dispenser CCS1 250A	Slim Dispenser with a single CCS1 connector rated at 250A delivers reliable DC charging across a 150–1000 VDC range, making it well-	\$26,303.46
	POWR25-SDSP-002	Power Electronics	Slim Dispenser CCS1 375A	Slim Dispenser configured with a single CCS1 connector rated at 375A delivers high-current, compact DC charging across a 150–1000	\$28,182.28
	POWR25-SDSP-003	Power Electronics	Slim Dispenser dual CCS1 250A	The dual CCS1 250A Slim Dispenser enables simultaneous or sequential charging of two EVs across a 150–1000 VDC range, with each	\$29,548.69
	POWR25-SDSP-004	Power Electronics	Slim Dispenser dual CCS1 375A	The Slim Dispenser with dual CCS1 connectors rated at 375A each supports ultra-fast simultaneous charging for two EVs across a	\$33,647.93
	POWR25-CDSP-001	Power Electronics	Cooled Dispenser CCS1 500A	Cooled Dispenser with a single CCS1 connector rated at 500 A continuous delivers ultra-high-current DC charging over a 150–1000 VDC	\$65,075.44
	POWR25-CDSP-002	Power Electronics	Cooled Dispenser dual CCS1 500A	Cooled Dispenser in a dual CCS1 configuration (500 A per port) enables simultaneous high-power DC charging for two EVs, delivering up	\$80,533.00
	Accessories for Power Electronics Power Cabinets				
	POWR25-180KW-PC-ACCS-001	Power Electronics	Surge Arrester Type 2 + RCD Type A		\$543.46
	POWR25-180KW-PC-ACCS-002	Power Electronics	Fiber Optic Switch (to communicate with up to 4 dispensers)		\$854.01
	POWR25-180KW-PC-ACCS-003	Power Electronics	Sequential Charge		\$3,105.49
	POWR25-180KW-PC-ACCS-004	Power Electronics	Buy America NB180		\$7,763.71
	POWR25-180KW-PC-ACCS-005	Power Electronics	Top-down pantograph box		\$14,091.14
	POWR25-180KW-PC-ACCS-006	Power Electronics	Buy America Pantograph box		\$4,658.23
	POWR25-360KW-PC-ACCS-001	Power Electronics	MCB + RCD Type A		\$3,105.49
	POWR25-360KW-PC-ACCS-002	Power Electronics	Fiber Optic Switch (to communicate with up to 4 dispensers)		\$2,220.42
	POWR25-360KW-PC-ACCS-003	Power Electronics	Sequential Charge		\$2,888.10
	POWR25-360KW-PC-ACCS-004	Power Electronics	Buy America NB1360		\$15,527.43
	POWR25-360KW-PC-ACCS-005	Power Electronics	Top-down pantograph box		\$14,091.14
	POWR25-360KW-PC-ACCS-006	Power Electronics	Buy America Pantograph box		\$4,658.23
	POWR25-NBSTATION-ACCS-001	Power Electronics	Fiber Optic Switch (to communicate with up to 4 dispensers)		\$2,484.39
	POWR25-NBSTATION-ACCS-002	Power Electronics	Buy America NB Station		\$23,291.14
	POWR25-NBSTATION-ACCS-003	Power Electronics	Sequential Charge		\$2,888.10
	POWR25-NBSTATION-ACCS-004	Power Electronics	Top-down pantograph box		\$14,091.14
	POWR25-NBSTATION-ACCS-005	Power Electronics	Low temperature kit		\$776.37
	POWR25-NBSTATION-ACCS-006	Power Electronics	Buy America Pantograph box		\$4,658.23
	POWR25-DSP-ACCS-001	Power Electronics	Extended cable to 25ft (200A non-cooled)		\$729.79
	POWR25-DSP-ACCS-002	Power Electronics	Extended cable to 25ft (375A non-cooled)		\$1,055.86
	POWR25-DSP-ACCS-003	Power Electronics	Extended cable to 25ft (500A cooled)		\$1,335.36
	POWR25-DSP-ACCS-004	Power Electronics	Fiber Optic Switch (to communicate with up to 4 dispensers) 120/240kW		\$854.01
	POWR25-DSP-ACCS-004	Power Electronics	Fiber Optic Switch (to communicate with up to 4 dispensers) 120/240kW		\$854.01
	POWR25-DSP-ACCS-006	Power Electronics	Low temperature kit		\$776.37
	POWR25-DSP-ACCS-007	Power Electronics	Buy America Dispensers (slim, cooled, & depot)		\$4,658.23
	Delta Power Cabinets (All Cabinet Line Items Includes Associated Dispensers)				
	Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
	DELT25-350KW-001	Delta Electronics	350kW High Power	Delta 350kW High Power system includes a centralized power cabinet and a dual CCS1 dispenser supporting simultaneous fast charging, with Ethernet/Cellular connectivity, a 7-inch display, and full OCPP 1.6 support, optimized for highway corridors and fleet depots.	\$154,566.22
	DELT25-350KW-002	Delta Electronics	350kW High Power BABA/NEVI	Delta 350kW High Power BABA/NEVI-compliant unit offers 350 kW output via power cabinet and dual CCS1 dispenser, supporting concurrent charging sessions with 7-inch LCD, Ethernet/Cellular networking, and OCPP 1.6, designed to meet federal NEVI guidelines.	\$226,697.13
	DELT25-350KW-003	Delta Electronics	350kW High Power	Delta 350kW High Power charger features dual NACS connectors with simultaneous 350 kW charging from a centralized cabinet, Ethernet/Cellular communications, a 7-inch touchscreen, and OCPP 1.6 support, future-ready for fleets and long-distance EV infrastructure.	\$154,566.22
	Accessories for Delta Power Cabinets				

ABM LEVEL 2 & 3 SOFTWARE					
ABM EV OS					
Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount	
Level 2 Network	NOOD25-NETW-PUB-001	Noodoe	Public charging - Noodoe - 1 Year	Cloud-based EV charging management platform offering automated service delivery, dynamic pricing, payment processing, and real-time diagnostics. Compatible with OCPP-compliant hardware for scalable deployment.	\$151.90
	NOOD25-NETW-PUB-002	Noodoe	Public charging - Noodoe - 2 Year	Cloud-based EV charging management platform offering automated service delivery, dynamic pricing, payment processing, and real-time diagnostics. Compatible with OCPP-compliant hardware for scalable deployment.	\$303.80
	NOOD25-NETW-PUB-003	Noodoe	Public charging - Noodoe - 3 Year	Cloud-based EV charging management platform offering automated service delivery, dynamic pricing, payment processing, and real-time diagnostics. Compatible with OCPP-compliant hardware for scalable deployment.	\$455.70
	NOOD25-NETW-PUB-004	Noodoe	Public charging - Noodoe - 4 Year	Cloud-based EV charging management platform offering automated service delivery, dynamic pricing, payment processing, and real-time diagnostics. Compatible with OCPP-compliant hardware for scalable deployment.	\$607.59
	NOOD25-NETW-PUB-005	Noodoe	Public charging - Noodoe - 5 Year	Cloud-based EV charging management platform offering automated service delivery, dynamic pricing, payment processing, and real-time diagnostics. Compatible with OCPP-compliant hardware for scalable deployment.	\$759.49
	FLIP25-BASIC-001	Flipturn	Level 2 - Flipturn - Basic 1 Year	Entry-level EV charging platform ideal for low-traffic sites. Supports L2 and DCFC ports. No power management included.	\$243.04
	FLIP25-BASIC-003	Flipturn	Level 2 - Flipturn - Basic 3 Year	Entry-level EV charging platform ideal for low-traffic sites. Supports L2 and DCFC ports. No power management included.	\$656.20
	FLIP25-BASIC-005	Flipturn	Level 2 - Flipturn - Basic 5 Year	Entry-level EV charging platform ideal for low-traffic sites. Supports L2 and DCFC ports. No power management included.	\$1,032.91
	FLIP25-BUSINESS-001	Flipturn	Level 2 - Flipturn - Business 1 Year	Mid-tier plan with integrated power management. Designed for commercial properties needing balanced load control across L2 and DCFC chargers.	\$364.56
	FLIP25-BUSINESS-003	Flipturn	Level 2 - Flipturn - Business 3 Year	Mid-tier plan with integrated power management. Designed for commercial properties needing balanced load control across L2 and DCFC chargers.	\$984.30
	FLIP25-BUSINESS-005	Flipturn	Level 2 - Flipturn - Business 5 Year	Mid-tier plan with integrated power management. Designed for commercial properties needing balanced load control across L2 and DCFC chargers.	\$1,549.37
	FLIP25-ENTERPRISE-001	Flipturn	Level 2 - Flipturn - Enterprise 1 Year	Fleet-ready solution with advanced scheduling, reporting, and full power management. Built for high-volume, multi-vehicle operations.	\$486.08
	FLIP25-ENTERPRISE-003	Flipturn	Level 2 - Flipturn - Enterprise 3 Year	Fleet-ready solution with advanced scheduling, reporting, and full power management. Built for high-volume, multi-vehicle operations.	\$1,312.41
	FLIP25-ENTERPRISE-005	Flipturn	Level 2 - Flipturn - Enterprise 5 Year	Fleet-ready solution with advanced scheduling, reporting, and full power management. Built for high-volume, multi-vehicle operations.	\$2,065.82
	TMH25-PRIMARY-001	The Mobility House	Level 2 - The Mobility House - Primary per year	Primary tier provides foundational load management, access to the ChargePilot Dashboard, and standard 24/7 monitoring with error alerts, making it ideal for cost-conscious deployments.	\$102.71
	TMH25-PLUS-001	The Mobility House	Level 2 - The Mobility House - Plus per year	Plus tier enhances functionality with Advanced Dashboard access—offering manual vehicle prioritization, historical SOC tracking, OCPP logs, and unlimited user roles—alongside remote fault clearance and elevated support.	\$120.07
	TMH25-PRO-001	The Mobility House	Level 2 - The Mobility House - Pro per year	Pro tier unlocks full ChargePilot capabilities, including automated load management (ALM), DER optimization for solar or microgrids, multi-meter and multi-fuse configurations, API-based schedule optimization, and 24/7 phone support with highest-priority response. All tiers support data connectivity, ISO 15118/OCPP integration, and AC/DC charger compatibility, ensuring scalable, future-proof energy management for any EV infrastructure.	\$254.61
	SYNP25-BASIC-001	Synop	Synop Basic < 150 ports	Basic tier includes essential EV charging network features such as dashboard and reporting tools, charger integration, monitoring and alerts, manual scheduling, site power management, basic onboarding support with a dedicated client services representative, white-label logo and color customization, and support for bulk charger controls and configuration.	\$25.65
	SYNP25-BASIC-002	Synop	Synop Basic > 150 ports	Basic tier includes essential EV charging network features such as dashboard and reporting tools, charger integration, monitoring and alerts, manual scheduling, site power management, basic onboarding support with a dedicated client services representative, white-label logo and color customization, and support for bulk charger controls and configuration.	\$18.90
	SYNP25-PRO-001	Synop	Synop Pro < 150 ports	Building on the Basic tier, the Pro tier adds enhanced control and integration capabilities including access to REST APIs and webhooks, telematics integration, vehicle and RFID tag management, custom domain and login branding, and advanced automated charging management (AutoPilot). It also expands white-labeling and bulk charger management for broader enterprise use.	\$39.16
	SYNP25-PRO-002	Synop	Synop Pro > 150 ports	Building on the Basic tier, the Pro tier adds enhanced control and integration capabilities including access to REST APIs and webhooks, telematics integration, vehicle and RFID tag management, custom domain and login branding, and advanced automated charging management (AutoPilot). It also expands white-labeling and bulk charger management for broader enterprise use.	\$32.41
Level 2 Cell Data Network	SYNP25-ADVANCED-001	Synop	Synop Advanced < 150 ports	Advanced tier offers the full suite of EV charging network management capabilities. In addition to all Basic and Pro features, it enables demand response functionality, wholesale market participation, V2X readiness, and site-level energy optimization including management of additional loads or on-site generation resources—delivering the most comprehensive energy and fleet control available.	\$52.66
	SYNP25-ADVANCED-002	Synop	Synop Advanced > 150 ports	Advanced tier offers the full suite of EV charging network management capabilities. In addition to all Basic and Pro features, it enables demand response functionality, wholesale market participation, V2X readiness, and site-level energy optimization including management of additional loads or on-site generation resources—delivering the most comprehensive energy and fleet control available.	\$45.91
Only When a ABM Cell Data is Required					
Level 2 Cell Data Network	ABM L2 Cell Connect -1 yr	ABM EV OS	Level 2 - ABM Cell Data - 1 YR	ABM Level 2 Cellular Connectivity Charges 1 yr	\$57.94
	ABM L2 Cell Connect -2 yr	ABM EV OS	Level 2 - ABM Cell Data - 2 YR	ABM Level 2 Cellular Connectivity Charges 2 yr	\$115.89
	ABM L2 Cell Connect -3 yr	ABM EV OS	Level 2 - ABM Cell Data - 3 YR	ABM Level 2 Cellular Connectivity Charges 3 yr	\$173.83
	ABM L2 Cell Connect -4 yr	ABM EV OS	Level 2 - ABM Cell Data - 4 YR	ABM Level 2 Cellular Connectivity Charges 4 yr	\$231.78
	ABM L2 Cell Connect -5 yr	ABM EV OS	Level 2 - ABM Cell Data - 5 YR	ABM Level 2 Cellular Connectivity Charges 5 yr	\$289.72

	Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
Level 3 Network	NOOD25-NETW-FLE-001	Noodoe	Fleet Charging - Noodoe - 1 Year	Cloud-based EV charging management platform offering automated service delivery, dynamic pricing, payment processing, and real-time diagnostics. Compatible with OCPP-compliant hardware for scalable deployment.	\$253.16
	NOOD25-NETW-FLE-002	Noodoe	Fleet Charging - Noodoe - 2 Year	Cloud-based EV charging management platform offering automated service delivery, dynamic pricing, payment processing, and real-time diagnostics. Compatible with OCPP-compliant hardware for scalable deployment.	\$506.33
	NOOD25-NETW-FLE-003	Noodoe	Fleet Charging - Noodoe - 3 Year	Cloud-based EV charging management platform offering automated service delivery, dynamic pricing, payment processing, and real-time diagnostics. Compatible with OCPP-compliant hardware for scalable deployment.	\$759.49
	NOOD25-NETW-FLE-004	Noodoe	Fleet Charging - Noodoe - 4 Year	Cloud-based EV charging management platform offering automated service delivery, dynamic pricing, payment processing, and real-time diagnostics. Compatible with OCPP-compliant hardware for scalable deployment.	\$1,012.66
	NOOD25-NETW-FLE-005	Noodoe	Fleet Charging - Noodoe - 5 Year	Cloud-based EV charging management platform offering automated service delivery, dynamic pricing, payment processing, and real-time diagnostics. Compatible with OCPP-compliant hardware for scalable deployment.	\$1,265.82
	FLIP25-BASIC-DC-001	Flipturn	Level 3 - Flipturn - Basic 1 Year	Entry-level EV charging platform ideal for low-traffic sites. Supports L2 and DCFC ports. No power management included.	\$364.56
	FLIP25-BASIC-DC-003	Flipturn	Level 3 - Flipturn - Basic 3 Year	Entry-level EV charging platform ideal for low-traffic sites. Supports L2 and DCFC ports. No power management included.	\$984.81
	FLIP25-BASIC-DC-005	Flipturn	Level 3 - Flipturn - Basic 5 Year	Entry-level EV charging platform ideal for low-traffic sites. Supports L2 and DCFC ports. No power management included.	\$1,549.37
	FLIP25-BUSINESS-DC-001	Flipturn	Level 3 - Flipturn - Business 1 Year	Mid-tier plan with integrated power management. Designed for commercial properties needing balanced load control across L2 and DCFC chargers.	\$607.59
	FLIP25-BUSINESS-DC-003	Flipturn	Level 3 - Flipturn - Business 3 Year	Mid-tier plan with integrated power management. Designed for commercial properties needing balanced load control across L2 and DCFC chargers.	\$1,640.51
	FLIP25-BUSINESS-DC-005	Flipturn	Level 3 - Flipturn - Business 5 Year	Mid-tier plan with integrated power management. Designed for commercial properties needing balanced load control across L2 and DCFC chargers.	\$2,582.28
	FLIP25-ENTERPRISE-DC-001	Flipturn	Level 3 - Flipturn - Enterprise 1 Year	Fleet-ready solution with advanced scheduling, reporting, and full power management. Built for high-volume, multi-vehicle operations.	\$607.59
	FLIP25-ENTERPRISE-DC-003	Flipturn	Level 3 - Flipturn - Enterprise 3 Year	Fleet-ready solution with advanced scheduling, reporting, and full power management. Built for high-volume, multi-vehicle operations.	\$1,640.51
	FLIP25-ENTERPRISE-DC-005	Flipturn	Level 3 - Flipturn - Enterprise 5 Year	Fleet-ready solution with advanced scheduling, reporting, and full power management. Built for high-volume, multi-vehicle operations.	\$2,582.28
	TMH25-PRIMARY-002	The Mobility House	Level 3 - The Mobility House - Primary per year 0-100kW	Primary tier provides foundational load management, access to the ChargePilot Dashboard, and standard 24/7 monitoring with error alerts, making it ideal for cost-conscious deployments.	\$211.21
	TMH25-PRIMARY-003	The Mobility House	Level 3 - The Mobility House - Primary per year 100kW +	Primary tier provides foundational load management, access to the ChargePilot Dashboard, and standard 24/7 monitoring with error alerts, making it ideal for cost-conscious deployments.	\$277.76
	TMH25-PLUS-002	The Mobility House	Level 3 - The Mobility House - Plus per year 0-100kW	Plus tier enhances functionality with Advanced Dashboard access—offering manual vehicle prioritization, historical SOC tracking, OCPP logs, and unlimited user roles—alongside remote fault clearance and elevated support.	\$390.60
	TMH25-PLUS-003	The Mobility House	Level 3 - The Mobility House - Plus per year 100kW +	Plus tier enhances functionality with Advanced Dashboard access—offering manual vehicle prioritization, historical SOC tracking, OCPP logs, and unlimited user roles—alongside remote fault clearance and elevated support.	\$653.89
	TMH25-PRO-002	The Mobility House	Level 3 - The Mobility House - Pro per year 0-100kW	Pro tier unlocks full ChargePilot capabilities, including automated load management (ALM), DER optimization for solar or microgrids, multi-meter and multi-fuse configurations, API-based schedule optimization, and 24/7 phone support with highest-priority response. All tiers support data connectivity, ISO 15118/OCPP integration, and AC/DC charger compatibility, ensuring scalable, future-proof energy management for any EV infrastructure.	\$543.94
	TMH25-PRO-003	The Mobility House	Level 3 - The Mobility House - Pro per year 100kW +	Pro tier unlocks full ChargePilot capabilities, including automated load management (ALM), DER optimization for solar or microgrids, multi-meter and multi-fuse configurations, API-based schedule optimization, and 24/7 phone support with highest-priority response. All tiers support data connectivity, ISO 15118/OCPP integration, and AC/DC charger compatibility, ensuring scalable, future-proof energy management for any EV infrastructure.	\$995.30
	SYNP25-BASIC-001	Synop	Synop Basic < 150 ports	Basic tier includes essential EV charging network features such as dashboard and reporting tools, charger integration, monitoring and alerts, manual scheduling, site power management, basic onboarding support with a dedicated client services representative, white-label logo and color customization, and support for bulk charger controls and configuration.	\$25.65
	SYNP25-BASIC-002	Synop	Synop Basic > 150 ports	Basic tier includes essential EV charging network features such as dashboard and reporting tools, charger integration, monitoring and alerts, manual scheduling, site power management, basic onboarding support with a dedicated client services representative, white-label logo and color customization, and support for bulk charger controls and configuration.	\$18.90
	SYNP25-PRO-001	Synop	Synop Pro < 150 ports	Building on the Basic tier, the Pro tier adds enhanced control and integration capabilities including access to REST APIs and webhooks, telematics integration, vehicle and RFID tag management, custom domain and login branding, and advanced automated charging management (AutoPilot). It also expands white-labeling and bulk charger management for broader enterprise use.	\$39.16
	SYNP25-PRO-002	Synop	Synop Pro > 150 ports	Building on the Basic tier, the Pro tier adds enhanced control and integration capabilities including access to REST APIs and webhooks, telematics integration, vehicle and RFID tag management, custom domain and login branding, and advanced automated charging management (AutoPilot). It also expands white-labeling and bulk charger management for broader enterprise use.	\$32.41
	SYNP25-ADVANCED-001	Synop	Synop Advanced < 150 ports	Advanced tier offers the full suite of EV charging network management capabilities. In addition to all Basic and Pro features, it enables demand response functionality, wholesale market participation, V2X readiness, and site-level energy optimization including management of additional loads or on-site generation resources—delivering the most comprehensive energy and fleet control available.	\$52.66
	SYNP25-ADVANCED-002	Synop	Synop Advanced > 150 ports	Advanced tier offers the full suite of EV charging network management capabilities. In addition to all Basic and Pro features, it enables demand response functionality, wholesale market participation, V2X readiness, and site-level energy optimization including management of additional loads or on-site generation resources—delivering the most comprehensive energy and fleet control available.	\$45.91

	Operation and Maintenance (Preventative and Corrective)				
	Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
O&M Programs	SVC-ABM EV SERVICE CORE		Core – EVSE Support Service Plan	Bronze is a fixed-scope service plan designed for EVSE deployed at parking facilities, providing basic preventive maintenance on a monthly or quarterly schedule and on-call corrective maintenance. Manual summary reports are generated per visit or monthly, and spare parts are available on a pay-as-you-go basis. This entry-level plan is supported in major metropolitan areas.	TBD
	SVC-ABM EV SERVICE PLUS		Plus – Advanced EVSE Service Plan	Silver is a configurable service offering tailored for small fleets or advanced parking sites, featuring 24/7 remote monitoring with dashboard integration, basic dispatch case management, and enhanced preventive maintenance with reporting. Corrective maintenance is available within 72–120 hours, and warranty management is included (parts additional). This plan includes digital reporting and optional spare parts kits. Supported in all major coverage cities and compatible with customer-preferred products from ABB, Tellus, Autel, and Siemens. Bundled scope options are available for flexible deployment.	TBD
	SVC-ABM EV SERVICE MAX		Max – Comprehensive EVSE Fleet Service Plan	Gold is a fully custom service agreement designed for mid to large fleets with operational complexity. It includes 24/7 remote monitoring with dashboard integration, enhanced case management with manufacturer SLAs, predictive preventive maintenance with alerts and sensors, and emergency dispatch for corrective maintenance within 24 hours, including onsite technician support. Warranty management is fully included, with live dashboards, KPIs, and trends for reporting. Fleet telematics and route optimization are supported through optional full integration. Coverage is customer-driven with compatibility across ABB, Tellus, Autel, and Siemens hardware. Contract terms are fully customizable.	TBD
	Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
O&M Addons	ADD-TROUBLE		Diagnostic Troubleshooting (2-Hour Block)	Includes remote or on-site diagnostic troubleshooting services billed in 2-hour blocks, performed by certified EVSE technicians. Covers fault analysis, operational resets, and issue triage outside of scheduled maintenance. Applicable to all Evolve service tiers.	TBD
	ADD-EMERG		Emergency Response – Out-of-City Travel	Covers emergency dispatch for out-of-city travel to address urgent service interruptions. Includes technician mobilization, travel costs, and priority diagnostic action. Applies to sites outside standard coverage zones.	TBD
	ADD-PM-KIT-L2		Basic Preventive Maintenance Kit – L2 Charger	Includes consumables and OEM-specified components required for routine preventive maintenance on Level 2 chargers. Recommended for annual or semi-annual use. Pricing varies by hardware platform.	TBD
	ADD-PM-KIT-L3		Basic Preventive Maintenance Kit – DC Fast Charger	Supplies required materials for scheduled maintenance on Level 3 DC fast chargers, including filters, seals, thermal pads, and other OEM components. Designed for use by certified field technicians.	TBD
	ADD-WARR-KIT-L3		Level 3 Charger Warranty Kit	Single-use parts kit for Level 3 DC chargers, supporting in-warranty repairs as specified by OEM documentation. Includes OEM-certified components; price varies based on charger model and issue type.	TBD
	ADD-NW-REPAIR		Non-Warranty Repair Services (Hourly)	Billed hourly for corrective services not covered under OEM or site warranty. Includes labor for diagnostics, part replacement, and system recovery. Requires pre-approval for parts procurement.	TBD
	ADD-OEM-ESCAL		OEM Escalation Coordination	Provides coordinated engagement with OEM technical support for escalated issues requiring manufacturer input, diagnostics, or repair approvals. Available for Core and Plus plan participants.	TBD
	ADD-WARR		Extended warranty option	option warranty extension (if applicable to equipment)	TBD
ABM LEVEL 2 & 3 INSTALLATION SERVICES					
	Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
ACTIVATIONS AND COMMISSIONING	ACT-REMOTE		Remote Activation – EV Charger	Covers remote activation of Level 2 or Level 3 EV charging equipment, including initial software configuration, connectivity validation, and backend platform integration. Performed by certified support personnel, this service enables operational readiness without the need for a site visit.	TBD
	ACT-ONSITE		Onsite Activation – EV Charger	Includes onsite activation of Level 2 or Level 3 EV chargers, with technician-dispatched support for hardware verification, network setup, backend provisioning, and final system validation. Recommended when remote activation is not feasible due to site complexity or commissioning requirements.	TBD
	COM-GEN		EV Charger Commissioning	Provides full commissioning services for EVSE installations, including functional testing, safety verification, software setup, network configuration, and activation validation. Applies to both Level 2 and Level 3 deployments and ensures that charging systems meet operational, utility, and performance standards prior to handover.	TBD
	Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
Installation Services Offered	INST-STRATEGY		EV Deployment Strategy Consultation	Assist client with developing a customized electrification roadmap per location, including review of fleet, site, utility access, and expansion planning.	TBD
	INST-SURVEY		Site Assessment & Load Study	Onsite or remote assessment of infrastructure and utility capacity; includes 30-day load study (if required), panel review, and constructability planning.	TBD
	INST-ENGR		Electrical Engineering Services	Includes short circuit analysis, coordination studies, arc flash evaluations, and stamped drawings as needed for permitting and utility approval.	TBD
	INST-CIVIL		Civil Work – Trenching & Conduit	Covers trenching, excavation, conduit installation, backfill, and surface restoration to support charger and utility connections.	TBD
	INST-ELEC		Electrical Infrastructure Upgrades	Includes labor and materials for service panel upgrades, transformer coordination, new circuits, and high-voltage switchgear installs.	TBD
	INST-MOUNT		Charger Mounting & Foundations	Installation of pedestals, bollards, slabs, wall brackets, and foundations necessary for securing Level 2 or Level 3 EVSE.	TBD
	INST-CABLE		Cable Management Installation	Installation of cable retractors, overhead booms, or ground-based cable guides for improved user safety and compliance.	TBD
	INST-NETWORK		Communication & Networking Setup	Setup of cellular modems, routers, Ethernet cabling, and/or Wi-Fi networking to enable charger backend connectivity.	TBD
	INST-UTILITY		Utility Coordination & Metering	Support for interconnection applications, load study support, metering prep, and utility scheduling for service activation.	TBD
	INST-PERMIT		Permitting & Inspection Support	Submission of permit packages, AHJ coordination, construction inspections, and signoff documentation.	TBD
	INST-SIGNAGE		EV Signage & Striping Installation	Installation of EV-only signage, ADA-compliant striping, paint, wheel stops, and protective bollards.	TBD
	INST-ACTIVATE		Charger Activation & Commissioning	Onsite setup and verification of installed chargers including power-up, backend sync, functional tests, and operational handoff.	TBD
	INST-TEST		Acceptance Testing & Documentation	Collection of site asset data (IDs, serials, photos), validation of charging/payment system function, and test result documentation.	TBD
	INST-TRAINING		Onsite or Virtual End-User Training	One-time training session to demonstrate EVSE use, admin dashboard navigation, and basic troubleshooting for host/operator staff.	TBD
	INST-PM		Installation Project Management	Coordination of trades, scheduling, utility interface, milestone tracking, and reporting through install lifecycle.	TBD
	INST-ASBUILT		As-Built Documentation & Closeout	Delivery of as-built drawings, commissioning photos, component IDs, and final turnover package.	TBD
	INST-DECOM		Decommissioning & Equipment Relocation	Safe removal and optional relocation of existing EVSE equipment, including disposal or recommissioning at a new site.	TBD
	INST-COMM-UPGRADE		Communication Upgrade – Cellular Booster	Installation of cellular boosters or repeaters to enhance network signal strength at low-coverage sites.	TBD
	INST-GEN		Generator & Temporary Power Services	Rental, delivery, fueling, and connection of generators for temporary EV charger power during construction or outages.	TBD
	INST-RIGHTOFWAY		Right-of-Way Permitting	Coordination and filing of local or DOT permits required for trenching or equipment within public easements or rights-of-way.	TBD
	INST-GPR		Concrete Scanning & Utility Locate	Ground-penetrating radar and utility locating services to verify subsurface conditions before excavation or coring.	TBD
	INST-ADA		ADA Compliance Modifications	Site modifications to meet ADA access requirements including ramps, clearances, and signage as required by scope.	TBD
	INST-MISC		Miscellaneous Installation Services	Covers additional services such as sidewalk repair, asphalt patching, irrigation rerouting, soils testing, and traffic control not covered under defined install scope.	TBD

Shipping - Continental US Only					
	Item	Manufacture	Product Name	Description	ABM NPV Price After 20% Discount
Shipping and Handling	L2 charger (S&H)		L2 Charger – Shipping & Handling	Includes shipping and handling for Level 2 charging stations, covering secure packaging, logistics coordination, and insured freight delivery in compliance with standard transit regulations.	TBD
	L2 Pedestal (S&H)		L2 Pedestal – Shipping & Handling	Includes shipping and handling for Level 2 charger pedestals, ensuring protective crating, coordinated shipment, and safe delivery to support freestanding or dual-mount installations.	TBD
	DCWall Box (S&H)		DC Wall Box – Shipping & Handling	Includes shipping and handling for wall-mounted DC fast charger units, with emphasis on high-voltage packaging, carrier scheduling, and compliant delivery to installation sites.	TBD
	DCWall Box Pedestal (S&H)		DC Wall Box Pedestal – Shipping & Handling	Includes shipping and handling for pedestal-mounted DC wall box chargers, providing durable packaging, freight management, and safe transport for vertically installed equipment.	TBD
	50kW - 100kW AIO Unit (S&H)		50kW–100kW AIO Charger – Shipping & Handling	Includes shipping and handling for all-in-one DC fast chargers rated between 50 kW and 100 kW, with secure packaging, logistics coordination, and insured delivery for high-voltage systems.	TBD
	100kW - 200kW AIO Units (S&H)		100kW–200kW AIO Charger – Shipping & Handling	Includes shipping and handling for all-in-one chargers delivering 100 kW to 200 kW, covering regulated packaging, carrier oversight, and coordinated delivery of heavy-duty equipment.	TBD
	200kW - 300kW AIO Units (S&H)		200kW–300kW AIO Charger – Shipping & Handling	Includes shipping and handling for integrated DC fast chargers rated from 200 kW to 300 kW, ensuring compliant packaging, load planning, and transit insurance for large-scale units.	TBD
	300kW+ AIO Units (S&H)		300kW+ AIO Charger – Shipping & Handling	Includes shipping and handling for all-in-one chargers exceeding 300 kW output, featuring specialty freight services, protective packaging, and safe delivery of oversized charging systems.	TBD
	DCFC ACC (S&H)		DCFC Accessories – Shipping & Handling	Includes shipping and handling for DC fast charger accessories, such as cable management or auxiliary components, with appropriate packaging and coordination for consolidated delivery.	TBD
	HP Power Cabinet (S&H)		High Power Cabinet – Shipping & Handling	Includes shipping and handling for high-power DC charging cabinets, covering reinforced crating, freight carrier coordination, and insured shipment of high-voltage infrastructure.	TBD
	Regular Despesnser (S&H)		Dispenser – Shipping & Handling	Includes shipping and handling for standard EV charging dispensers, providing protective packaging, secure transit, and synchronized delivery for distributed power configurations.	TBD
	Pantograph (S&H)		Pantograph – Shipping & Handling	Includes shipping and handling for pantograph overhead charging systems, supporting structured transport, compliant packaging, and delivery of large-scale conductive components.	TBD
	HP ACC (S&H)		High Power Accessories – Shipping & Handling	Includes shipping and handling for high-power accessory components, offering secure packaging, shipment coordination, and reliable delivery aligned with system deployment schedules.	TBD