

ARI Phoenix, Inc. (d/b/a ARI-Hetra)
11163 Woodward Lane | Sharonville, OH 45241
800-562-3250 | info@ari-hetra.com | www.ari-hetra.com

Eff. 4/1/2025

ARI-HETRA Part Number	Category	Product Description No intallation required; set up and training provided (CONUS)	NASPO Net Price (freight not included in price; shipped FOB destination, freight prepaid and added)	Complies with Buy America Yes/No
WS-12630	Tire Changers	Electro-Hydraulic Tire Changer, 3,086 Lbs Cap., 63" Dia., 31" Width, 220V 3-Ph (8.5 amps)	\$15,415.59	No
WS-12630-1	Tire Changers	Electro-Hydraulic Tire Changer, 3,086 Lbs Cap., 63" Dia., 31" Width, 220V 1-Ph	\$16,062.99	No
WS-12645	Tire Changers	Electro-Hydraulic Semi-Automatic Tire Changer, 2,645 Lbs Cap., 88" Dia., 45" Width, 220V 3-Ph	\$20,618.03	No
WS-12650	Tire Changers	Electro-Hydraulic Automatic Tire Changer, 3,086 Lbs Cap., 90" Dia., 49" Width, 220V 3-Phase	\$30,724.94	No
WS-19660	Tire Changers	Electro-Hydraulic Super Automatic Tire Changer 4,500 Lbs Cap., 112" Dia., 60" Width, 220V 3-Ph - More powerful chuck motor 4-5 HP (vs. 3-4 HP on standard), wiring harness with larger AWG gauge wiring, also includes larger contactors, fuses, etc., thicker chuck arm shaft bearings, enhanced chuck gear design-new metal alloy and wider 30mm gear width, but save overall diameter. Also included is a new valve for smoothly raising and lowering larger tires	\$37,193.13	No
WS-22670	Tire Changers	Hydraulic Automatic Tire Changer 6,613 Lbs Cap., 118" Dia., 71" Width, wireless remote control with backup cable, 220V 3-PH 20AMP. Truck, bus, tractor, agricultural, OTR tires.	\$54,674.59	No
WS-25TC30	Tire Changers	Electro-Hydraulic Tire Changer, automatic carriage, manual tool arm and tool head, 2,645 Lbs Cap., 65" Dia., 34" Width, hardwired remote control, 220V 3-Phase. Truck, bus, and super single tires.	\$13,975.54	No
WS-25TC45	Tire Changers	Electro-Hydraulic Tire Changer, automatic carriage, manual tool arm and tool head, 4,410 Lbs Cap., 91" Dia., 45" Width, hardwired remote control, 220V 3-Phase. Truck, bus, tractor, agricultural, OTR tires.	\$18,174.51	No
WS-25TC50	Tire Changers	Electro-Hydraulic Tire Changer, automatic carriage, tool arm and tool head, 4,410 Lbs Cap., 91" Dia., 52" Width, Wireless remote control w/ backup cable, 220V 3-Phase. Truck, bus, tractor, agricultural, OTR tires.	\$26,276.14	No
WS-12880	Wheel Balancers	Heavy-Duty Wheel Balancer - Red Digital Display - 110V 1-PH	\$11,732.05	No
WS-12890	Wheel Balancers	Heavy-Duty Computerized Wheel Balancer - LCD Computer Display - 110V 1-PH	\$13,105.70	No
WS-25WB10	Wheel Balancers	Heavy-Duty Hand Crank Wheel Balancer - MUST HAND CRANK FOR TIRE ROTATION AND WHEEL LIFT - for car and heavy-duty truck wheels - LCD Computer Display with rechargeable battery - 110V 1-PH battery recharger with NEMA 5-15-P plug.	\$5,467.21	No
WS-25WB30	Wheel Balancers	Heavy-Duty Digital Wheel Balancer - for car and heavy-duty truck wheels - wheel lift included - red LED display - 110V 1-PH with NEMA 5-15-P plug.	\$7,877.53	No
WS-25WB50	Wheel Balancers	Heavy-Duty Computer Wheel Balancer - for car and heavy-duty truck wheels - wheel lift included - LCD Computer Display - 110V 1-PH with NEMA 5-15-P plug.	\$9,847.12	No
WS-BL44	Brake Lathes	On-Vehicle Disc Brake Lathe W/Rheostat, 220V 60HZ 1-Phase. Includes hub adapter AA0251 - 10 bolt x 335mm.	\$22,208.31	No

WS-BL44-T	Brake Lathes	On-Vehicle Disc Brake Lathe w/Rheostat, 220V 60Hz 1-Phase, includes Height Extension Kit (13.75" taller than standard overall height). Will only work with in-ground or mobile lift on tall stands. Not compatible with drive-on lifts. Includes hub adapter AA0251 - 10 bolt x 335mm.	\$22,821.68	No
WS-KPP143	King Pin Press	Heavy-Duty King Pin Press, Compression Force 143,000 Lb.	\$9,017.12	No
WS-18-HR	Brake Maintenance Tools	Brake Hub Removal Jack with Tool Tray, 1,100 lb Capacity. Includes 9307 & 9316 universal adapters.	\$5,572.62	No
WS-18-HR-P	Brake Maintenance Tools	Brake Hub Removal Jack with Tool Tray, Pneumatic pump, 1,100 lb Capacity. Includes 9307 & 9316 universal adapters.	\$6,519.65	No
WS-18-HR-T	Brake Maintenance Tools	Brake Hub Removal Jack with Tool Tray. TALL VERSION. 1,100 lbs. max. capacity. Includes 9307 & 9316 universal adapters.	\$5,988.45	No
WS-18-HR-PT	Brake Maintenance Tools	Includes 9307 & 9316 universal adapters. Hub removal jack with tool tray. TALL VERSION. Pneumatic pump, 1,100 lbs. max. capacity.	\$7,456.72	No
WS-18-BC	Brake Maintenance Tools	Brake Caliper Jack with Tool Tray and Hub Removal Strap, 330 lb Capacity. Includes 8811 extension bar and the 8806 & 8807 adapters.	\$2,962.27	No
WS-18-BC-T	Brake Maintenance Tools	Caliper jack with tool tray and hub removal strap. TALL VERSION. 330 lbs. max. capacity. Includes 8811 extension bar and the 8806 & 8807 adapters.	\$3,095.07	No
WS-21-Splitter	Brake Maintenance Tools	Hub and Rotor Splitter	\$3,951.63	No
WS-AH20330	Wheel Dollies	Manual High Lift Wheel Dolly, 1500 Lb Capacity	\$3,488.49	No
WS-AH20440	Wheel Dollies	Air-Operated High Lift Wheel Dolly, 1500 Lb. Capacity	\$4,548.40	No
AH-80330	Wheel Dollies	Battery Powered High Lift Wheel Dolly, 53" Diameter Tires, 2000 Lb. Capacity	\$10,058.77	Yes
WS-35026	Inflation Cages	Tire Inflation Safety Cage For Tires 50" Diameter And 26" Wide	\$7,845.16	Yes
WS-35026-70	Inflation Cages	Automatic Tire Inflation Safety Cage For Tires 70" Dia. And 27" Wide	\$11,776.87	Yes
WS-16215	Floor Jacks	Two-Step Air/Hydraulic Jack, 44,000/88 lb Capacity, Min. Height 6.5" Max. Height 13.5". Includes adapters A02354, A02406 and A02410.	\$2,479.21	No
WS-16300	Floor Jacks	Two-Step Air/Hydraulic Jack, 44,000/88 lb Capacity, 8.5" Min. Height, 17" Max. Height. Includes adapters A02354, A02406 and A02410.	\$3,126.61	No
WS-16236	Floor Jacks	Three-Step Air/Hydraulic Jack, 40,000/66/132 lb Capacity, Min. Height 7", Max. Height 16.5". Includes adapters A02354, A02406 and A02410.	\$3,611.33	No
WS-16124	Floor Jacks	Three-Step Air/Hydraulic Jack, 33,000/66,000/132,000 lb Capacity, 4.75" Min. Height, 10" Max. Height	\$4,204.78	No
WS-16415	Floor Jacks	Four-Step Air/Hydraulic Jack, 33,000/55,000/110,000/176,000 lb Capacity, 7" Min. Height, 19" Max. Height. Includes adapters A02354, A02406 and A02410.	\$4,527.65	No
WS-1945	Floor Jacks	Military Floor Jack - hydraulic jack that lifts the front or rear of military vehicles. 45,000 lbs. (22.5 Tons) capacity. 18" height pistons (this is 28" off the ground) with interchangeable quick connects. Includes adapters (pairs) 4101, 4102, 4103 and 4105. LIFTING SHACKLES SOLD SEPARATELY.	\$10,186.59	No
WS-24LPJ	Floor Jacks	Hydraulic jack with hand pump. 9.9/5.5 ton capacity. Net Weight 66 lb. Stroke 10.8 in. Minimum height 1 in.	\$2,212.78	No
WS-AHMPJ1226	Pit Jack	Pit Jack. 26,000 Lb. Capacity (12 Metric Ton), Twin Ram Air-Operated Pump	\$7,175.35	No
WS-AHMPJ2044	Pit Jack	Pit Jack. 44,000 Lb. Capacity (20 Metric Ton), Twin Ram Air-Operated Pump (old Part # AH-MPJ-20-44)	\$8,548.17	No

WS-AHMPJ4088	Pit Jack	Pit Jack. 88,000 Lb. Capacity (40 Metric Ton), Twin Ram Air-Operated Pump (old Part # AH-MPJ-40-88)	\$15,195.64	No
WSA-4250	Pit Jack Accessory	Spreader Beam Rated For 22,000 lbs. 48.75" wide.	\$818.38	No
WSA-4350	Pit Jack Accessory	Spreader Beam Rated For 22,000 lbs., 55" wide.	\$818.38	No
WSA-4450	Pit Jack Accessory	Spreader Beam Rated For 22,000 lbs. 60.75" wide.	\$818.38	No
WS-MobileAlign	Alignment	Precise wheel alignment for heavy vehicles used with or without a vehicle lift. Motorized camera beam movement follows the movements of the vehicle at any desired position. Suitable for a wide range of vehicles, from multi-axle buses and trucks to trailers and cars. 110V 1-PH. Standard Equipment: PC, Monitor, Keyboard & Mouse - Qty. 1 Set of Wheel bracket, rim size 12" to 24" - Qty. 4 Target Plates - Qty. 4 Rotary plate (7 tons) - Qty. 2 Brake pedal lock - Qty. 1 Steering lock - Qty. 1 Rim locking pins with adaptor - Qty. 16 Brake pedal lock for cars & LCVs and for bus/truck - Qty. 1 Wheel Chocks - Qty. 2 Car alignment kit - Qty. 1	\$31,672.80	No
WS-25EV-E	EV Battery Lift	EV Battery Lift 4,500 lbs. Service heavy-duty truck and bus hybrid and electric vehicles. Platform 43" x 81.5" tilts in three directions. Surface table with 4" x 4" grid pattern and M10 holes. Includes remote control. 110V.	\$9,128.34	No
WS-25EV-P	EV Battery Lift	EV Battery Lift 4,500 lbs. Service heavy-duty truck and bus hybrid and electric vehicles. Platform 43" x 81.5" tilts in three directions. Surface table with 4" x 4" grid pattern and M10 holes. Includes remote control. Pneumatic.	\$9,128.34	No
WARRANTY:		www.ari-hetra.com/warranty/		
SERVICE RATES: (non-discounted)	ARI-Hetra Service Rates (non-discounted options; prices subject to change)	Description (annual PM service on Lifts recommended)	Price	
	Travel	Per Hour	\$140.00	
	Labor	Per Hour	\$165.00	
	PM2	Preventative Maintenance & Safety Inspection on 2-post Mobile Column Lift system.	\$674.00	
	PM4	Preventative Maintenance & Safety Inspection on 4-post Mobile Column Lift system.	\$1,100.00	
	PM6	Preventative Maintenance & Safety Inspection on 6-post Mobile Column Lift system.	\$1,388.00	
		<i>Costs for Repair Parts additional. PM rates include travel to a customer's site. Rates subject to change.</i>		

	PM HDXL	Preventative Maintenance & Safety Inspection	\$1,100.00	
	PM BALANCER	Preventative Maintenance & Safety Inspection	\$695.00	
	PM TIRE CHANGER	Preventative Maintenance & Safety Inspection	\$695.00	
	PM Accessory	Preventative Maintenance & Safety Inspection	\$695.00	
	Customized Exhaust Extraction Systems:			
	Installation cost is additional and to be determined depending on project.			
	- All Mobile Column Lifts (BPW, CB, LP) are delivered products with no install necessary.			
	- Installation of Scissor or Platform Lifts (HDXL, HDPL models): \$7,850			