

MSQ4,b

See below for examples of Utilization Management criteria developed for HIV atypical anti-psychotics and GLP-1 antagonists.

**CONFIDENTIAL, PROPRIETARY AND TRADE SECRET INFORMATION OF OPTUM
RX**


HIV-AIDS PA EXAMPLE #1







LENGTH OF AUTHORIZATION: 


NOTE:




PA CRITERIA:












HIV-AIDS PA EXAMPLE #2

1 . Criteria





ANTIPSYCHOTIC THERAPY WITH QL EXAMPLE #1




APPROVAL DURATION

[REDACTED]

APPROVAL CRITERIA

[REDACTED]







Table 1 – Adequate Dose

A large, solid black rectangular redaction box covering the entire table content, positioned below the table caption and above the footer.

ANTIPSYCHOTIC THERAPY CRITERIA EXAMPLE #2


APPROVAL DURATION


APPROVAL CRITERIA




Note the following:







GLP-1 RECEPTOR AGONISTS AND COMBINATIONS EXAMPLE #1



APPROVAL DURATION


[Redacted]


APPROVAL CRITERIA


[Redacted]


PREFERRED AGENTS

[Redacted]













NON-PREFERRED AGENTS









GLP-1 RECEPTOR AGONISTS AND COMBINATIONS EXAMPLE #2

1 . Criteria

