























Products:

Product	Pressure Rating	Size	Delivery Time Est.	Picture
<p>Christmas Tree: Well control Wellheads with hydraulic and manual valves – liner and casing hangers. Material classes AA – HH PSL 3 Temperature classes K-X API6A: BV & ABS certified</p>	10K 15K	3" 4" 5" 7"	90 dAYS	
<p>Rig Kill Manifolds: Manual and fully automated kill manifolds with auto-chokes electrical and hydraulic types. Material classes AA – HH PSL 3 Temperature classes K-X API6A: BV & ABS certified</p>	5K 10K 15K	3" 4"	90 dAYS	
<p>API6A Drilling mud manifold: Mud control manifolds with mud gate valves for superior applications with gates designed for caking and solids deposit control.</p>	5K 10K 15K	3" 4" 6"	90 dAYS	
<p>Surface Test Tree: Flow heads for Drill stem tests. Material classes AA – HH PSL 3 Temperature classes K-X API6A: BV & ABS certified</p>	10K 15K	3" 4" 5"	90 dAYS	
<p>Expendable choke Systems "ECS": Single barrier frac clean-out choke systems with hardened steel spools and minimum elbows for more erosion resistant and high-pressure high water and solid contents wells. Material classes AA – HH PSL 3 Temperature classes K-X API6A: BV & ABS certified</p>	5K 10K 15K	3" 4"	90 dAYS	

<p>Well Head De-sander: Portable cyclonic units for dewatering and desanding shale explorations and clean outs – plug removal and descaling. Material classes AA – HH PSL 3 Temperature classes K-X API6A: BV & ABS certified</p>	<p>10K 15K</p>	<p>3" 4"</p>	<p>90 dAYS</p>	
<p>API6A Double Block Flare Diverters: 4 outlet 4" & 6" double block diverters for high rate gas wells. Material classes AA – HH PSL 3 Temperature classes K-X API6A: BV & ABS certified</p>	<p>10K 15K</p>	<p>3" 4"</p>	<p>90 dAYS</p>	
<p>ANSI Diverters: 3-Way – 5 Way manifolds: Separator and surge tank diverter manifolds. 75K 4130 material fully forged pipework.</p>	<p>#300 #600 #900 #1500</p>	<p>3" 4"</p>	<p>90 dAYS</p>	
<p>Frac Goat-Buffer Heads: A flow cross installed on top of a frac tree where treating iron is connected, and treatment fluid enters the frac tree. Material classes AA – HH PSL 3 Temperature classes K-X API6A: BV & ABS certified</p>	<p>10K 15K 20K</p>	<p>3" 4" 6"</p>	<p>90 dAYS</p>	
<p>Auto Chokes Electrical: Fast acting highly durable electrically controlled automatic back pressure controllers for well control and milling applications. Material classes AA – HH PSL 3 Temperature classes K-X API6A: BV & ABS certified</p>	<p>5K 10K 15K</p>	<p>2" 3" 4"</p>	<p>90 dAYS</p>	
<p>Auto Chokes Hydraulic: Pressure balanced automatic drilling-controlled chokes for balanced drilling and mud control. Material classes AA – HH PSL 3 Temperature classes K-X</p>	<p>5K 10K 15K</p>	<p>2" 3" 4"</p>	<p>90 dAYS</p>	

<p>API6A: BV & ABS certified</p>				
<p>API6A-Surface Safety Valves: Hydraulic surface safety valves and auto shut down valves – pressure balance control – NOV & ANSON hydraulic chambers. Material classes AA – HH PSL 3 Temperature classes K-X API6A: BV & ABS certified</p>	<p>5K 10K 15K</p>	<p>3" 4" 5"</p>	<p>90 dAYS</p>	
<p>API6A Hydraulic Gate Valves: Direct and reverse acting hydraulic valves for high pressure and sand applications. Material classes AA – HH PSL 3 Temperature classes K-X API6A: BV & ABS certified</p>	<p>5K 10K 15K</p>	<p>2" 3" 4" 6" 7"</p>	<p>60 dAYS</p>	
<p>API 6A - FC Gate Valves: Manual and hydraulic types, basic design for high pressure applications. Material classes AA – HH PSL 3 Temperature classes K-X API6A: BV & ABS certified</p>	<p>5K 10K 15K</p>	<p>2" 3" 4" 6" 7"</p>	<p>60 dAYS</p>	
<p>API6A – PFFA Gate valves: Manual economic type gate valve for oil and medium pressure application. Material classes AA – HH PSL 3 Temperature classes K-X API6A: BV & ABS certified</p>	<p>5K 10K 15K</p>	<p>2" 3" 4" 6" 7"</p>	<p>60 dAYS</p>	

<p>Mud Gate Valves: Demco mud gate valves for caking and solid deposit control.</p>	<p>5K 10K 15K</p>	<p>2" 3" 4"</p>	<p>60 dAYS</p>	
<p>API6A Pipework: Flanged pipework – fully forged up to 15 ft long. Material classes AA – HH PSL 3 Temperature classes K-X API6A: BV & ABS certified</p>	<p>10K 15K</p>	<p>3"1/16 4"1/16</p>	<p>60 dAYS</p>	
<p>Chicksan Pipework: 4130 75K pipework material, fully forged pipework, elbows, tee blocks, target tees. Chicksan connections 1502, 602 and 206.</p>	<p>1440 5K 10K</p>	<p>2" – 3" 4" – 6"</p>	<p>60 dAYS</p>	
<p>1502 Chicksan Swivels: High quality extreme sour services 75K chicksan swivels.</p>	<p>5K 10K 15K</p>	<p>2" 3"</p>	<p>60 dAYS</p>	
<p>ANSI flanges – Spools – Pipework: B31.3 flanges and spools, fully forged up to 15 ft long.</p>	<p>300# 600# 900# 1500#</p>	<p>2" 3" 4" 6"</p>	<p>60 dAYS</p>	
<p>Gate Valves Spare parts: All type gate valves spare parts "FC-FLS-FL-WM-E" Fully tungsten carbide coated – Inconel 718 stems – stellite-6 seats.</p>	<p>5K 10K 15K</p>	<p>All</p>	<p>60 dAYS</p>	

Plug Valves Spare parts: Extreme sour services	5K 10K 15K	All	60 dAYS	
API6A & ANSI gaskets: Extreme sour services	All	All	60 dAYS	