



The Free and Open Productivity Suite

 search

[Help us Help the World: Donate Today](#)

[Product](#) | [Download](#) | [Support](#) | [Blog](#) | [Extend](#) | [Develop](#) | [Focus Areas](#) | [Native Language](#)

[home](#) » [download](#)

Apache OpenOffice Downloads - Official Site - All Builds

[Full installation sets + languages packs](#)

[Software Development Kit \(SDK\)](#)

[Source code tarballs](#)

[Release notes](#)

[How to verify the downloaded file?](#)

[Alternative download mirrors](#)

[Important Notes](#)

Apache OpenOffice 4.0.1 - Full installation sets and language packs

Full Installation vs. Language Pack

If you want to use more than a single language in Apache OpenOffice than it is recommended to use [language packs](#). The idea is to have a base language, e.g., English (US) and several other languages without a need to install for every language a full installation. Due to this it has to be installed over a full installation with the same version number and platform. The language can be changed via the menu "Tools - Options - Language Settings - Languages - User Interface".

They are not integrated in the full installation file and it contains only resource files to show, e.g., menus, dialogs, error messages in your favorite language - but there is no program

logic. It may contain translated Help content as well. Language packs are created only when also a full installation file is available. In case it is not fully localized, some elements of the UI or help topics will display in English as default language.

Please check the integrity of the downloaded file

It is recommended that you [verify the integrity](#) of the downloaded file. Available are [MD5](#) + [SHA256](#) hash values. Here you have to create a [hash value](#) of your downloaded, locally saved Apache OpenOffice file and compare this with the hash value of the respective file in the table below.

We also provide [PGP](#) signatures. To use this verification you have to download the respective ASC file in the table below and this [KEYS](#) file.

For more information and details how to do the integrity verification please read the guide: [How to verify the download with signatures and hash values?](#)

Language The names do not refer to countries.		Type	Windows Intel EXE	Linux Intel RPM	Lin Int DEB
Asturian	Asturianu	Full Install	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC M SHA256
		Langpack	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC M SHA256
Basque	Euskara	Full Install	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC M SHA256
		Langpack	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC M SHA256
Chinese (simplified)	简体中文	Full Install	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC M SHA256
		Langpack	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC M SHA256
Chinese (traditional)	正體中文	Full Install	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC M SHA256

Language The names do not refer to countries.		Type	Windows Intel EXE	Linux Intel RPM	Lin In DEB
		Langpack	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256
Start of page					
Language The names do not refer to countries.		Type	Windows Intel EXE	Linux Intel RPM	Lin In DEB
Czech	Čeština	Full Install	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256
		Langpack	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256
Dutch	Nederlands	Full Install	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256
		Langpack	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256
English (GB)	English (British)	Full Install	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256
		Langpack	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256
English (US)	English (US)	Full Install	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256
		Langpack	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256
Start of page					
Language The names do not refer to countries.		Type	Windows Intel	Linux Intel	Lin In

Language The names do not refer to countries.		Type	Windows Intel EXE	Linux Intel RPM	Lin In De
			EXE	RPM	De
Finnish	Suomi	Full Install	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC M SHA256
		Langpack	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC M SHA256
French	Français	Full Install	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC M SHA256
		Langpack	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC M SHA256
Gaelic (Scottish)	Gàidhlig	Full Install	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC M SHA256
		Langpack	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC M SHA256
Galician	Galego	Full Install	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC M SHA256
		Langpack	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC M SHA256
Start of page					
Language The names do not refer to countries.		Type	Windows Intel EXE	Linux Intel RPM	Lin In De
German	Deutsch	Full Install	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC M SHA256
		Langpack	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC M SHA256

Language The names do not refer to countries.		Type	Windows Intel EXE	Linux Intel RPM	Linux Intel DEB
Greek	Ελληνικά	Full Install	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256
		Langpack	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256
Hungarian	Magyar	Full Install	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256
		Langpack	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256
Italian	Italiano	Full Install	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256
		Langpack	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256

[Start of page](#)

Language The names do not refer to countries.		Type	Windows Intel EXE	Linux Intel RPM	Linux Intel DEB
Japanese	日本語	Full Install	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256
		Langpack	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256
Khmer	ភាសាខ្មែរ	Full Install	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256
		Langpack	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256

Language The names do not refer to countries.		Type	Windows Intel EXE	Linux Intel RPM	Linux Intel DEB
Korean	한국어	Full Install	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256
		Langpack	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256
Lithuanian	Lietuvių	Full Install	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256
		Langpack	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256
Start of page					
Language The names do not refer to countries.		Type	Windows Intel EXE	Linux Intel RPM	Linux Intel DEB
Polish	Polski	Full Install	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256
		Langpack	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256
Portuguese (Brazilian)	Português (do Brasil)	Full Install	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256
		Langpack	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256
Portuguese (European)	Português (Europeu)	Full Install	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256
		Langpack	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256

Language The names do not refer to countries.		Type	Windows Intel EXE	Linux Intel RPM	Linux Intel DEB
Russian	Русский	Full Install	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256
		Langpack	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256
Start of page					
Language The names do not refer to countries.		Type	Windows Intel EXE	Linux Intel RPM	Linux Intel DEB
Serbian (Cyrillic)	Српски (ћирилицом)	Full Install	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256
		Langpack	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256
Slovak	Slovenský jazyk (slovenčina)	Full Install	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256
		Langpack	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256
Slovenian	Slovenski jezik (slovenščina)	Full Install	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256
		Langpack	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256
Spanish	Español	Full Install	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256
		Langpack	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC MD5 SHA256

Language The names do not refer to countries.		Type	Windows Intel EXE	Linux Intel RPM	Lin In DE
Start of page					
Language The names do not refer to countries.		Type	Windows Intel EXE	Linux Intel RPM	Lin In DE
Swedish	Svenska	Full Install	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC M SHA256
		Langpack	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC M SHA256
Tamil	தமிழ்	Full Install	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC M SHA256
		Langpack	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC M SHA256
Turkish	Türkçe	Full Install	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC M SHA256
		Langpack	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC M SHA256
Vietnamese	Tiếng Việt	Full Install	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC M SHA256
		Langpack	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC M SHA256
Start of page					
Language The names do not refer to countries.		Type	Windows Intel EXE	Linux Intel RPM	Lin In DE

Language The names do not refer to countries.		Type	Windows Intel EXE	Linux Intel RPM	Lir In: Di
English (US)	English (US)	SDK	exe ASC MD5 SHA256	rpm ASC MD5 SHA256	deb ASC M SHA256
-	-	Source tarballs	tar.bz2 ASC MD5 SHA256		tar.gz ASC M SHA256
-	-	Other files	AOO Release Notes		How verify download
Start of page					

Important Notes:**Language is not listed**

If your language is not listed here then this means the translation is not yet completed. Our translations are all done by volunteers, by OpenOffice users like yourself. If you are interested in helping translate OpenOffice into your language, please see our [How to Help Translate Apache OpenOffice](#) page.

Platform is not listed

If your operating system is not listed here, or you need a special version of Apache OpenOffice, please see our [list of third-party ports and distributions](#).

Alternative Download Mirrors

In the table above, installation files point to our main distribution site, that uses the [SourceForge.net](#) mirror network. Additionally, all the installation files are also available on the [Apache mirrors](#). Just search your [nearest mirror](#).

Software Development Kit (SDK)

The [Apache OpenOffice SDK \(AOO SDK\)](#) is an add-on for the office suite. It provides the necessary tools and documentation for programming the AOO APIs and creating own extensions (UNO components). If you want to use Apache OpenOffice without to plan any own extended functionality then you do not need to install the AOO SDK.

Source code

The [Apache OpenOffice source](#) contain the source code that was used to built the Apache OpenOffice releases from. Different compressed file formats are offered. Apache OpenOffice is licensed with the [Apache License v2](#). If you want to use Apache OpenOffice without to plan to build it from scratch then you do not need to download any of the source tarballs.

More important notes

[Start of page](#)

Report broken links

Please report any broken link or things you think that needs to be corrected on this webpage by sending a mail to: [Development mailing list](#). *)

Where to get help when I have a problem?

If you encounter problems with installation or using Apache OpenOffice, please contact us via the following ways:

[User's mailing list](#) *)

[User forums \(different languages\)](#)

[Another user forums](#)

*) Please note that all mails go to a public mailing list, not an individual person. Mails will be archived and can be accessed also by other users. To receive answers, you will need to subscribe to the mailing list before sending mails. For instructions, see: [Learn more about how to use mailing lists](#).

[Start of page](#)

[Copyright & License](#) | [Privacy](#) | [Contact Us](#) | [Donate](#) | [Thanks](#)

Apache, the Apache feather logo, and OpenOffice are trademarks of The Apache Software Foundation. OpenOffice.org and the seagull logo are registered trademarks of The Apache Software Foundation. Other names appearing on the site may be trademarks of their respective owners.

