

- Read the IAQ
 Backgrounder and
 the Background
 Information for
 this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- 3. Complete the Checklist.
 - Check the "yes,"
 "no," or
 "not applicable"
 box beside each
 item. (A "no"
 response
 requires further
 attention.)
 - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

Food Service Checklist

	ood octate checkiist		
N	ame: Timothy Noel		
S	chool: PLA - Ed Advence		
	oom or Area: Date Completed: 12/18/28		
Si	ignature:	-	
L			
1.	COOKING AREA		
la.	Determined that local exhaust fans operate properly (note if fans are excessively noisy)	No	N/
1b.	Checked for odors near cooking, preparation, and eating areas		N N
	Ensured that exhaust fans are used whenever cooking, washing dishes,		7
	and cleaning		4
1d.	Determined that gas appliances function properly		1/2
le.	Verified that gas appliances are vented outdoors		×
11.	Ensured there are no combustion gas or natural gas odors, leaks, backdrafting, or headaches when gas appliances are used		*
lg.	Ensured that kitchen is clean after use		1
	Checked for signs of microbiological growth in the kitchen, including	_	
	the upper walls and ceiling (for example, mold, slime, and algae)		A
1 i.	Selected biocides registered by EPA (if required), followed the		
	manufacturer's directions for use, and carefully reviewed the		¥
lj.	wethod of application		
. .	stains, discoloration, and damp areas)		X
2.	FOOD HANDLING AND STORAGE		
2a.	Checked food preparation, cooking, and storage areas for signs of insects		
	and vermin (for example, feces or remains)		
2b.	Stored leftovers in well-sealed containers with no traces of food on outside		
) 0	surfaces		
2d	Ensured that food preparation, cooking, and storage practices are sanitary Disposed of food scraps properly and removed crumbs		U
le.	Cleaned counters with soap and water or a disinfectant (according to	u	
	school policy)		
2f.	Swept and wet mopped floors		
3.	WASTE MANAGEMENT		
Sa.	Selected and placed waste in appropriate containers		
	Ensured that containers' lids are securely closed		
c.	Separated food waste and food-contaminated items from other wastes,		
1	if possible		
d.	Stored waste containers in a well-ventilated area		
e.	Ensured that dumpsters are properly located (away from air intake vents, operable windows, and food service doors in relation to		

prevailing winds)

4.	DELIVERIES	Yes	No	N/A	1		
4a.	Instructed vendors to avoid idling their engines during deliveries	🗖					1 8
4b.	Posted a sign prohibiting vehicles from idling their engines in receiving areas			*		130	
1c.	Ensured that doors or air barriers are closed between receiving area and kitchen	🗅		*			



- Read the IAQ
 Backgrounder and
 the Background
 Information for
 this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- 3. Complete the Checklist.
 - Check the "yes,"
 "no," or
 "not applicable"
 box beside each
 item. (A "no"
 response requires
 further attention.)
 - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

Building and Grounds Maintenance Checklist

	Control of the Contro			
Na	ame: Timothy Noel			
Sc	chool: PLA - EdAdvance			
Ro	poom or Area: Date Completed:	1		
Si	gnature:			
1.	BUILDING MAINTENANCE SUPPLIES			D1/6
1a.	Developed appropriate procedures and stocked supplies for spill control		IVO	N/A
	Reviewed supply labels			
	Ensured that air from chemical and trash storage areas vents to			
	the outdoors	🗖		X
1d.	Stored chemical products and supplies in sealed, clearly labeled	1		
1	containers			
1e. 1f.	Researched and selected the safest products available	🔁	_	
11.	instructions	🌠		
1g.	Ensured that chemicals, chemical-containing wastes, and containers are			
	disposed of according to manufacturers' instructions			
	Substituted less- or non-hazardous materials (where possible)	🔀		
li.	Scheduled work involving odorous or hazardous chemicals for periods when the school is unoccupied	M.		
1j.	Ventilated affected areas during and after the use of odorous or	/		
- J.	hazardous chemicals	\		
		1		
2.	GROUNDS MAINTENANCE SUPPLIES			
2a.	Stored grounds maintenance supplies in appropriate area(s)	🗖		X
2b.	Ensured that supplies are used and stored according to manufacturers'	200	00.000	
2	instructions.	🗀		P
2 c .	Established and followed procedures to minimize exposure to fumes from supplies			Y
2d.	Reviewed and followed manufacturers' guidelines for maintenance			P
	Replaced portable gas cans with low-emission cans			A
2f.	Stored chemical products and supplies in sealed, clearly-labeled			-
	containers	🗖		A
2g.				·
	disposed of according to manufacturers' instructions	🗀		P
3.	DUST CONTROL			
3a.	Installed and maintained barrier mats for entrances	🗲		
3b.	Used high efficiency vacuum bags			
3c.	Used proper dusting techniques	🔯		
3d.	11	7		
3e	Cleaned air return grilles and air supply yents	N.		

4.	FLOOR CLEANING Yes	No	N/A	
4b.	Established and followed schedule for vacuuming and mopping floors			
5.	DRAIN TRAPS			
5b.	Poured water down floor drains once per week (about 1 quart of water) Ran water in sinks at least once per week (about 2 cups of water). Flushed toilets once each week (if not used regularly)			
6.	MOISTURE, LEAKS, AND SPILLS	,		
	Checked for moldy odors			,
6b.	Inspected ceiling tiles, floors, and walls for leaks or discoloration (may indicate periodic leaks)			
6c.	Checked areas where moisture is commonly generated (e.g., kitchens, locker rooms, and bathrooms)			
	Checked that windows, windowsills, and window frames are free of condensate			
6e.	Checked that indoor surfaces of exterior walls and cold water pipes are free of condensate			
6f.	Ensured the following areas are free from signs of leaks and water damage: Indoor areas near known roof or wall leaks			
	Walls around leaky or broken windows			
	Floors and ceilings under plumbing			
	Duct interiors near humidifiers, cooling coils, and outdoor air intakes			
7.	COMBUSTION APPLIANCES			
7a.	Checked for odors from combustion appliances			
	Checked appliances for backdrafting (using chemical smoke)			
	Inspected exhaust components for leaks, disconnections, or deterioration			,
8.	PEST CONTROL			
	Completed the Integrated Pest Management Checklist			
	. 5			



- 1. Read the IAQ
 Backgrounder and
 the Background
 Information for
 this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- 3. Complete the Checklist.
 - Check the "yes,"
 "no," or
 "not applicable"
 box beside each
 item. (A "no"
 response
 requires further
 attention.)
 - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

Waste Management Checklist

Name: 11mothy Wocl		
School: PLA - EdAdvance		1 /
Room or Area:	Date Completed:	12/11/25
Signature:		/ /

1.	WAS IE WANAGEWEN I	No	NIA
1a.	Ensured that waste containers are appropriate for use (for example,	INO	14/
	food waste containers should have lids)		
1b.	Ensured that waste containers are lined		
	Ensured that waste from art, science, vocational classes, etc., are		
	handled separately		M
1d.	Labeled recycling bins clearly		a
	Ensured number of bins and dumpsters is adequate		
	Ensured appropriate location of dumpsters (i.e., away from air intakes,		
	doors, and operable windows in relation to prevailing winds)		
1g.	Ensured waste containers are emptied regularly		
1h.	Ensured appropriate waste removal schedule		
1 i.	Ensured waste is stored in a well-ventilated room		
1j.	Ensured any exhaust fans in the room are operating properly		
	Checked waste storage areas for odors, contaminants, or signs of vermin		540
	, and algorithm —	-	




- 1. Read the IAQ
 Backgrounder and the Background
 Information for this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 this checklist for
 each ventilation
 unit in your school,
 as well as a
 copy for future
 reference.
- 3. Complete the Checklist.
 - Check the "yes,"
 "no," or
 "not applicable"
 box beside each
 item. (A "no"
 response
 requires further
 attention.)
 - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

Ventilation Checklist

N	Tame: 11mothy Noel			
S	chool: PLA - Ed Advance			
U	nit Ventilator/AHU No:	1		
R	oom or Area: Date Completed:	/25		
S	ignature:			
1.	OUTDOOR AIR INTAKES			
la.	Marked locations of all outdoor air intakes on a small floor plan (for	Yes	No	N/A
1b.	example, a fire escape floor plan)	×	u	u
	mode	🕦		
	STINUTE A CONTROL OF STREET	(
	ETIVITY 1: OBSTRUCTIONS Ensured that outdoor air intakes are clear of obstructions, debris, clogs,			
10.	or covers	Y		
ld.	Installed corrective devices as necessary (e.g., if snowdrifts or leaves	'		
	frequently block an intake)	🗆		P
AC	CTIVITY 2: POLLUTANT SOURCES			
	Checked ground-level intakes for pollutant sources (dumpsters, loading			
1 f	docks, and bus-idling areas)	🔾		A
11.	Checked rooftop intakes for pollutant sources (plumbing vents; kitchen, toilet, or laboratory exhaust fans; puddles; and mist from			
	air-conditioning cooling towers)	X.		
lg.	Resolved any problems with pollutant sources located near outdoor air intakes (e.g., relocated dumpster or extended exhaust pipe)			v/
	makes (e.g., relocated dumpster of extended exhaust pipe)	. 🖵	u	A
	TIVITY 3: AIRFLOW			
1h.	Obtained chemical smoke (or a small piece of tissue paper or light plastic).	. 🔾		1
11.	Confirmed that outdoor air is entering the intake appropriately	P		
2.	SYSTEM CLEANLINESS			
AC	TIVITY 4: AIR FILTERS			
		X		
2b.	Shut off ventilation system fans while replacing filters (prevents dirt from blowing downstream)	X		
2c.	Vacuumed filter areas before installing new filters			
	Confirmed proper fit of filters to prevent air from bypassing (flowing			
2e	around) the air filter	. X		
۷.	comminded proper installation of finers (correct direction for airflow)			U

2. SYSTEM CLEANLINESS (continued)

	11V11 Y 5: DRAIN PANS			
2f.	Ensured that drain pans slant toward the drain (to prevent water from accumulating)	Yes	No	
2σ	Cleaned drain page			
2g.	Cleaned drain pans	E		
211.	Checked drain pails for more and innuew	7	_	_
AC	TIVITY 6: COILS			
2i.	Ensured that heating and cooling coils are clean	🕸		
AC	TIVITY 7: AIR-HANDLING UNITS, UNIT VENTILATORS			
2j.	Ensured that the interior of air-handling unit(s) or unit ventilator			
	(air-mixing chamber and fan blades) is clean	🙀		
2k.	Ensured that ducts are clean	🔁		
AC	TIVITY 8: MECHANICAL ROOMS			
21.	Checked mechanical room for unsanitary conditions, leaks, and spills	🗖		×
2m.	. Ensured that mechanical rooms and air-mixing chambers are free of trash,			٠,
	chemical products, and supplies	🗆		P
3.	CONTROLS FOR OUTDOOR AIR SUPPLY			
3a.	Ensured that air dampers are at least partially open (minimum position)	X		
	Ensured that minimum position provides adequate outdoor air	1		
	for occupants	🏠		
AC	TIVITY 9: CONTROLS INFORMATION			
3c.	Obtained and reviewed all design inside/outside temperature and humidity			
	requirements, controls specifications, as-built mechanical drawings,			
	and controls operations manuals (often uniquely designed)			
AC	TIVITY 10: CLOCKS, TIMERS, SWITCHES			
3d.	Turned summer-winter switches to the correct position	. 7		
3e.	Set time clocks appropriately	🗖		Ø
3f.	Ensured that settings fit the actual schedule of building use (including			
	night/weekend use)	🗖		×
AC	TIVITY 11: CONTROL COMPONENTS			
3g.	Ensured appropriate system pressure by testing line pressure at both the			
	occupied (day) setting and the unoccupied (night) setting	- T		
	Checked that the line dryer prevents moisture buildup	🗖		A
3i.	Replaced control system filters at the compressor inlet based on the			
	compressor manufacturer's recommendation (for example, when you blow down the tank)	\Box		154
3j.	Set the line pressure at each thermostat and damper actuator at the proper	. 🗀		
- J.	level (no leakage or obstructions)	. K		
AC '	TIVITY 12: OUTDOOR AIR DAMPERS			
	Ensured that the outdoor air damper is visible for inspection	\		
31.	Ensured that the outdoor an damper is visible for hispection	1	_	_
	for inspection	. 🔀		
3m.	Ensured that air temperature in the indoor area(s) served by each			
	outdoor air damper is within the normal operating range	X		
MO	TE. It is necessary to enough that the days will be seen that the large	1		7





3.	CONTROLS FOR OUTDOOR AIR SUPPLY (continued)			
3n.	Checked that the outdoor air damper fully closes within a few minutes of shutting off appropriate air handler		No	N/A
30.	Checked that the outdoor air damper opens (at least partially with no delay) when the air handler is turned on	(
3р.		1		
3q.	position (without completely closing) when the room thermostat is set to 60°F and mixed air thermostat is set to 45°F			
3r.	 If the outdoor air damper does not move, confirmed the following items: The damper actuator links to the damper shaft, and any linkage set screws or bolts are tight Moving parts are free of impediments (e.g., rust, corrosion) Electrical wire or pneumatic tubing connects to the damper actuator The outside air thermostat(s) is functioning properly (e.g., in the right location, calibrated correctly) 			ARA A
Pro	ceed to Activities 13–16 if the damper seems to be operating properly.			
	TIVITY 13: FREEZE STATS Disconnected power to controls (for automatic reset only) to test continuity across terminals			78
3t.	Confirmed (if applicable) that depressing the manual reset button (usually red) trips the freeze stat (clicking sound indicates freeze stat was tripped)	_		XPP
	automatic reset freeze-stats			M
clos	TE: HVAC systems with water coils need protection from the cold. The freeze-see the outdoor air damper and disconnect the supply air when tripped. The typigge is 35°F to 42°F.	stat i vical	may trip	
	TIVITY 14: MIXED AIR THERMOSTATS			
		_		X
3w.	Ensured that the mixed air stat for cooling mode is set no lower than the room thermostat setting	_		M
٨٥	ΓΙVITY 15: ECONOMIZERS			
	Confirmed proper economizer settings based on design specifications or local practices	A		
NO7	TE: The dry-bulb is typically set at 65°F or lower.			
3z.	Checked that sensor on the economizer is shielded from direct sunlight			
	exhaust/relief air, and recirculated air), per the design specifications			
load Dry- and	E: Economizers use varying amounts of cool outdoor air to assist with the color of the room or rooms. There are two types of economizers, dry-bulb and enthe bulb economizers vary the amount of outdoor air based on outdoor temperate enthalpy economizers vary the amount of outdoor air based on outdoor temperate the bunidity level.	alpy ure,		

3. CONTROLS FOR OUTDOOR AIR SUPPLY (continued) **ACTIVITY 16: FANS** 3aa. Ensured that all fans (supply fans and associated return or relief fans) Yes No N/A that move outside air indoors continuously operate during occupied hours (even when room thermostat is satisfied)...... NOTE: If fan shuts off when the thermostat is satisfied, adjust control cycle as necessary to ensure sufficient outdoor air supply. 4. AIR DISTRIBUTION **ACTIVITY 17: AIR DISTRIBUTION** 4a. Ensured that supply and return air pathways in the existing ventilation system 4b. Ensured that passive gravity relief ventilation systems and transfer grilles between rooms and corridors are functioning NOTE: If ventilation system is closed or blocked to meet current fire codes, consult with a professional engineer for remedies. 4c. Made sure every occupied space has supply of outdoor air (mechanical system or operable windows) 4d. Ensured that supply and return vents are open and unblocked NOTE: If outlets have been blocked intentionally to correct drafts or discomfort, investigate and correct the cause of the discomfort and reopen the vents. 4e. Modified the HVAC system to supply outside air to areas without an outdoor air supply...... 4f. Modified existing HVAC systems to incorporate any room or zone layout 4g. Moved all barriers (for example, room dividers, large free-standing blackboards or displays, bookshelves) that could block movement of 4h. Ensured that unit ventilators are quiet enough to accommodate classroom activities 4i. Ensured that classrooms are free of uncomfortable drafts produced by air **ACTIVITY 18: PRESSURIZATION IN BUILDINGS** NOTE: To prevent infiltration of outdoor pollutants, the ventilation system is designed to maintain positive pressurization in the building. Therefore, ensure that the system, including any exhaust fans, is operating on the "occupied" cycle when doing this activity. Ensured that air flows out of the building (using chemical smoke) through windows, doors, or other cracks and holes in exterior wall (for example, floor joints, pipe openings) 5. EXHAUST SYSTEMS **ACTIVITY 19: EXHAUST FAN OPERATION** 5a. Checked (using chemical smoke) that air flows into exhaust fan grille(s)□

If fans are running but air is not flowing toward the exhaust intake, check for the following:

- Inoperable dampers
- · Obstructed, leaky, or disconnected ductwork
- · Undersized or improperly installed fan
- · Broken fan helt





5. EXHAUST SYSTEMS (continued)

ACTIVITY 20: EXHAUST AIRFLOW

No an	OTE: Prevent migration of indoor contaminants from areas such as bathrooms, d labs by keeping them under negative pressure (as compared to surrounding s	kite pac	chens es).	S,
5b	. Checked (using chemical smoke) that air is drawn into the room from adjacent spaces	es	No	N/
Sto the	and outside the room with the door slightly open while checking airflow high ar e door opening (see "How to Measure Airflow").	nd le	ow ii	rı
5c	. Ensured that air is flowing toward the exhaust intake			X
	CTIVITY 21: EXHAUST DUCTWORK Checked that the exhaust ductwork downstream of the exhaust fan (which is under positive pressure) is sealed and in good condition	_		¥
6.	QUANTITY OF OUTDOOR AIR			
AC	CTIVITY 22: OUTDOOR AIR MEASUREMENTS AND CALCULATION	S		
NC	OTE: Refer to "How to Measure Airflow" for techniques.			
6a.	Measured the quantity of outdoor air supplied (22a) to each ventilation unit	X		
6b.	Calculated the number of occupants served (22b) by the ventilation unit under consideration	D		
6c.	Divided outdoor air supply (22a) by the number of occupants (22b) to	¥		
	CTIVITY 23: ACCEPTABLE LEVELS OF OUTDOOR AIR QUANTITIES	S		
6d.	Compared the existing outdoor air per person (22c) to the recommended levels in Table 1	1		
6e.	Corrected problems with ventilation units that supplied inadequate			
	quantities of outdoor air to ensure that outdoor air quantities (22c) meet the recommended levels in Table 1	F		




- 1. Read the IAQ Backgrounder and the Background Information for this checklist.
- 2. Keep the Background Information and make a copy of the checklist for future reference.
- 3. Complete the Checklist.
 - · Check the "yes," "no," or "not applicable" box beside each item. (A "no" response requires further attention.)
 - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

Integrated Pest Management Checklist


	Name: Timothy Nocl			
	School: PLA - EdAd vance	/		
	Room or Area: Date Completed:/_/	-/25		
	Signature:			
	Signature.			
•	1. OFFICIAL POLICY STATEMENT	Yes	No	N/A
	la. Developed or located the school's official policy statement for integrated pest management (IPM)			
4	2. DESIGNATING PEST MANAGEMENT ROLES	,		
	2a. Assigned and trained a qualified person to be the pest manager			
	2b. Involved decision makers in the IPM program			
4	and asked them to keep their areas clean and free of clutter	🔀		
2	2d. Encouraged parents to learn about IPM practices and implement them	, 		
2	at home			
	2f. Included language about IPM into contracts with pest management	,		
	professionals	🕦		
	B. SETTING PEST MANAGEMENT OBJECTIVES			
3	Sa. Set appropriate pest management objectives for school buildings (such as			
	preventing pests from interfering with students' learning environment and preserving the integrity of the building structure)			
3	Bb. Set appropriate pest management objectives for school grounds (such as	t		
	providing safe playing areas and the best athletic surfaces possible)	🕦		
4	4. INSPECTING, IDENTIFYING, AND MONITORING			
4	4a. Inspected all buildings and grounds for pest evidence, entry points,	S.		
4	food, water, and harborage sites	,≥ ≥ t		
	c. Pinpointed the source of any current pest problems	×	ū	
4	dd. Monitored to determine the extent of pest problems and to estimate pest	(,		
4	populationsle. Developed plans to modify habitat (for example, exclusion, repair, and			Ц
	sanitation efforts) to prevent or resolve any pest problems			
4	f. Established a monitoring program that consists of routine inspections to estimate pest population levels and identify evidence of pests and			
	potential habitat			

5.	SETTING ACTION THRESHOLDS			
5a.	Evaluated all available data obtained through inspecting, identifying, and monitoring	-	No	N/A
5b.	Determined how many nests the school buildings grounds and	*		
5c.	Set action thresholds	X		
6.	PREVENTIVE STRATEGIES			
INI	DOOR SITES			
6a.	Implemented appropriate strategies to prevent pests from inhabiting the following	win	g are	as:
	• Entryways	X		
	• Classrooms	¥I.		
	• Gymnasiums	XI.		
	• Locker rooms			X
	• Offices	A		
	• Staff lounges	Ò		
	• Bathrooms			
	• Food preparation and serving areas			
	• Rooms with extensive plumbing			
	Maintenance areas	X.		
	• Other			
οU	TDOOR SITES			
6b.	Implemented appropriate strategies to prevent pests from inhabiting the following	win	g are	eas:
	Playgrounds	6		
	Parking lots	ď		
	Lawns and athletic fields	A		
	Lawns and athletic fields Teaching gardens or greenhouses			
	Loading docks	XI.		
	 Loading docks Dumpsters Areas with ornamental shrubs and trees 			
	Areas with ornamental shrubs and trees	X		
	• Other	K		
7.	PESTICIDE USE AND STORAGE			
7a.	Explored alternative pest management methods before concluding that	V		
		*		
7b.	Ensured that pest management professionals integrate IPM into their pest management methods	A		
7c.	Identified the least toxic, target-specific chemical (or pesticide formulation) that is the most effective to address the pest problem,			
		M		
7d.	Reviewed and followed all label instructions on pesticides and learned			
	how to properly apply and handle these chemicals	#		
7e.				
	pesticides whenever possible and only treated the obviously infested plants in the area	A		
7 f				A.
7f.		_	L	H
7g.	inaccessible to children and non-target species			A C





7.	PESTICIDE USE AND STORAGE (cont.)		
7h.	Locked or fastened lids of all bait boxes and placed bait away from the runway of the box	No	N/A
7i.	Applied pesticides when occupants were not present or in areas where they would not be exposed to the chemicals		Ġ
7j.	Ensured that school occupants (students and staff) are notified of upcoming pesticide applications through posted notices and/or letters		
7k.	through letters		
71.	easily accessible		×
	Stored pesticides off site or in areas that are locked and accessible only to designated personnel		\ \ Y
7n.	Ensured that storage areas are adequately ventilated and are located away from areas prone to flooding or where spills or leaks may contaminate		đ
70.	the environment		X
	Ensured that pesticides are stored in their original containers and all lids are securely fastened		X
7q	Ensured that air in the storage space cannot mix with the air in the central ventilation system		P
8.	EVALUATING RESULTS AND RECORD KEEPING		
8a.	Ensured that accurate, up-to-date records of IPM practices and a pest management log for each property are kept) 🗆	
8b.			
8c	Ensured that each log book contains the following items:		_
	• Copy of the pest management plan	40000	
	• Service schedules for maintenance of buildings and grounds		
	• Current EPA-registered labels		
	Current Material Safety Data Sheets (MSDS) for each pesticide project Pest surveillance data sheets		
	• Pest surveillance data sneets	0	



- 1. Read the IAQ
 Backgrounder and
 the Background
 Information for
 this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- 3. Complete the Checklist.
 - Check the "yes,"
 "no," or
 "not applicable"
 box beside each
 item. (A "no"
 response
 requires further
 attention.)
 - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

Walkthrough Inspection Checklist

	ame: //mothy Nocl			
So	chool: PLA - EdAdronce	1		
R	oom or Area: Date Completed:	6-	-	
Si	gnature:			
			To the company of the control of the	
4				
1.	GROUND LEVEL	Yes	No	N/A
1a.	property			
	Ensured there are no obstructions blocking air intakes	4		
	Checked for nests and droppings near outdoor air intakes	🌮		
Id.	Determined that dumpsters are located away from doors, windows, and outdoor air intakes	🌠		
le.				
	(chimneys, stacks, industrial plants, exhaust from nearby buildings)	\$		
1 f.	Ensured that vehicles avoid idling near outdoor air intakes			
1g.	Minimized pesticide application	•€		
1h.	Land and a series of the serie	\		
1i.	roof downspouts) Ensured that sprinklers spray away from the building and outdoor	K	Ц	Ч
	air intakes	🗆		The
1j.	Ensured that walk-off mats are used at exterior entrances and that	,		1
	they are cleaned regularly	∤		
2	DOOF			
L.	ROOF			
Wh	ile on the roof, consider inspecting the HVAC units (use the Ventilation Chec	cklist).	
2a.	Ensured that the roof is in good condition			
2b.	Checked for evidence of water ponding			
2c.	Checked that ventilation units operate properly (air flows in)			
	Ensured that exhaust fans operate properly (air flows out)	🗗		
2e.	Ensured that air intakes remain open, even at minimum setting			
2f.	Checked for nests and droppings near outdoor air intakes	🎾		
4 g.	from outdoor air intakes	X		
		7		
3.	ATTIC			
3a.	Checked for evidence of roof and plumbing leaks	X		
3b.	Checked for birds and animal nests			
		·· 7	_	_
4.	GENERAL CONSIDERATIONS			
4a.	Ensured that temperature and humidity are maintained within			
	acceptable ranges			
4b.	Ensured that no obstructions exist in supply and exhaust vents	🞾		
4c.	Checked for odors	*		
4d.	Checked for signs of mold and mildew growth	🟋		

4. (GENERAL CONSIDERATIONS (continued)	Yes	No	N/A
4e.	Checked for signs of water damage			
4g.	Noted and reviewed all concerns from school occupants	A		
5.	BATHROOMS AND GENERAL PLUMBING			
5a.	Ensured that bathrooms and restrooms have operating exhaust fans	🕸		
	Ensured proper drain trap maintenance:	(
	Water is poured down floor drains once per week (approx. 1 quart of water)			
	Water is poured into sinks at least once per week (about 2 cups of water)			
	Toilets are flushed at least once per week	4		
6.	MAINTENANCE SUPPLIES			
6a.	Ensured that chemicals are used only with adequate ventilation and when			
	building is unoccupied	*		
6b.	Ensured that vents in chemical and trash storage areas are operating	_		_
,	properly		u	*
	Ensured that portable fuel containers are properly closed	🗀		44
oa.	Ensured that power equipment, like snowblowers and lawn mowers, have been serviced and maintained according to manufacturers' guidelines			M
	been serviced and maintained according to maintainers guidelines	—	_	1
7.	COMBUSTION APPLIANCES			
7a.	Checked for combustion gas and fuel odors			
7b.	Checked for combustion gas and fuel odors	*		
7c.	Checked for leaks, disconnections, and deterioration	(P		Q
7d.	Ensured there is no soot on inside or outside of flue components	``		P
8.	OTHER			
8a	Checked for peeling and flaking paint (if the building was built before			
oa.	1980, this could be a lead hazard)	4		
8b.	Determined date of last radon test	10.		