

## Are there additional mounting brackets for the ADC-VDB755P?

Yes. Additional mounting brackets for the ADC-VDB755P include the Single-gang Mounting Plate Kit (ADC-VDBA-755P-MNT) and the Wedge Mount Kit (ADC-VDBA-755P-WMK) that includes two additional wedge types.

The additional wedges allow the user to achieve more extreme left/right pans for installation on walls perpendicular to the door. It also adds different options for tilt combined with left/right pan to allow for expanded vFoV to the ground, minimizing the blind spot at the bottom of the field of view to capture smaller packages.

**Important:** The correct wedge type must be selected after installing a new mounting bracket. For more information about how to choose the wedge type, see [Enable the wedge setting for the ADC-VDB755P](#).

Wedge mount kit (ADC-VDBA-755P-WMK)

| Bracket name | Angle        |                                                                                      |
|--------------|--------------|--------------------------------------------------------------------------------------|
| A            | 5° tilt down |  |

| Bracket name | Angle             |                                                                                      |
|--------------|-------------------|--------------------------------------------------------------------------------------|
| B            | 15° left or right |  |

Single-gang mounting plate kit (ADC-VDBA-755P-MNT)

Bracket name

Angle



Flat adapter backplate

0°





**Bracket name**

**Angle**

Wall plate cover


-



**Screw usage guide included in the ADC-VDBA-755P-MNT kit:**

The ADC-VDBA-755P-MNT includes a flat adapter that can be used for installations where the single-gang box is installed in a way that requires the adapter for the ADC-VDB755P to be installed flush with the wall plate.

**Note:** Only one screw set, A or B, needs to be used; two different lengths are provided for the installer's preference. Screw sets C and D are optional only if the installer wants to install the wedge or flat adapter on top of the wall plate.



**Screw set A:**

- Screw size: 6-32 x 1.5"
- Standard Installation: Use to screw the VDB755P and wall plate to the junction box.
- Wedge or Flat Adapter Installation: Use to screw the wall plate to the junction box.

**Screw set B:**

- Screw size: 6-32 x .75"
- Standard Installation: Use to screw the VDB755P and wall plate to the junction box.
- Wedge or Flat Adapter Installation: Use to screw the wall plate to the junction box.

**Screw set C (optional):**

- Screw size: 3.5mm x 10mm
- Wedge or Flat Adapter Installation: Use to screw the wedge or flat adapter to the wall plate using the diagonally oriented threaded inserts.

**Screw set D (optional):**

- Screw size: 3.5mm x 6mm
- Wedge or Flat Adapter Installation: Use to screw the VDB755P to the wedge or flat adapter.