


Color-Rite Phone Plates




The Color-Rite phone termination design is so innovative that it has received a U.S. Patent. These products install correctly on the first try, taking the guesswork out of terminating connections.



Specifications -

Thickness: 0.1 Inch



Sales Orders@datacommelectronics.com
Support Info@datacommelectronics.com
Office 770.448.0540

DATA **COMM**TM
ELECTRONICS

Color-Rite Phone Plates



Part Number Guide

Specifications

- Four conductor screw terminal wiring that color-matches the color coding category for 3 and 5e cabling
- Install with a low voltage mounting bracket
- Reduced training time for new installers
- Elimination incorrect wiring to the terminal
- Available in standard and UL model



Standard

Part Number	Description
20-1511	4 Conduct. Standard Size Phone Plate, Ivory
20-1512	4 Conduct. Standard Size Phone Plate, White
20-1515	4 Conduct. Standard Size Phone Plate, Lite Almond
22-0011	4 Conduct. Standard Size Phone Plate, Ivory, UL
22-0012	4 Conduct. Standard Size Phone Plate, White UL
22-0015	4 Conduct. Standard Size Phone Plate, Lite Almond UL

Mid-Size

Part Number	Description
20-1521	4 Conduct. Mid-Size Phone Plate, Ivory
20-1522	4 Conduct. Mid-Size Phone Plate, White
20-1523	4 Conduct. Mid-Size Phone Plate, Brown
20-1525	4 Conduct. Mid-Size Phone Plate, Lite Almond
22-0021	4 Conduct. Mid-Size Phone Plate, Ivory UL
22-0023	4 Conduct. Mid-Size Phone Plate, White UL
22-0022	4 Conduct. Mid-Size Phone Plate, Brown UL
22-0025	4 Conduct. Mid-Size Phone Plate, Lite Almond UL

Sales Orders@datacommelectronics.com
Support Info@datacommelectronics.com
Office 770.448.0540

DATA COMMTM
ELECTRONICS

Color-Rite Dual Phone Plates



Part Number Guide

Specifications

- Smooth wall plate, 4 conductor for 2 lines or 1 phone and 1 data/fax
- Four conductor screw terminal wiring that color-matches the color coding category for 3 and 5e cabling
- Install with a low voltage mounting bracket
- Reduced training time for new installers
- Elimination incorrect wiring to the terminal
- Available in standard and UL model



Standard

Part Number	Description
20-1531	4 Conduct. Dual Standard Size Phone Plate, Ivory
20-1532	4 Conduct. Dual Standard Size Phone Plate, White
20-1535	4 Conduct. Dual Standard Size Phone Plate, Lite Almond
22-0031	4 Conduct. Dual Standard Size Phone Plate, Ivory, UL
22-0032	4 Conduct. Dual Standard Size Phone Plate, White UL
22-0035	4 Conduct. Dual Standard Size Phone Plate, Lite Almond UL

Mid-Size

Part Number	Description
20-1541	4 Conduct. Dual Mid-Size Phone Plate, Ivory
20-1542	4 Conduct. Dual Mid-Size Phone Plate, White
20-1545	4 Conduct. Dual Mid-Size Phone Plate, Lite Almond
22-0041	4 Conduct. Dual Mid-Size Phone Plate, Ivory UL
22-0042	4 Conduct. Dual Mid-Size Phone Plate, White UL
22-0042	4 Conduct. Dual Mid-Size Phone Plate, Lite Almond UL

Sales Orders@datacommelectronics.com
Support Info@datacommelectronics.com
Office 770.448.0540

DATA COMMTM
ELECTRONICS

Color-Rite Combination Phone / Coax Plates Part Number Guide



Specifications

- A single gang wall plate designed to accept modular 4 conductor phone connection and coax cable
- Four conductor screw terminal wiring that color-matches the color coding for category 3 and 5e cabling
- Install with a low voltage mounting bracket
- Reduced training time for new installers
- Elimination incorrect wiring to the terminal
- Available in standard and UL model



Standard

Part Number	Description
40-1511	4 Conduct. Coax Standard Size Phone Plate, Ivory
40-1512	4 Conduct. Coax Standard Size Phone Plate, White
40-1515	4 Conduct. Coax Standard Size Phone Plate, Lite Almond
40-0011	4 Conduct. Coax Standard Size Phone Plate, Ivory, UL
40-0012	4 Conduct. Coax Standard Size Phone Plate, White UL
40-0015	4 Conduct. Coax Standard Size Phone Plate, Lite Almond UL

Mid-Size

Part Number	Description
40-1721	4 Conduct. Coax Mid-Size Phone Plate, Ivory
40-1722	4 Conduct. Coax Mid-Size Phone Plate, White
40-1725	4 Conduct. Coax Mid-Size Phone Plate, Lite Almond
40-0021	4 Conduct. Coax Mid-Size Phone Plate, Ivory UL
40-0022	4 Conduct. Coax Mid-Size Phone Plate, White UL
40-0025	4 Conduct. Coax Mid-Size Phone Plate, Lite Almond UL

Sales Orders@datacommelectronics.com
Support Info@datacommelectronics.com
Office 770.448.0540

DATA COMMTM
ELECTRONICS

Color-Rite Quick Mount Plate



Part Number Guide

Specifications

- Quick connect wall plate for use with type phones
- Easy-to-screw terminals
- Four conductor screw terminal wiring that color-matches the color coding for category 3 and 5e cabling
- Install with a low voltage mounting bracket
- Reduced training time for new installers
- Elimination incorrect wiring to the terminal
- Available in standard and UL model



Part Number	Description
20-1604	Color Rite Plate Quick Mount, Stainless Steel
20-1611	Color Rite Plate Quick Mount, Ivory
20-1612	Color Rite Plate Quick Mount, White
20-1615	Color Rite Plate Quick Mount, Lite Almond
22-0104	Color Rite Plate Quick Mount, Stainless Steel UL
22-0111	Color Rite Plate Quick Mount, Ivory, UL
22-0112	Color Rite Plate Quick Mount, White, UL
22-0115	Color Rite Plate Quick Mount, Lite Almond, UL

Sales Orders@datacommelectronics.com
Support Info@datacommelectronics.com
Office 770.448.0540

DATA COMMTM
ELECTRONICS