

LINEAR™

EntryPro™ Series Telephone Entry



LINEAR

EntryPRO™

SERIES

Property Managers choose Linear® EntryPro for reliable value, low cost, and an embedded platform for telephone entry that offers all-weather reliability, easy management and scalability.



EntryPro EP-736
PN: 720-200736

ENTRYPRO™ SERIES

Out-of-the-Box Ready, Power, then Browse

The Linear EntryPro Telephone Entry solutions are fully embedded and browser-managed, allowing for easy and flexible self-management. They create value at a low cost, with strong web security, and a simple user interface with no dedicated PC or software to load. EntryPro systems make reliable access control both easy and affordable.



EntryPro delivers fast set-up, enhanced features, and scalability. Systems can include one or many integrated doors, gates, and/or sites, allowing flexibility and convenience for administrators and enhanced security for their residents and facilities. Manage residential accounts, guests and personnel access easily with customized reports and quick-search queries. EntryPro features are designed for rugged reliability, with added weatherproofing seals and housing for weather-resistant performance, a new internal board that improves system performance and new software that provides improved audio performance and enhanced communication across multiple networked devices.

Out-of-the-Box Ready:

The embedded Linux OS and common hardware platform provide optimum performance without the indirect soft costs of other systems.

- EntryPro does not require an additional PC or software to install
- Set-up wizard makes initial installation fast, intuitive, and easy
- Systems are robust with changes in technology and works with almost any browser system – as your other systems change, there are no additional updates needed for EntryPro

EntryPro Series Features

- High-Bright display option for direct sun applications and automatically adjusts to lighting
- Stainless steel back-lit keypad
- Includes 2 I/O ports
- Includes MegaCode Receiver, TTY Port, Power Transformer and mounting hardware
- Supports Linear MegaCode receiver and transmitters for gate control and Telephone Entry access
- EntryPro software and CPU designed for stable communication across multiple networked devices
- Clear Two-Way Voice Calls
- Compatible with most popular long-range readers
- Compatible with most popular 3rd party VOIP adapters
- Stainless steel faceplate is water resistant and allows for better function in rain, sleet and snow
- Sturdy housing and seals for added reliability in harsh environments
- 3-point locking system and postal access with key option
- Includes internal motion sensor
- Optional internally mounted RFID reader and HD IP camera

Scalable for Any Application to Suit Your Needs – Now and in the Future:

Whether for a gated community, apartment complex, condominium, or to provide an automated receptionist, EntryPro offers a wide range of features for any need up to 64 doors.

- Add licenses to expand access control systems to include more doors, units, and sites
- Common hardware and integrated software means scaling up is easy for anyone, at any time

LINEAR ENTRYPRO™ SERIES OVERVIEW OF HARDWARE FEATURES



EP-402

Part #: 720-200402

- Standalone System
- 4.3" Display
- Upgradeable to Networked 36 or 64 Door System



EP-436

Part #: 720-200436


- Networked 36 Door System
- 4.3" Display
- Upgradeable to 64 Door System



EP-736

Part #: 720-200736

- Networked 36 Door System
- 7" Touch Screen
- Upgradeable to 64 Door System



EN-EXN

Part #: 720-100104

- Expansion Node with no Screen or Keypad
- Adds two additional door capability to your EntryPro system
- Ideal for poolhouse or community house within the same property

4.3-inch EP-402 and EP-436

- New generation panel looks the same on the outside but is packed with upgraded hardware and software on the inside.
- New CPU improves system performance.
- New software improves communication across multiple networked devices.

7-inch EP-736

- Color touchscreen allows for effortless operation
- Features the same upgraded CPU and IO boards as the 4-inch model.

Both Panels

- Redesigned housing features and improved weatherproofing seal
- Improved audio on 2-way voice calls

Enhance Your EntryPro with Compatible Accessories, Sold Separately

Complete list of accessories and descriptions at: www.linear-solutions/accessories



2-DOOR EXPANSION MODULES



CAMERAS



CARDS AND CREDENTIALS



TRIM RINGS



READERS



LICENSES



POWER OPTIONS



MOUNTING OPTIONS

LINEAR ENTRYPRO™ SERIES SPECIFICATION COMPARISONS

PRODUCT DIMENSIONS		EVENT ACTION		
Product Size	EP-402/436/736: 16.3"(L) x 13.1"(W) x 4.6"(D) EN-EXN: 14.2"(L) x 13.3"(W) x 3.6"(D)	Event Action Input	Reader Event, Physical Input, Door Position, REX, System Event, API	
Product Weight	EP-402/EP-436: 14.7 lbs. EP-736: 15.0 lbs. EN-EXN: 7.2 lbs.	Event Action Output	Outputs, Dashboard, eMail, SMS, Back up SD / FTP, Threat level, Video tag	
Recessed Mounting 1" Trim Ring (PN 720-100123)	Hole Size: 16.5"(L) x 13.25"(W) x 3.5"(D) Outside Dimensions: 18.6"(L) x 15.35"(D)	Power (per board)	12VDC from provided DC plug-in power supply - Power for two modules & readers	
Recessed Mounting 2" Trim Ring (PN 720-100124)	Hole Size: 16.5"(L) x 13.25"(W) x 3.5"(D) Outside Dimensions: 21.35"(L) x 17.6"(W)	Total System Access Levels	250	
		Users per system	EP-402 = 1000, EP-436/736 = 10,000	
		Access cards	EP-402 = 5000, EP-436/736 = 120,000	
		Cards/Access Levels Per Person	32	
		Binary Card Decoder	Yes - 26 - 128 bit with or without facility code, Facility Code Only	
		User-defined data fields	20 user fields, Flat File Import Option	
		Database Import Tool	Yes, CSV	
		Day Light Savings Time "DST"	Automatic, Editable dates if future requirement	
		SMTP	On / Off Manual, PC Sync	
		Client Time Zone Configuration	Yes, Each module is selectable	
		Time specifications (schedules)	250	
		Time spec groups (Schedule groups)	64	
		Holidays, Holiday Groups	60, 4 groups	
		Online event history log	50,000 transactions	
		Transaction Types	Action of any type, Administrator Change Logging "Audit", and System Diagnostic Events.	
		Archive for transactions	Manual, Automatic daily, Automatic by 90% full	
		Archive for system configuration files	Manual, Automatic daily	
		Report Utility	Internal Smart Report Utility	
		Administration /User Roles	Super for Entire System, Admin designated by doors (building), Customizable by Users	
		Maximum concurrent web users	25	
		Maximum defined administrative users	160	
		Remote Management Console	Optional	
USER INTERFACE FEATURES		ORDERING INFORMATION	PART #	MODEL #
System Fully Web Controllable	Yes	EntryPro 402	720-200402	EP-402
Action Icons	Door Unlock, Toggle, Aux outputs	EntryPro 436	720-200436	EP-436
Alarm Acknowledgement	Yes	EntryPro 736	720-200736	EP-736
Logo Placement	Yes - Ability to place Dealer or End user logo into system	EXN Door Expansion Unit	720-100104	EN-EXN
		ACM 2-Door Module	720-200105	EP-ACM
		License Upgrade: 2-36 Door Networked	720-100145-VL	EC2ENUP
		License Upgrade: 36-64 Door	720-100226-VL	EN3664UP

LINEAR

www.linear-solutions.com

