


prima

by NAPCO



The All-in-One Smart Panel You Asked For
"Installers Optional": Easiest Setup & On-Screen How-To Videos



INSTALL



Part #	Product / Pkg	Description	Features
PKIT1A		Prima System in a Box: AT&T network, 3 window/doors & motion	Napco's New Prima: The Smarter All-in-One System, with revolutionary 5-Minute Install, for adding more RMR-Accounts per Day than ever possible—"Installers Optional". Ideal Do-it-with-Me solution or Ship and Self-Setup system w/ built-in onscreen step-by-step video tutorials. 2023 ESX & MVP Award-Winner - Kit Includes: 7" Super Panel, 3 Window/Door Transmitters & PIR, with wall & tabletop brackets, mounting supplies & long-life batteries, supplied; Wi-Fi & AT&T cellular network 7" Super Panel for Security/Fire/Video & Automation, and featuring smart Self-Healing WiFi Video & Doorbells, that prevent truckrolls - Teaming an all-new powerful backend with lower monthly interactive services costs. Management of interactive services, accounts and z-wave devices, are also easy using Prima's backend online or via App 7" 1024 x 600 Capacitive Touch Panel w/ 5MP camera, 2 stereo mics, 85db piezo sounder, LED status indicator, Wi-Fi Cellular, Rechargeable 3.7V Li-Poly Batt, Min. 24hr Backup. Live View Video/Audio; Weather Alerts; Voice-Assistant. Low-Profile 5.4" x 7.7 x 0.75" (HxWxD) Includes Wall mount and Desktop bracket. Matching Napco Prima App for intuitive use on Smart Devices - Maximum Zones: Up to 128 security zones with Encryption - Maximum Users: Up to 40. Master (1), Duress (1), Normal (38) - Connected Home Connectivity Z-Wave Plus: Control Z-Wave Thermostats, Dimmers, Locks, Plugs and Garage Controllers, etc. - System Compliant with UL 985, UL 1023, UL1637, SIA CP01, Z-Wave, FCC, CE - Uses Full Line of Transmitters: Patented "Super-D" 3D Antenna, 433 MHz, Encrypted, Up to 820 feet, typ. - Uses Self-Healing Video Wi-Fi Doorbell & Indoor/Outdoor Cameras w/ EZ Mount, avoids truckrolls, pat. pending, reconnects behind the scenes, even when customers network or passwords change. Uses AI & Human-detection to avoid unwarranted activation, too. HD w/ Night Vision. Solar Panel Option. - Napco 2 year over-the-counter dealer exchange (no hassles/no RMA)
PKIT1V		Prima System in a Box: Verizon network, 3 window/doors & motion	Napco's New Prima: The Smarter All-in-One System, with revolutionary 5-Minute Install, for adding more RMR-Accounts per Day than ever possible—"Installers Optional". Ideal Do-it-with-Me solution or Ship and Self-Setup system, Kit Includes: 7" Super Panel, 3 Window/Door Transmitters & PIR, with wall & tabletop brackets, mounting supplies & long-life batteries, supplied; Wi-Fi & AT&T cellular network, as above on Verizon Cell Network
PKIT1DA		Prima System + Doorbell in a Box: AT&T, 3 window/doors motion, & HD Doorbell w/ Self-Healing Wi-Fi (Wired)	Napco's New Prima: The Smarter All-in-One System, with revolutionary 5-Minute Install, for adding more RMR-Accounts per Day than ever possible—"Installers Optional". Ideal Do-it-with-Me solution or Ship and Self-Setup system w/ built-in onscreen step-by-step video tutorials. 2023 ESX & MVP Award-Winner - Kit Includes: 7" Super Panel, HD Video Doorbell (self-healing cam Wi-Fi), 3ea Window/Door Transmitters & PIR, with wall & tabletop brackets, mounting supplies & long-life batteries, supplied; Wi-Fi & AT&T cellular network 7" Super Panel for Security/Fire/Video & Automation, and featuring smart Self-Healing WiFi Video & Doorbells, that prevent truckrolls - Teaming an all-new powerful backend with lower monthly interactive services costs. Management of interactive services, accounts and z-wave devices, are also easy using Prima's backend online or via App 7" 1024 x 600 Capacitive Touch Panel w/ 5MP camera, 2 stereo mics, 85db piezo sounder, LED status indicator, Wi-Fi Cellular, Rechargeable 3.7V Li-Poly Batt, Min. 24hr Backup. Live View Video/Audio; Weather Alerts; Voice-Assistant. Low-Profile 5.4" x 7.7 x 0.75" (HxWxD) Includes Wall mount and Desktop bracket. Matching Napco Prima App for intuitive use on Smart Devices - Maximum Zones: Up to 128 security zones with Encryption - Maximum Users: Up to 40. Master (1), Duress (1), Normal (38) - Connected Home Connectivity Z-Wave Plus: Control Z-Wave Thermostats, Dimmers, Locks, Plugs and Garage Controllers, etc. - System Compliant with UL 985, UL 1023, UL1637, SIA CP01, Z-Wave, FCC, CE - Uses Full Line of Transmitters: Patented "Super-D" 3D Antenna, 433 MHz, Encrypted, Up to 820 feet, typ. - Uses Self-Healing Video Wi-Fi Doorbell & Indoor/Outdoor Cameras w/ EZ Mount, avoids truckrolls, pat. pending, reconnects behind the scenes, even when customers network or passwords change. Uses AI & Human-detection to avoid unwarranted activation, too. HD w/ Night Vision. Solar Panel Option. - Napco 2 year over-the-counter dealer exchange (no hassles/no RMA)
PKIT1DV		Prima System + Doorbell in a Box: Verizon, 3 window/doors & motion, HD Doorbell w/ Self-Healing Wi-Fi (Wired)	Napco's New Prima: The Smarter All-in-One System, with revolutionary 5-Minute Install, for adding more RMR-Accounts per Day than ever possible—"Installers Optional". Ideal Do-it-with-Me solution or Ship and Self-Setup system w/ built-in onscreen step-by-step video tutorials. 2023 ESX & MVP Award-Winner Kit Includes: 7" Super Panel, HD Video Doorbell (self-healing cam Wi-Fi), 3ea Window/Door Transmitters & PIR, with wall & tabletop brackets, mounting supplies & long-life batteries, supplied; Wi-Fi, as above but on Verizon cellular network

prima

The All-in-One Smart Panel You Asked For
Connected Home & Security System
by NAPCO

Part #	Product / Pkg	Description	Features
PP1A		All-in-one 7" touchscreen Super panel (only), AT&T Network	7" Prima Super Panel (ONLY), for Security/Fire/Video & Automation, Wi-Fi & AT&T Cell Network (also as contained in kits on front cover) - Key Component of Napco's New Prima: The Smarter All-in-One System, with revolutionary 5-Minute Install, for adding more RMR-Accounts per Day than ever possible—"Installers Optional". Ideal Do-it-with-Me solution or Ship and Self-Setup system w/ built-in onscreen step-by-step video tutorials. 2023 ESX & MVP Award-Winner Teams an all-new powerful backend with lower monthly interactive services costs. Management of interactive services, accounts and z-wave devices, are also easy using Prima's backend online or via App 7" 1024 x 600 Capacitive Touch Panel w/ 5MP camera, 2 stereo mics, 85db piezo sounder, LED status indicator, Wi-Fi Cellular, Rechargeable 3.7V Li-Poly Batt, Min. 24hr Backup. Live View Video/Audio; Weather Alerts, Voice-Assistant. Low-Profile 5.4" x 6.7 x 0.75" (HxWxD) Includes Wall mount and Desktop bracket. Matching Napco Prima App for intuitive use on Smart Devices
PP1V		All-in-one 7" touchscreen Super panel (only), Verizon Network	7" Prima Super Panel (ONLY), for Security/Fire/Video & Automation, as above, but Wi-Fi & Verizon Cell Network (also contained in kits on front cover) Key Component of Napco's New Prima: The Smarter All-in-One System, with revolutionary 5-Minute Install, for adding more RMR-Accounts per Day than ever possible—"Installers Optional". Ideal Do-it-with-Me solution or Ship & Self-Setup system w/ built-in onscreen step-by-step video tutorials. 2023 ESX & MVP Award-Winner Teams an all-new powerful backend with lower monthly interactive services costs. Management of interactive services, accounts and z-wave devices, are also easy using Prima's backend online or via App
PBELL		HD Video Doorbell (Wired) with Self-Healing Wi-Fi	- HD Video Doorbell (Wired) w/Self-Healing Video Wi-Fi auto-corrects for customer Network Connectivity behind the scene, preventing service calls (as included in Prima Kits PKIT1DA or PKIT1DV) - AI Human Detection & Superior False Alarm Immunity 2MP 1080p HD Video w/ IR Night Vision, 10-15FPS - Pro Quality, One-Touch Easy-Add - Live View Video/Audio on Panel & App w/ 2-Way Audio & Omnidirectional Mic - Wi-Fi 802.11 a, b, g, n with 433MHz Dual Connect Supports 2.4GHz & 5GHz WiFi Networks - IPX4 Weather Resistance, Dual Encryption WPA/P2 2-Wire, 10-30VAC; Includes Bracket & Mounting Plate (Dims. 7.25 x 5 x 2.5" HWD)
PPIR		Wireless Motion Sensor w/ Pet Immunity	- Range up to 32.8 ft. (10m) - Low & High Sensitivity Modes; Pet Friendly - Long Range up to 820' open air 1-Way Encryption, Complies UL 639, ULC S306 - Long Battery Life, 5yrs, typ. - Includes CR123A Lithium Battery 3V - Self-Stick Tape &/or optional screws for mounting
PWD		Wireless Window/Door Transmitter	433MHz Window/Door Transmitter - Easy-Alignment Markings - Long Range up to 820' open air 1-Way Encryption - Tamper Supervised - Long Battery Life, 7yrs, typ. - Includes 2ea CR2032 Lithium Coin Cell Battery - Self-Stick Tape &/or optional screws for mounting
PRWD		Recessed Window/Door Transmitter	433MHz Wireless Transmitter - Long Range up to 820' open air 1-Way Encryption - Tamper Supervised - Long Battery Life, 10yrs, typ. - Includes CR2 3V Lithium Battery - Compact 0.74"Dia., 2.75"Depth (use 3/4" spade drill bit)
PWTEMP		Wireless Flood/Freeze/Hi-Temp Sensor	433MHz Transmitter helps prevents damage, detecting flood or freeze, at 95° or 41°F (35; 5°C) - Long Range up to 295' open air - IPX7 Weather Resistance 1-Way Encryption, Tamper Supervised - Slim profile 2.48" x 0.68" - Long Battery Life, 10yrs, typ. - Includes CR2450 Lithium 3V Battery
PPANIC		Wristwatch-Style Panic Button (w/Clip & Iariat options)	- Watch-Styled 433MHz Wireless Panic w/ Optional Belt-clip - Selectable Activation/Response - Long Range up to 492' open air - Long Battery Life, 7yrs, typ. - IPX7 Weather Resistance 1-Way Encryption - Includes Wristband, Belt-Clip & CR2032 Lithium Coin Cell Battery

Sell and Setup @ Same Time • Ship & Self-Install Solution • Ideal **Do it with Me** System



Fastest Installs
More Accts/Day



Lower Account
Costs



Security/Fire/Video
Automation



Voice
Control



Self-Healing Wi-Fi
Video & Doorbell



WiFi/
Cellular



Smart
Home



Weather
& Alerts

Part #	Product / Pkg	Description	Features
PFOB		Multibutton Keyfob w/ Ring	• 433MHz Multifunction Keyfob for Arm Away, Arm Stay, Disarm & SOS • Compact size 2.53 x 1.49 x 0.53" (HWD) • Long Range up to 820' open air • 1-Way Encryption & Tamper Supervised • Long Battery Life, 7yrs, typ. • IPX7 Weather Resistance; Complies UL 1023 • Includes Keyring & CR2032 Lithium Coin Cell Battery
PGB		Wireless Glassbreak Transmitter 	• 433MHz Omnidirectional Acoustic Sensor • Long Range up to 656' open air • 1-Way Encryption • Tamper Supervised • Slim profile 2.55" x 0.65" • Includes CR2477 Lithium 3V Battery • Self-Stick Tape &/or optional screws for mounting
PSMK		Wireless Smoke Detector 	• 433MHz Long Range Wireless • Powerful 85dB Sounder & 3 LED indicators • Tamper Supervised • Self-Diagnostic Test • Low Battery/Trouble Sounder & Indicator • Silence & Alarm Test Button • Long Life CR123A 3V Lithium Battery Supplied • Compliances: ETL Listed to UL268, FCC
PSMKCO		Smoke & Carbon Monoxide Sensor 	• 2 in 1 Detection – Smoke & Carbon Monoxide • 433 MHz Long Range Wireless • Powerful 85dB Sounder & 3 LED indicators • Tamper Supervised • Self-Diagnostic Test & E.O.L. Signal for CO • Low Battery/Trouble Sounder & Indicator • Silence & Alarm Test Button • Long Life CR123A 3V Lithium Battery Supplied • Compliances: ETL Listed to UL268, UL2075, FCC
PCAM		Wireless Indoor/Outdoor Camera with Self-Healing Wi-Fi & EZ-Mount 	• Wireless Camera for use indoors and outside • Self-Healing Video Wi-Fi Connectivity (pats. pending) for max. reliability service-call-free • AI Human Detection avoids unwarranted activation • 2MP HD, 16:9 w/ Night Vision • Super-strong, easy magnetic aimable base • 1080P, H.264, HFOV 124°; Cameras w/PIR Motion Detection • WPA-AES, WPA2-AES Encryption • WiFi 2.4GHz, 802.11 a/b/g/n, 1T1R; sub 433MHz • Weatherproof Rating IP56 • Type-C USB Rechargeable Battery • Optional Continuous Solar Power Accessory (#PSOLAR)
PSOLAR		Solar Panel Power for Video Cameras 	• Keep Prima Wireless Cameras continuously charged & ready- No need to disconnect to recharge • Uses Daylight Solar Energy (5W output) to recharge the integral battery while the camera is in use & mounted • Versatile 360° Adjustable Mounting Bracket & 10' charging cable, for optimal aiming • IP67 Weatherproof Rating • 6.61 x 7.20 x 0.67 (HWD) • Includes Bracket, Cable & Mounting Hardware
PRETROFIT		Wireless Translator Module 	• Ideal for Retrofitting Wireless Sensors from Existing Systems • Translate 345Mhz Wireless Devices, ie., 2GIG® & Honeywell® Unencrypted Sensors for use in Prima System, to 433 MHz (Encrypted), save costs/time • Supports up to 64 Sensors & 2 Wired Sensors, max. • Up to 492' open air range • Easy 3-Button Activation & LED Indicators • Low Current Draw Backup Batt. 3.6V Lithium Ion (2000mAh) • Battery Backup – 24Hrs, min. (non-powered); 4Hrs, min. (powered) • External Power Supply 12VDC 1A 100-240VAC 50/60Hz (UL Certified)
PHW8RETRO		8-Zone Hardwired Takeover Module	• Ideal for Retrofitting Existing Systems' Hardwire Sensors into the Prima Wireless System to save costs & time • Converts up to 8 wired zones into 8 supervised wireless zones • Status LED through housing cover • 6" x 3.5" x 1.5" (H x W x D) • Input Power: 12VDC Nominal, 650mA max. • Zone Loop: Current 3.7mA, nom.; 5.5mA, shorted • Note: Use 2.2K eol resistor for Fire applications • Supports 1 Fire device per Module, up to 4 Modules per system

• Easy On-Screen How-To Videos • Self-Healing Video Wi-Fi Prevents Service Calls

prima

by NAPCO

The All-in-One Smart Panel You Asked For
Connected Home & Security System



Part #	Product / Pkg	Description	Features
PSIREN		Wireless In/Outdoor Siren-Strobe	- For Additional Siren/Strobe in the Prima System, adds more audio/visual alarm indication throughout premises - Powerful 85dB Sounder & Bright LED Strobe Visual Alarm indicator - Plug into AC or optional battery operation (wall-mount) - Supports Burg., Temporal Fire & CO alarm audible cadences - Operable from 110VAC with battery-backup or Battery-only (4 C-Size batts.), 2.5 yrs. typ. - Indoor (AC/DC) or outdoor (DC) weatherproof operation - Optional Tamper magnet-activated switch - Compact 3.5" x 6.75" x 2.38" (HxWxD) - Plug-in AC: 120 VAC, 60Hz - Low Current draw 70mA (Maximum), 70uA (standby)
PWBELL		HD Video Wireless Doorbell with Self-Healing Wi-Fi	- HD Video Doorbell Wireless w/Self-Healing Video Wi-Fi auto-corrects for customer Network Connectivity behind the scene, preventing service calls - AI Human Detection & Superior False Alarm Immunity - Up to 1536P, H.264 10-15FPS w/ IR Night Vision, 10-15FPS - Pro Quality, One-Touch Easy-Add (Dims. 5.4 x 1.8 x 1" HWD) - Live View Video/Audio on Panel & App w/ 2-Way Audio & Omnidirectional Mic - Wi-Fi 802.11 a, b, g, n with 433MHz Dual Connect; Supports 2.4GHz WiFi Networks - IP54 Weather Resistance, Dual Encryption WPA-AES/P2 - Includes Bracket, Mounting Plate & Battery, Type-C USB, Rechargeable 6400mAh Battery (charging 5V2 A Type-C USB, DC) - Optional Chime Add-On (#PCHIME)



Prima Plans
(Activated on
NapcoComnet.com)

- PRIMA-SVC-AI Interactive Money-Saving Service Plan for WiFi & Cellular Comm., Real-Time Notifications, Security & Status via Push, Text or Email. Full Z-Wave Device support, garage door, T-Stat, locks, etc.
- PRIMA-SVC-VID Video Services Plan, includes always-on, self-healing Wi-Fi cam connectivity & 30 days cloud-based storage, for up to 2 cameras
- PRIMA-SVC-XCAM Extra Cameras Video Plan, as above for added cameras



Scan for Specs



Designed For
Today's Smart
Connected Consumers

