

Enterprise Application

User Manual

Version 4.5



Part Number: XXXX

Publication: XXXX

Release Date: XX/XX/XXXX

Software Versions

Software / Tool	Function	Version
Enterprise Application	<ul style="list-style-type: none">• Extended compatibility to all SICK products and external applications using a new heartbeat JSON and MQTT topic for dynamic data integration.• Introduced a multi-level Tree View dashboard with zoom, pan, breadcrumb navigation, dynamic data-type selection, and a draggable Summary & Filters panel.• Added a dedicated page to display and manage offline products with search and refresh capabilities.• Added a dedicated page for downloading PDF reports directly from the EA server.• Added OpenID authentication with JWT assertion support alongside Database and LDAP options.• Added a Notification Logs page to track notifications for troubleshooting and auditing.• Improved facility configuration with bulk add/edit/delete, inline edits, and MQTT connections via IP-address lists.• Enhanced List View with data-type filters, health/performance pagination, and a draggable Summary & Filters panel.• Enhanced Map View with a redesigned cluster-info modal, autocomplete for region/country, dynamic product-state display, and a Summary & Filters panel.• Increased maximum notification frequency to one hour.	4.5

Copyright © 2025

SICK

150 Royall St

Suite 104

Canton, MA 02021

Contents

Software Versions	2
1 About This Manual	6
1.1 Purpose of the User Manual	6
1.2 Accessing the Manual	6
1.3 Related Documentation	6
1.4 SICK Support Contact Information	6
2 Security and Usage Disclaimer	7
3 EA Overview	9
3.1 Introduction to Enterprise Application	9
3.2 System Components Overview	9
4 Getting Started	11
4.1 Logging In	11
4.2 Applying a License	11
4.3 Managing Your Profile	12
4.4 Logging Out	14
5 Using the EA Dashboard	16
5.1 Dashboard Features	16
5.2 Navigating the EA	17
6 Product View	19
6.1 Status Indicators	19
6.2 Common Features	19
6.2.1 Data Type Dropdown	19
6.2.2 Summary & Filters Settings	20
6.3 Map View	21
6.3.1 Accessing the Map View	22
6.3.2 Map View: Navigation, Filtering, and Data Selection	22
Navigating the Map View Using Dropdown Filters	22
Navigating the Map View Using Direct Clicks	23
Navigating Back & Clearing Selections	24
6.3.3 Zoom Controls	25
6.3.4 Map View : Using the Summary & Filters Panel	26
6.4 List View	27
6.4.1 Accessing the List View	27
Sorting Table Content	28
Searching Products	28
Viewing Product Charts	29
Customizing the Table	29

6.4.2 List View : Using the Summary & Filters Panel	30
6.5 Tree View	32
6.5.1 Accessing the Tree View	32
6.5.2 Tree View : Navigation, Filtering, and Data Selection	33
Filtering by Hierarchy.....	33
Navigating the Tree View Using Direct Node Interaction.....	34
Navigating Back & Clearing Selections	34
6.5.3 Zoom Controls	35
6.5.4 Tree view: Using the Summary & Filters Panel	36
6.5.5 Node Status Indicators.....	37
7 Enterprise Search	39
7.1 Selecting Date.....	39
7.2 Selecting Facilities.....	39
7.3 Search Types	40
7.4 Searching from results.....	42
7.5 Show or Hide Table Columns and Rearrange Columns	42
7.6 Download data	42
7.7 Navigating to the Facility	43
7.8 Display rows per page.....	43
7.9 Change the Object data Sort Order.....	43
7.10 Advance Search	43
8 Notification	45
9 Offline Products	47
10 Download Log Files.....	48
10.1 Retrieving Log Files:	48
10.2 Pagination Options:	49
10.3 Sorting the Log Files Table:.....	49
11 Download Reports	50
12 Notification Logs	51
13 About/Info	53
13.1 Where to Find Software Version and License Information:.....	53
14 Glossary	54

1 About This Manual

This section provides an overview of the SICK Enterprise Application (EA) User Manual, outlining its purpose, how to access it, related documentation, and support contact information. It serves as a starting point for users to understand how to navigate and utilize the EA's features effectively.

1.1 Purpose of the User Manual

The **EA User Manual** is designed to guide users in interacting with the **EA's** intuitive interface to access and analyze comprehensive data from **SICK** products. It covers essential tasks such as logging in, personalizing user profiles, navigating the dashboard, viewing product information, performing searches, and managing reports and logs. This manual helps users leverage the **EA's** capabilities to support operations, maintenance, customer service, and data analysis across various facilities, ensuring efficient use of real-time product data.

1.2 Accessing the Manual

The EA User Manual is available in multiple formats to ensure accessibility:

- **Printed/PDF Format:** Included with the EA software distribution or downloadable from the SICK support portal.

1.3 Related Documentation

For instructions on configuring and setting up the EA, including tasks like product management, user account setup, and system settings, refer to the **EA Configuration Manual**. The Configuration Manual complements this User Manual by detailing administrative tasks necessary to deploy and maintain the EA system.

1.4 SICK Support Contact Information

For assistance with using the EA or resolving issues, contact SICK support:

- **Sales and Product Support:** Visit www.sick.com
- **Technical Support:** Access the SICK Support Portal at <https://support.sick.com/>
- **Address:** SICK, 150 Royall St Suite 104, Canton, MA 02021, USA

2 Security and Usage Disclaimer

Overview

This section outlines important security, operational, and usage considerations for the product. The operating entity is responsible for ensuring that the product is deployed, configured, and maintained in a secure and controlled environment.

Network Services and Protocols

A diagram and list of all network services and protocols used by the product are available in the product-specific Release Notes at:

<https://support.sick.com>

The listed services and protocols represent the best available knowledge. No service or protocol has been intentionally omitted.

Network Security

The operating entity must implement appropriate measures to protect the operating environment and network infrastructure. This includes ensuring secure and trustworthy communication between the product and all connected systems and devices.

Physical Access Protection

The product is not intended for use in easily accessible or public areas.

- Protect the product from unauthorized physical access
- Restrict access even for personnel present in the working area
- Ensure that only authorized individuals can access the product

Protection of Installation Environment

The operating entity must prevent unauthorized access to the area in which the product is installed and operated.

Protection of Transmission Media

Transmission media (for example, data cables and network connections) must be protected against unauthorized access, interception, or tampering.

Data Protection and Privacy

The product is technically capable of identifying individuals or capturing personal data. The operating entity is responsible for ensuring compliance with applicable data protection and privacy regulations.

Protection Against External Force

The product is not designed to protect data or functionality against external force, tampering, or vandalism.

Access Control and User Management

The operating entity must configure access credentials and permissions according to the principle of least privilege. Only the minimum required access rights should be assigned.

External Systems and Services

The product may interact with external systems such as:

- Analytics systems

- FTP servers accessed by the product

These integrations must be secured appropriately.

Cryptographic Data Handling

The product does not store cryptographic secrets that would allow it to access other systems or devices.

Intended Use Limitations

- Safety-critical applications
- Control or authorization of physical access

Responsibility Statement

The operating entity is solely responsible for securing the product, its environment, and ensuring compliant usage.

Important

Failure to implement appropriate security and access control measures may result in unauthorized access, data breaches, or misuse of the product.

3 EA Overview

This section introduces the SICK Enterprise Application (EA), a powerful web-based platform designed to enhance operational efficiency by aggregating and visualizing real-time data from SICK products. It outlines the application's purpose, key features, and core system components, providing users with a foundational understanding to effectively utilize its capabilities.

3.1 Introduction to Enterprise Application

The Enterprise Application (EA) is a web-based solution that consolidates real-time status, health, and performance data from multiple SICK products, such as Package Analytics, Field Analytics, Dynamic Dashboard, Track and Trace Application Publication, and Asset Analytics. Using the MQTT publish-subscribe protocol, EA securely connects to facility application servers and SICK products over a wide area network via SSL/TLS, ensuring compliance with stringent IT security standards. The EA subscribes to the heartbeat topic to process standardized JSON-formatted heartbeat data, enabling automatic discovery and monitoring of connected products. This heartbeat includes critical information such as product identity, location, facility group organization, status, and product-specific statistics.

The EA's HTML5-based dashboard provides an intuitive interface for users to monitor and analyze product data through List, Map, and Tree Views, facilitating quick access to facility hierarchies and location-based visualizations. With features like Enterprise Search, Facility Status, and tools for logs, reports, and notifications, EA empowers users to optimize operations, maintenance, customer service, and data security across various facilities.

3.2 System Components Overview

The EA integrates with several components to collect, process, and display system data. Understanding these components helps users navigate the application effectively. The key components are:

Component	Description
EA Software	The core application that receives and processes data from facilities, captured by SICK sensors and controllers. It uses MQTT to retrieve data and supports dashboard requests, storing all data in a facility database.
Client Computers	PCs connected to the EA network running the HTML5 web client, which provides the dashboard interface for accessing facility and database information.
Active Facilities	Facilities linked to the EA that transmit data via MQTT, enabling real-time monitoring of product states and performance.

The EA Dashboard, accessible through client computers, serves as the primary interface for interacting with these components, offering a rich user experience to search, view, and export product information.




Figure 1

4 Getting Started

This section guides users through the initial steps to access and interact with the SICK Enterprise Application (EA). It covers **logging in** to the **EA Dashboard**, managing your **personal profile**, and **logging out** securely. These tasks enable users to authenticate and personalize their experience based on assigned roles and permissions.

4.1 Logging In

The **Log In** window prompts users to authenticate before accessing the **EA Dashboard**. The authentication method may vary depending on the system configuration (**Database**, **LDAP**, or **OpenID**).




Figure 2

1. On the **Log In** page, enter your credentials based on the authentication method:
 - **Database Authentication:** Enter your **Username** and **Password**.
 - **LDAP Authentication:** Enter your **LDAP Username** and **Password**.
 - **OpenID Authentication:** Select the **OpenID** provider button and follow the provider's login flow.
2. Select **Log In**.

Upon successful authentication, the **EA Dashboard** appears, providing access to features based on your assigned role and permissions.

4.2 Applying a License

When logged into Enterprise application, select, "**Apply License**" on the license configuration page and upload the enterprise license.




Figure 3




Figure 4

Enterprise application allows users to personalize their experience with a few parameters and settings according to their geographical location and personal needs.

4.3 Managing Your Profile

The My Profile page allows users to view and update personal information, such as name and email address. Access to certain fields may be restricted based on the authentication method (e.g., LDAP, OpenID).

1. In the top-right corner of the EA Dashboard, click your profile icon .




Figure 5

2. From the dropdown menu, select **My Profile**.

The My Profile page opens.




Figure 6

My Profile Fields

The My Profile page displays the following fields:

Field	Description
Name	First Name and Last Name of the user.
Username	Unique login ID (non-editable).
Group	Assigned role or group (non-editable).
Phone	User contact number (if applicable).
Email Address	Email address associated with the account.

Edit Information

To update your profile:

- Update Name:

1. Click the **Name** field.
2. In the right panel, update the **First Name** and **Last Name** fields as needed.

- Update Email Address:

1. Click the **Email Address** field.
2. Enter the new value in the provided input.

1. Select **Save** to apply changes, or **Cancel** to discard them.

2. A snackbar message confirms the update:

"Profile updated successfully."

Note:

Note: Username and Group fields are non-editable. If LDAP or OpenID authentication is enabled, all fields may be disabled.

4.4 Logging Out

Use the Logout option to securely exit the application.

1. In the top-right corner of the EA Dashboard, select the **profile icon**.




Figure 7

2. From the dropdown menu, select **Logout**.
3. You are logged out, and the login page reappears.
4. A snackbar message confirms the action:
"**Logged out successfully.**"

5 Using the EA Dashboard

The **EA Dashboard** is the central hub for users of the SICK Enterprise Application (EA), serving as the landing page after login. It provides live status updates, navigation shortcuts, and customizable settings, adapting its central panel to the selected view mode (**List**, **Map**, or **Tree**). This section describes how to interact with the dashboard's features and navigate to various EA pages to monitor products, access reports, and manage settings.

5.1 Dashboard Features

The EA Dashboard consolidates key functionalities to enhance user interaction with product data and system status. The following features are available:














Figure 8

Feature	Description
1. Navigation Menu	Links to all Enterprise Analytics pages from the left-hand menu: Home (Dashboard) , Enterprise Search , Facility Status , Offline Products , Configuration , Download Log Files , Download Reports , and Notification Logs to monitor products, configure settings, or view logs and reports.
2. Product View Selector	Switch between three dashboard views using icons at the top: List View , Map View , and Tree View .
3. Summary & Filters Settings	Controls the visibility and width of the Summary & Filters panel for Map , List , or Tree views to customize the dashboard layout.
4. Data Type Selector	Updates product statuses and metrics across views using data types like Health , Operational , or Quality .
5. Profile Menu	Dropdown menu with options: My Profile , Manage Users , Manage Groups , Manage Roles , Subscribed Notifications , and Logout .
6. Main Display Area	The central area displays one of three views: List View , Map View , or Tree View .

5.2 Navigating the EA




To access any EA page, use the navigation bar on the left side of the dashboard. The navigation bar provides shortcuts to key functionalities, allowing users to explore product data, perform searches, view reports, or access configuration settings (if authorized).

Selection	Description
 HOME	View all connected Products and their status (same as Dashboard).
 ENTERPRISE SEARCH	Search for objects per Product or multiple Products.
 FACILITY STATUS	Displays Product status.
 OFFLINE PRODUCTS	View all offline Products.
 CONFIGURATION	Configure EA settings (add/edit Products, Product groups, regions, software settings, licenses, notifications, authentication methods).
 DOWNLOAD LOG FILES	Download all available logs for EA.
 DOWNLOAD REPORTS	View and download reports.
 NOTIFICATION LOGS	View notification logs.
 ABOUT INFO	View application version and software info.
	You can expand/collapse the navigation bar using the arrow icon.

6 Product View






The **Enterprise Analytics (EA) Dashboard** displays the status and general information of all linked products (e.g., **PA**, **FA/DD**, **Asset Analytics**, **TTAL**) from any **SICK** application, sourced from their heart-beat data. Product status is determined based on the health of the product, including its efficiency in processing objects and connectivity to its components.

You have the option to view the linked products in three different view modes:

- [Map View](#) 
- [List View](#) 
- [Tree View](#) 

6.1 Status Indicators

Product status is indicated by the following five states, used across all view modes to represent the health of products, clusters, or nodes:

Indicator	Status	Condition
	OK	The linked product is functioning as expected.
	WARNING	The linked product has some warning parameters that are affecting its performance.
	ERROR	The linked product has a major fault causing performance issues.
	OFFLINE	The linked product is currently offline.
	NONE	No status data has been received from the linked product.

6.2 Common Features

The following features are shared across all view modes (**Map View**, **List View**, and **Tree View**), providing a consistent user experience for interacting with product data.

6.2.1 Data Type Dropdown

The **Data Type** dropdown is located in the top-right corner of the dashboard header, near the **Summary & Filters Panel** and view mode icons. It allows you to switch between data categories (e.g., **Health** or

Operational) for the selected product or node. Selecting a category updates the displayed metrics and the **Summary & Filters Panel** with relevant data.

Options:

- **Health**: System health indicators.
- **Operational**: Performance metrics.

Steps:

1. Click the **Data Type** dropdown.
2. Select **Health** or **Operational**.

Note:

Note: Metric availability depends on the product's **Heartbeat** configuration. Metrics may be unavailable if not configured or if the product is offline.





Figure 9

6.2.2 Summary & Filters Settings

The Summary & Filters Settings allow you to control the appearance and visibility of the Summary & Filters Panel across all view modes (**Map View**, **List View**, and **Tree View**). You can adjust the panel's width and choose which views display the panel.

Adjusting Settings:

1. Click the **Settings** icon  in the dashboard header to open the **Summary & Filters Settings** dialog.




Figure 10

2. In the **Summary & Filters Settings** dialog:
 - **Width:** Select the panel width (**Small**, **Medium**, or **Large**) using the radio buttons.
 - **Visibility:** Check or uncheck the boxes for **Map View**, **List View**, and **Tree View** to show or hide the panel in each view mode.
3. Click **Save** to apply changes, or **Cancel** to discard them.




Figure 11

6.3 Map View

You can view all the linked facilities and products across the world in **map view** mode. The facilities and products in the map are indicated by a dot. The color of the dot reflects the product's status (see section

for [status indicators](#). If multiple facilities/products exist in the current map view and are in close proximity, they are represented by a cluster point. The number of close facilities/products is shown within the cluster point, and the cluster color reflects the status of the facilities/products it represents.


6.3.1 Accessing the Map View

Prerequisites

- A valid **Enterprise Analytics (EA)** license with **MAP_VIEW** permission.

Steps:

1. Log in to **Enterprise Analytics**.
2. Click the **Map View**  icon in the dashboard header.



Upon opening the Map View:

- The default **All Regions** view shows all facilities and products on the map as single dots (for one product) or cluster dots with a number (for multiple products grouped closely together).
- The [Summary & Filters Panel](#) on the right allows filtering by product state and type.
- The navigation bar includes dropdowns (**All Regions**, **Country**) and a [Data Type](#) dropdown (e.g., **Health**, **Operational**) for filtering and switching data categories.
- A status legend at the bottom shows color coding for product states.

6.3.2 Map View: Navigation, Filtering, and Data Selection

Navigate, filter, and select data in the **List View** using sorting, searching, and chart visualization options. For filtering by product state, type, or group, see the **Summary and Filters Panel**.

Navigating the Map View Using Dropdown Filters

Dropdowns allow you to filter locations by selecting from a list or typing in the search bar within each dropdown.




Figure 13

Navigation Level	Action	Result
Region	<p>Select a region from the All Regions dropdown or use the search bar to filter (e.g., type "Nor" for North America).</p> <p>Breadcrumb updates (e.g., All Regions > North America).</p>	<ul style="list-style-type: none"> • Zooms to the selected region. • Displays only products located in the selected region as dots or clusters. • Updates the Summary & Filters Panel with region-specific data.
Country	<p>After selecting a region, select a country from the Country dropdown or use the search bar to filter (e.g., type "US" for USA).</p> <p>Breadcrumb updates (e.g., All Regions > USA).</p>	<ul style="list-style-type: none"> • Zooms to the selected country. • Displays only products located in the selected country as dots or clusters. • Updates the Summary & Filters Panel with country-specific data.
State	<p>After selecting a country, select a state from the State dropdown or use the search bar to filter (e.g., type "Geo" for Georgia).</p> <p>Breadcrumb updates (e.g., All Regions > USA > Georgia).</p>	<ul style="list-style-type: none"> • Zooms to the selected state. • Displays only products located in the selected state as dots or clusters. • Updates the Summary & Filters Panel with state-specific data.
Product	<p>After selecting a state, select a product from the Select Product dropdown or use the search bar to filter (e.g., type "Package" for Package Analytics).</p> <p>Breadcrumb updates (e.g., All Regions > USA > Georgia > Package Analytics).</p>	<ul style="list-style-type: none"> • Zooms to and highlights the selected product's exact location. • Displays only the selected product. • Updates the Summary & Filters Panel with product-specific data.

Navigating the Map View Using Direct Clicks

In addition to using dropdown filters, you can navigate the **Map View** by directly interacting with the map elements.




Figure 14

- Hover over a region, country, or state to highlight and view its name.
- Click the highlighted area to zoom in (e.g., region to countries, country to states, state to products).
- Once zoomed in, all linked facilities/products within the selected area become visible.
- The map further divides into smaller regions (e.g., countries into states or provinces), which can also be clicked to zoom in further.
- This allows you to drill down geographically from region to country to state, directly on the map without using dropdown selections.
- The **Summary & Filters Panel** updates automatically based on the current visible location and selection.

Navigating Back & Clearing Selections

As you explore the Tree View using dropdowns or by interacting with nodes, you can return to higher levels or reset filters using two straightforward methods:




Figure 15

- **Clearing Individual Selections:** To clear a filter and return to the higher-level view, click the **Back Button** next to the selected **Enterprise View**, **Select Group**, **Select Product**, or **Select Device** dropdown.

- **Using the Back Button:** Move up one level at a time using the "Back" button in the top-left corner of the **Tree View**. Each click steps back in the navigation path (e.g., **Device** → **System** → **Product Group** → **Enterprise**). The **Tree View** and **Summary & Filters Panel** adjust to reflect the broader level.

6.3.3 Zoom Controls

To help users effectively navigate complex or multi-level tree structures, Tree View provides interactive controls at the bottom of the screen. These controls allow users to pan, zoom, and reset the view for better visibility and usability.






Figure 16

Icon/Button	Functionality
 <p>Pan Controls Icon</p>	<p>Use the pan controls to move the Tree View:</p> <ul style="list-style-type: none"> • Select the left arrow to move the view to the left. • Select the right arrow to move the view to the right. • Select the top part of the center icon to move the view up. • Select the bottom part of the center icon to move the view down. <p>Tip: You can pan the view in any of the following ways:</p> <ul style="list-style-type: none"> • Use the arrow keys on your keyboard • Click and hold the left mouse button, then drag • Swipe with two fingers on a touchpad
 <p>Zoom Controls Icon</p>	<p>Use the zoom controls to adjust the view:</p> <ul style="list-style-type: none"> • Select the plus button (+) to zoom in. • Select the minus button (-) to zoom out. • Select RESET to restore the original zoom level and center the tree. <p>Tip: You can also zoom using the mouse scroll wheel or pinch-to-zoom on a touchpad.</p>

6.3.4 Map View : Using the Summary & Filters Panel

The **Summary & Filters Panel** is located on the right side of the **Tree View**. It provides a real-time summary of product data and enables users to filter the **Tree View** based on product state and type. The panel dynamically updates based on the current selection.






Figure 17

Filter by Product State or Type:

1. Click the + icon next to **Product State(s)** or **Product Type(s)** to expand.
2. Review options:
 1. **Product State(s)**: States with node counts and percentages (e.g., **OK**, **WARNING**, **ERROR**, **OFFLINE**, **NONE**).
 2. **Product Type(s)**: Types (e.g., **Device Group**, **Facility**, **Media Server**, **Non-Redundant**).
3. Check one or more options to filter the **Tree View** in real time. The **Tree View** updates to show only nodes matching the selected states, types, or both if combined.
4. Reset filters by selecting **Clear Filters**.

Panel Customization:

To improve usability and layout flexibility, you can reposition, expand, or collapse the **Summary & Filters Panel** as needed:

- **Drag**: Use grip icon (: :) to move panel.
- **Move Left/Right**: Use the left  and right  arrow icons to move the panel horizontally across the screen.
- **Expand/Collapse**: Click +/- in the panel header or next to sections (e.g., **Product State**) to show/hide filters or sections.

6.4 List View

The **List View** in **Enterprise Analytics** displays all linked products (e.g., **PA**, **FA/DD**, **Asset Analytics**) from any **SICK** application in a tabular format, providing general information under column headers. Products are populated dynamically based on standardized heartbeat data sent.

6.4.1 Accessing the List View

1. Log in to **Enterprise Analytics**.
2. Click the **List View**  icon in the dashboard header.





Chart	Product Name	Region	Group	Product State	Volume	Average Volume Per Hour	Statistic	Actual (Expected)
+	SICK QA119	+1 more	+1 more	OK	0	0	Build Date	28 Apr 2025
+	SICK QA53	+1 more	+1 more	OK	0	0	Build Date	28 Apr 2025
+	SICK QA53-SEC	-	-	NONE	0	0	-	-
+	SICK QA98	+1 more	+1 more	OK	0	0	Build Date	28 Apr 2025
+	SICK QA98-203-MS	+1 more	+1 more	OK	0	0	Build Date	28 Apr 2025
+	Sick-113	+1 more	+1 more	OK	50115	0	Build Date	29 Apr 2025
+	Sick-98	+1 more	+1 more	OFFLINE	2617	0	Build Date	28 Apr 2025
+	SICK55	+1 more	+1 more	OK	5	1	Build Date	28 Apr 2025

Figure 18

Upon opening the List View:



- All products are displayed in a table with column headers providing key information sourced from each product's heartbeat data.
- The [Summary & Filters Panel](#) on the right allows filtering by product state, type, and group.
- A [Data Type](#) dropdown (e.g., Health, Operational) at the top allows switching data categories.
- A [search bar](#) at the top allows filtering products by any available data).
- A [Column Arrangement](#)  icon next to the search bar allows hiding or rearranging table columns to customize the List View.


Product information is presented in the following columns:

Selection	Description
Product Name	Name of the product (e.g., AssetHub, Package Analytics). Click the name to open the product application in a new tab.
Product Label	Label assigned to the product.
Region	Region where the product is defined.
Group	Groups in which the product is configured. If associated with multiple groups, a hyperlink with the count of groups (e.g., "+2 more") is displayed; click to view the list.
Product State	Current state of the product (see section 1.1.2 for status indicators).
Volume	Sum of objects passed through all auto ID systems of the product.
Average Volume Per Hour	Average number of objects passed through each system per hour.
Statistic	Context menu listing common statistics (e.g., read rates) across all systems in the product; select a statistic to view its read rate percentage in charts.
Actual (Expected)	Actual versus expected performance metric (e.g., read rate).
Product Type	Type of the SICK product (e.g., Web Service, SICK Baggage Analytics, SICK Package Analytics).

Sorting Table Content

Sort products by any column to organize the table:

- Click a column heading arrow   to sort by that value. Click again to toggle between ascending and descending order.



The screenshot shows a table with the following columns and sorting indicators:

Chart	Product Name	Region	Group	Product State	Volume	Average Volume Per Hour	Statistic	Actual (Expected)
+	SICK QA	+1 more	-	NONE	315287	362	-	-
-	SICK QA98-203-MS	+1 more	+1 more	OK	75666	2075	Build Date	28 Apr 2025
+	Sick-113	+1 more	+1 more	OK	50115	0	Build Date	29 Apr 2025

Figure 19

Searching Products

Filter products using the search bar at the top of the table:

- Click the **search bar** and enter any product data (e.g., **Product Name, Region, Volume, Average Volume Per Hour**) to search and filter the table in real time.





Figure 20

Viewing Product Charts

Track the performance of a selected statistic for a product using daily and hourly charts, sourced from historical data:



- Select a statistic from the context menu in the **Chart** button at the top of the table.
- Click the **Chart** button to view the daily and hourly bar chart for the selected statistic.
- Hover over the chart bars to view the exact percentage for the statistic.




Figure 22

Customizing the Table

Show, hide, or rearrange table columns to customize the List View:




Figure 23

1. Click the **Column Arrangement** icon.
2. In the **Column Arrangement** dialog, use the **Select All** checkbox to show or hide all columns at once, except fixed columns.
3. Check or uncheck individual column headings to show or hide them.
4. Use the **^** and **v** arrow keys in the Column Arrangement dialog to move a column heading to a new position.
5. Click **Save** to apply changes, or **Cancel** to discard them and return to the List View.

Note:

The Product Name column is fixed and cannot be hidden.

6.4.2 List View : Using the Summary & Filters Panel

The Summary & Filters Panel is located on the right side of the List View. It provides a real-time summary of product data and enables users to filter the List View based on product state, type, and group. The panel dynamically updates based on the current selection. You can control the panel's settings, such as its width and visibility, in the [Summary & Filters Settings](#)




Figure 24

Overall Info

The Overall Info section at the top of the panel displays key statistics based on the selected product.

- **Overall Health:** Displays the current system status.
- **Alerts:** Indicates the number of active alerts.
- **Active Product(s):** Shows the number of online products out of the total.
- **Last Updated:** Displays the timestamp of the most recent data update.



Filter by Product State, Type, Group, or Region:

1. Click the + icon next to **Product State(s)**, **Product Type(s)**, **Group(s)**, or **Region(s)** to expand.
2. Review options:
 - **Product State(s):** States with node counts and percentages (e.g., **OK**, **WARNING**, **ERROR**, **OFFLINE**, **NONE**).
 - **Product Type(s):** Types (e.g., **Web Service**, **SICK Baggage Analytics**, **SICK Package Analytics**).
 - **Group(s):** Groups in which the product is configured (e.g., **SICK AG**).
 - **Region(s):** Geographical regions where the product is deployed (e.g., **North America**, **SICK Boston**), with counts and percentages.
3. Check one or more options to filter the List View in real time. The List View updates to show only products matching the selected states, types, groups, regions, or a combination of these.
4. Reset filters by selecting **Clear Filters**.

Panel Customization:

To improve usability and layout flexibility, you can reposition, expand, or collapse the Summary & Filters Panel as needed:

- **Drag:** Use grip icon (: :) to move panel.

- **Move Left/Right:** Use the left  and right  arrow icons to move the panel horizontally across the screen.
- **Expand/Collapse:** Click **+/-** in the panel header or next to sections (e.g., **Product State**) to show/hide filters or sections.

6.5 Tree View

The **Tree View** in **Enterprise Analytics** offers a visual, interactive hierarchy of your enterprise, organizing products, systems, and devices into a clear, structured layout. This feature empowers users to:

- Navigate effortlessly from enterprise-wide views to individual devices.
- Visualize relationships among enterprise entities, product groups, systems, and devices.
- Monitor real-time operational status and performance metrics.

Each node in the **Tree View** is a box-shaped element representing a component (e.g., facility, system, or device), displaying key metrics such as availability, connectivity, and performance.





Figure 25

6.5.1 Accessing the Tree View

Prerequisites

- A valid **Enterprise Analytics (EA)** license with **TREE_VIEW** permission.

Steps

1. Log in to **Enterprise Analytics**.
2. Click the **Tree View**  icon in the dashboard header.

Note:

The Tree View icon is hidden if your license lacks Tree View support.

Upon opening the Tree View:

- The default **Enterprise View** displays all product groups, facilities, systems, and devices in a hierarchical structure.

- The **Summary & Filters Panel** on the right allows filtering by product state and type.
- The navigation bar includes dropdowns (**Enterprise View**, **Select Group**, **Select Product**, **Select Device**) for filtering and a **Data Type** dropdown (e.g., **Health**, **Operational**) to switch data categories.
- A status legend at the bottom indicates the color coding for node states: Green (OK), Orange (WARNING), Red (ERROR), Gray (OFFLINE), Blue (NONE).




Figure 26

6.5.2 Tree View : Navigation, Filtering, and Data Selection

Navigate from an enterprise-wide overview to a specific device, filter data, and select data types using **dropdowns, node interactions, or the Summary & Filters Panel**.

Filtering by Hierarchy

Filter by hierarchy using dropdowns to focus on specific components.




Figure 27

Dropdowns allow you to filter the hierarchy by selecting from a list or typing in the search bar within each dropdown.

Navigation Level	Action	Result
Enterprise	Select an organization from the "Enterprise View" dropdown or use its search bar to filter.	Narrows to the selected enterprise, displaying its product groups.
Product Group	Select a group from the "Select Group" dropdown or use its search bar to filter.	Narrows to the selected product group, displaying its facilities/systems.
Product	Select a product family from the "Select Product" dropdown or use its search bar to filter.	Narrows to the selected product family, displaying its systems/devices.
System/ Device	Select a device from the "Select Device" dropdown or use its search bar to filter.	Narrows to the selected device, highlighting its node.

The **Summary and Filters Panel** updates with data specific to the selected level after each filter action.

Navigating the Tree View Using Direct Node Interaction

In addition to using dropdown filters, you can navigate the **Tree View** by directly interacting with nodes.

- Click the small circle (●) at the bottom of a node to expand and show child nodes, or click again to collapse and hide them.
- This allows you to drill down hierarchically from enterprise to device directly within the **Tree View**.




Figure 28

Navigating Back & Clearing Selections

As you explore the Tree View using dropdowns or by interacting with nodes, you can return to higher levels or reset filters using two straightforward methods:




Figure 29

- **Clearing Individual Selections:** To clear a filter and return to the higher-level view, click the **Back Button** next to the selected **Enterprise View, Select Group, Select Product, or Select Device** dropdown.
- **Using the Back Button:** Move up one level at a time using the "Back" button in the top-left corner of the **Tree View**. Each click steps back in the navigation path (e.g., **Device** → **System** → **Product Group** → **Enterprise**). The **Tree View** and **Summary & Filters Panel** adjust to reflect the broader level.

6.5.3 Zoom Controls

To help users effectively navigate complex or multi-level tree structures, Tree View provides interactive controls at the bottom of the screen. These controls allow users to pan, zoom, and reset the view for better visibility and usability.






Figure 30

Icon/Button	Functionality
 <p>Pan Controls Icon</p>	<p>Use the pan controls to move the Tree View:</p> <ul style="list-style-type: none"> • Select the left arrow to move the view to the left. • Select the right arrow to move the view to the right. • Select the top part of the center icon to move the view up. • Select the bottom part of the center icon to move the view down. <p>Tip: You can pan the view in any of the following ways:</p> <ul style="list-style-type: none"> • Use the arrow keys on your keyboard • Click and hold the left mouse button, then drag • Swipe with two fingers on a touchpad
 <p>Zoom Controls Icon</p>	<p>Use the zoom controls to adjust the view:</p> <ul style="list-style-type: none"> • Select the plus button (+) to zoom in. • Select the minus button (-) to zoom out. • Select RESET to restore the original zoom level and center the tree. <p>Tip: You can also zoom using the mouse scroll wheel or pinch-to-zoom on a touchpad.</p>

6.5.4 Tree view: Using the Summary & Filters Panel

The **Summary & Filters Panel** is located on the right side of the **Tree View**. It provides a real-time summary of product data and enables users to filter the **Tree View** based on product state and type. The panel dynamically updates based on the current selection.




Figure 31

Filter by Product State or Type:

1. Click the + icon next to **Product State(s)** or **Product Type(s)** to expand.
2. Review options:
 - **Product State(s)**: States with node counts and percentages (e.g., **OK**, **WARNING**, **ERROR**, **OFFLINE**, **NONE**).
 - **Product Type(s)**: Types (e.g., **Device Group**, **Facility**, **Media Server**, **Non-Redundant**).
3. Check one or more options to filter the **Tree View** in real time. The **Tree View** updates to show only nodes matching the selected states, types, or both if combined.
4. Reset filters by selecting **Clear Filters**.

Panel Customization:

To improve usability and layout flexibility, you can reposition, expand, or collapse the **Summary & Filters Panel** as needed:

- **Drag**: Use grip icon (: :) to move panel.
- **Move Left/Right**: Use the left ← and right → arrow icons to move the panel horizontally across the screen.
- **Expand/Collapse**: Click +/- in the panel header or next to sections (e.g., **Product State**) to show/hide filters or sections.

6.5.5 Node Status Indicators

Each node includes a colored status dot that represents the current health of the system or device. These colors help users quickly understand the condition of each node at a glance.









Figure 32

Color	Status
	OK
	Warning
	Error
	Offline
	None

7 Enterprise Search

This feature can be used to search from the pool of objects passed through the auto ID systems of the linked Facilities. You can get the search results by entering valid search parameters and then clicking on the **Search** button. User can also do advance search by clicking on the **Advance Search**.




Figure 33

7.1 Selecting Date

Search query is set for a given time period. EA provides multiple options to enter start and end time:





Figure 34

- Directly entering start and end time from their respective field
- Using **Today** button: This will auto fill start and end time for the current day
- Using **This week** button: This will auto fill start and end time for the current week
- Using **this month** button: This will auto fill start and end time for the current month



7.2 Selecting Facilities

You can perform Facility specific search operation. This can be done by selecting the Facilities from multi-select **Facility context menu**. If none of the Facilities are selected, by default, search operation will be performed across all the linked Facilities.

7.3 Search Types

You can search the objects data using different search types:

Search Type	Search Parameters	Description
By Barcode	Start date & time End date & time Search pattern (regex)	This Search option will search and display all the Objects with barcode content matching the Search pattern.
By No reads	Start date & time End date & time	This Search option will search and display all the objects with NoReads (where verified code count is Zero) within the specified Date.
By Unassigned Object	Start date & time End date & time	This Search option will search and display all the Unassigned Objects (Object Index -100) within the specified date.
By Dimensions	Start date & time End date & time Length min & max Height min & max Width min & max	This Search option will search and display all the Objects with the specified Search parameters for Date, Length, Width, Height
By Gap	Start date & time End date & time Min & Max (for selected unit)	This Search option will search and display all the Objects with the specified Object Gap value in the Search pattern.
By Angle	Start date & time End date & time Angle less than Angle greater than	This Search option will search and display all the Objects with Object angle matching the specified range. The min and max object angle value should range from -180 to 180.
By Box Factor	Start date & time End date & time	This Search option will search and display all the Objects with Box Factor matching the specified range. The min and max value for Box Factor should be between 0-1

Continued on page 41

Continued from page 41


Search Type	Search Parameters	Description
By Girth/ Longest Side	Start date & time, End date & time, Barcode Pattern, Condition, UDF-Error Code, Girth, Longest Side	<p>This Search option will search and display all packages matching the specified Girth or Longest Side values, optionally filtered by Barcode Pattern, Condition, or UDF-Error Code (e.g., 01–04 for EIDS systems). At least one of Barcode Pattern, Condition, UDF-Error Code, Girth, or Longest Side is mandatory. Girth is calculated as Longest Side + 2 × (Width + Height). Supports AND and OR operations for multiple conditions. Values for Girth and Longest Side accept two decimal places.</p> <p>Note:</p> <p><i>By Girth/Longest Side is licensed. This option is available only if permitted in the license file. Users must be logged in with appropriate permissions to access the By Girth/Longest Side search type</i></p>

7.4 Searching from results

You have an option to further refine the search data using **search bar** available at the top of the search table. Facility data can be searched with any available data (**Facility name, label, volume, average,** etc.) of the Facility from the table.

7.5 Show or Hide Table Columns and Rearrange Columns

You can show or hide columns in the search table, and rearrange the column order in the table:

1. Click the **edit icon**. 
2. In the **edit fields** dialog, check or uncheck column headings to include (or hide).

i The **Facility Name** column is fixed. It cannot be hidden.

To move a column, in the **edit fields** dialog, click the arrow keys move the header to a new position on the list. Do this for each heading you would like to move.

i The **Facility Name** column is fixed. It cannot be moved from its position on the Object table.

3. When you are finished, click **Save** to apply the changes, or click **Cancel** to return to **search table** without applying changes.

7.6 Download data

Available results from the search table can be exported in CSV format. This can be done by clicking on **↓ button** from the search table.

7.7 Navigating to the Facility

Search results displayed in search table can be configured/ rearranged as per you wish. From various table columns available, column **Facility name** and **package ID** are hyperlinked. You have the option to view the Facility for which the object data is available by clicking on **Facility name** displayed under column **Facility name** or you can directly navigate to the package detail page of the object which has the complete details of the object (Available barcodes in the package, dimensions of the object, images taken by each camera capturing devices, etc.) by clicking on the **package ID** hyperlink available in the search table result.

The screenshot displays the 'Object Detail' page for 'Object ID #9'. The top navigation bar shows 'SICK Analytics Solutions' and 'Time Zone: Eastern Standard Time'. The left sidebar contains various system management options. The main content area is divided into sections for 'CAMERAS', 'BARCODE POSITION', and 'OBJECT INFO'. The 'OBJECT INFO' section provides detailed specifications: Length: 502,92 mm, Width: 208,28 mm, Height: 335,28 mm, Angle: -6,9 degree, Gap: -25,4 mm, and Box Factor: 0.992908. It also lists conditions like 'PDFw9612, LFT, BF8000' and a weight of '0 kg'. A table below lists barcodes with their respective types (EAN128, PDF417), quality, feature vectors, and device locations. The bottom status bar shows 'Belt Speed' at 2.78 m/s, 'Volume' at 244, and four status indicators (Stat1-4) all at 0.0%.

Figure 36

7.8 Display rows per page

Pagination bar at the bottom of the page shows total results and pagination options. User has the option to view **10, 25, 100, 300, All** rows/instances per page based on the selection from the context menu available at the bottom of the Search Results table. We can move between the pages by clicking on **<** and **>** arrow keys.



7.9 Change the Object data Sort Order

You can sort object data by clicking on any column heading:

- Click a column heading to sort by that value. Click the heading again to toggle between ascending and descending sort order for the selected heading.

7.10 Advance Search

When user clicks on **Advance search** on **Enterprise Search** page, **Advance Search** dialog box appears.

Figure 37:

8 Notification

User can get notification about the status of the facilities based on the user configuration. User need to first configure the Email settings or SMS.

To configure the Email or SMS settings, click on **‘Configure SMS or SMTP Servers’** under **Notification** section in **Configuration** tab.




Figure 38

‘Server Configuration’ screen opens. Provide the following fields for Email Settings:

- Host
- Sender Mail Address
- Username
- Password
- Port

Enable **Mail Authentication** and **TLS** options for receiving notification then **‘Test Connection’** button enables. Click on **‘Test Connection’** then on **‘Save’** button to save the configuration.




Figure 39

Once the server is configured, click on **‘Configuration Notification’** under **Notification** in **Configuration** tab.





Figure 40

Enterprise Notification screen appears. User can create notification for the required facility by clicking on  add icon on top right of the screen.





Figure 41

9 Offline Products

The Offline Products page lists all products that are currently unavailable, helping you identify and troubleshoot connectivity issues within the EA system. This section describes how to view and analyze offline products using the Offline Products page.

Navigate to the Offline Products Page

- In the left navigation pane, select **Offline Products** .
- The Offline Products page displays a table listing all products that are currently unavailable. The table includes the following columns:






Figure 42

Column Name	Description
Product Name	The name of the offline product (e.g., SICK185-4.6.1).
Product Type	The type of the product (e.g., SICK Package Analytics, Web Service).
Last Active At	The date and time when the product was last active (e.g., 09/04/2025, 13:21:04).
Offline Status	The reason why the product is offline (e.g., "Message not found with key UNREACHABLE_PRODUCT").

- You can sort the table by clicking any column header arrows  .
- Pagination controls allow you to adjust the number of rows displayed per page (e.g., showing entries 1–10 of 13) and move between pages using the navigation arrows.
- To filter the list of offline products, enter a keyword in the **Search** field at the top-right corner of the page and press Enter.
 - The table updates to show only the products that match the search keyword.

10 Download Log Files

This section is specifically used to download the EA application logs. These logs are very helpful to rectify the issue faced by the application. All the log files available in the directory are visible in this window. The log files retention is configured from global preference of the application.




Figure 43

The download logs table has following columns to display:

Selection	Description
File Name	Name of the files available in the directory
Size	Size of the log file in Kb
Date Modified	Last modified timestamp when the log file was updated


10.1 Retrieving Log Files:

You can select multiple files to be downloaded from the log table. All the available log files can be selected for download by clicking on the checkbox next to the header **File name**. Checking any of the checkboxes in the table enables **download** and **cancel** button at the top of the table. Click on



to extract all the selected log files from the directory. Checkbox selection made in the

logs table is reset on clicking on



10.2 Pagination Options:

Pagination bar at the bottom of the page shows total results and pagination options. User has the option to view **10**, **25**, **100**, **300**, **All** rows/instances per page based on the selection from the context menu available at the bottom of the logs table. We can move between the pages by clicking on **<** and **>** arrow keys.



Figure 44

10.3 Sorting the Log Files Table:

You can sort log files by clicking on any column heading:

- Click a column heading to sort by that value. Click the heading again to toggle between ascending and descending sort order for the selected heading.

11 Download Reports

The Download Reports page lists all report files available in a designated folder, enabling users to view and download reports directly from the EA system without needing to access the server manually. This section describes how to view and download reports using the Download Reports page.

Navigate to the Download Reports Page

1. In the left navigation pane, select **Download Reports**.




Figure 45

Column Name	Description
File Name	The name of the report file.
Size (KB)	The size of the file in kilobytes.
Date Modified	The date and time when the file was last modified.

- You can sort the table by clicking any column header arrows **↑↓**.
- Pagination controls allow you to adjust the number of rows displayed per page (for example, showing entries 1–10 of 13) and move between pages using the navigation arrows.


Retrieving Reports

1. To download a report, select the checkbox next to the desired file(s).
 - The toolbar above the table will indicate the number of selected files (for example, “1 SELECTED”) and display the **Download** and **Cancel** buttons.
2. Select **Download** to download the selected file(s) to your device in their original format (for example, .txt, .pdf), or select **Cancel** to deselect the files.

12 Notification Logs

The Notification Logs page lists all notifications sent by the EA system, allowing users to monitor and review notification activities for troubleshooting and auditing purposes. This section describes how to view and analyze notification logs using the Notification Logs page.

Navigate to the Notification Logs Page

1. In the left navigation pane, select  **Notification Logs**.






Figure 46

Column Name	Description
Product Name	The name of the product associated with the notification.
Notification Type	The type of notification.
Notification Title	The title of the notification.
Recipient	The user or group who received the notification.
Status	The delivery status of the notification.
Statistics	Additional metrics or details about the notification.
Sent Time	The date and time when the notification was sent.

- You can sort the table by clicking any column header arrows  .
- Pagination controls allow you to adjust the number of rows displayed per page (for example, showing entries 1–10 of 13) and move between pages using the navigation arrows.

Filter Notification Logs

To filter the list of notification logs, enter a keyword in the **Search** field at the top-right corner of the page and press Enter.

The table updates to show only the notifications that match the search keyword.

13 About/Info

13.1 Where to Find Software Version and License Information:

You can view the installed EA software version by clicking on **About/Info** from left navigation panel. To know more about our company, you can click on **VISIT SITE** button available in the tab.




Figure 47

14 Glossary

Term	Definition
Code related condition	Evaluation conditions which are code-related monitor conditions for individual barcodes. For example, a code related condition may monitor if a barcode is a 2D type. Because an object may have multiple barcodes, a code related condition can have multiple outcomes for one object. See also object related condition .
MQTT	Publish-subscribe-based messaging protocol that runs over TCP/IP, used to retrieve Facility data to EA.
Intelligent Sensor	Devices that collect data and send it to a central controller. These include barcode scanners, dimensioners, and cameras. Also referred to as Device .
EA	Enterprise Application.
auto ID system	All SICK systems that automatically collect and identify data—such as camera tunnels and scan systems. They may include cameras, laser scanners, dimensioners, and scales working together.
Device	A system component that collects analytical data and transmits it to the Facility (e.g., CLVs, ICRs, MSC/SIMs). Also referred to as Intelligent Sensor .
device group	A logical grouping of devices (for example, all CLVs or all ICRs), used for collective reporting and analysis.
Evaluation Condition	Conditions set in the SICK System Controller that tag objects meeting specific criteria (for example, no read or valid read). See also Performance Statistic .
Device [Group] Exclusive	Refers to exclusive reads when only one device (or group) records a particular condition on an object.
ICR	SICK's Image Code Reader, used for detecting barcodes.
MAC	Media Access Controller address—a unique ID used by PA to tie a software license to a physical computer.
NORCA	No Read Code Analysis – a quality analysis for readable and non-readable barcodes and 2D codes, provided by auto ID system cameras and configured in camera firmware.
Object	Items scanned by auto ID systems for data (e.g., barcodes, weight, dimensions).
object index	Identifier code for the current object sent from the system controller.

Continued on page 55

Continued from page 54

object related condition	Conditions evaluated at the object level (for example, ValidDim or ValidWeight). Returns a single outcome for each object. See also code related condition .
Performance Statistic	Filters for pre-defined conditions or devices that count how many objects meet a specific Evaluation Condition. See also Evaluation Condition .
read cycle	One complete processing of an object, including data transmission from all devices that recorded data for that object.
System	See auto ID system .
Tunnel	An auto ID system configured as a tunnel, with reading devices mounted around tires—such as a camera tunnel. See also auto ID system .
web client	The program (a Rich Internet Application) that opens EA's user interface—by default in Chrome—and connects to the EA Application Server.
Longterm Read Rate	A graphical analysis of historical performance and operation of your Facility's auto ID systems.
moving average rate	A succession of averages over a specified number of days to smooth out fluctuations in the Primary Statistic read rate, indicating the current trend.
Current Results	A dynamic view of real-time performance and heartbeat of an individual system that logs each object's data as it moves through the system.
Media Server	The service that stores images captured by ICRs, Lector cameras, and IP cams on a remote host.
client computer	Any PC connected to the EA network running the web client RIA, which accesses the EA Application Server for rich data content.

Enterprise Application