



Price Sheet SPF.GRFP-12.17C | Effective: December 4, 2017 | Cancels Price Sheet SPF.GRFP-5.17C of May 1, 2017

FOR THE MOST CURRENT PRODUCT / PRICING INFORMATION ON ANVIL PRODUCTS, PLEASE VISIT OUR WEBSITE AT WWW.ANVILINTL.COM

FREIGHT ALLOWANCE:

All prices quoted F.O.B. our Distribution Centre, Simcoe, Ontario; with full freight allowed on 1,000 lbs. or \$1,500 to recognized delivery points in Canada. All shipments will be made from the nearest distribution centre via the least expensive mode, unless otherwise instructed. Whenever a buyer selects a more expensive method for shipment, or alternate distribution centre, the difference in transportation costs will be for the buyer's account.

NOTE:

All orders are accepted on the basis of prices in effect at the time of shipment.

NOTICE:

To the prices and terms quoted, there will be added any manufacturers or sales tax payable on the transaction under any effective statute.

GENERAL

- UPC numbers are available upon request.
- To obtain current ISO certifications, listings, and other approvals, visit Anvil's website at www.anvilintl.com.
- Pricing is subject to change without notice. Go to Anvil's website for the most current list price information, or contact your local Anvil representative.

LOSS OR DAMAGE CLAIMS:

All goods are shipped at buyer's risk. Shipments should be carefully examined upon delivery and before the carrier's delivery receipt is signed. If any loss or damage is evident, the buyer should make an appropriate notation on the delivery receipt and insist that the carrier's driver initial such exception. The contents of all packages should be carefully examined for concealed damage as soon as possible after delivery, so that the carrier can be requested, within 48 hours after delivery, to arrange for prompt inspection of the damaged goods.



1. CONTROLLING PROVISIONS:

These terms and conditions shall control with respect to any purchase order or sale of Seller's products. No waiver, alteration or modification of these terms and conditions whether on Buyer's purchase order or otherwise shall be valid unless the waiver, alteration or modification is specifically accepted in writing and signed by an authorized representative of Seller.

2. DELIVERY:

Seller will make every effort to complete delivery of products as indicated on Seller's acceptance of an order, but Seller assumes no responsibility or liability, and will accept no backcharge, for loss or damage due to delay or inability to deliver caused by acts of God, war, labor difficulties, accident, delays of carriers, by contractors or suppliers, inability to obtain materials, shortages of fuel and energy, or any other causes of any kind whatever beyond the control of Seller. Seller may terminate any contract of sale of its products without liability of any nature, by written notice to Buyer, in the event that the delay in delivery or performance resulting from any of the aforesaid causes shall continue for a period of sixty (60) days. Under no circumstances shall Seller be liable for any special or consequential damages or for loss, damage, or expense (whether or not based on negligence) directly or indirectly arising from delays or failure to give notice of delay.

3. WARRANTY:

Seller warrants for one year from the date of shipment Seller's manufactured products to the extent that Seller will replace those having defects in material or workmanship when used for the purpose and in the manner which Seller recommends. If Seller examination shall disclose to its satisfaction that the products are defective, and an adjustment is required, the amount of such adjustment shall not exceed the net sales price of the defective products only and no allowance will be made for labor or expense of repairing or replacing defective products or workmanship of damage resulting from the same. Seller warrants the products which it sells of other manufacturers to the extent of the warranties of their respective makers. Where engineering design or fabrication work is supplied. Buyer's acceptance of Seller's design or of delivery of work shall relieve Seller of all further obligation, other than expressed in Seller's product warranty. THIS IS SELLER'S SOLE WARRANTY. SELLER MAKES NO OTHER WARRANTY OF ANY KIND, EXPRESSED OR IMPLIED AND ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FOR A PARTICULAR PURPOSE WHICH EXCEED SELLER'S AFORESTATED OBLIGATION ARE HEREBY DISCLAIMED BY SELLER AND EXCLUDED FROM THIS WARRANTY. Seller neither assumes, nor authorizes any person to assume for it, any other obligation in connection with the sale of its engineering designs or products. This warranty shall not apply to any products or parts of products which (a) have been repaired or altered outside of Seller's factory, in any manner: (b) have been subjected to misuse, negligence or accidents; (c) have been used in a manner contrary to Seller's instructions or recommendations. Seller shall not be responsible for design errors due to inaccurate or incomplete information supplied by Buyer or its representatives.

4. SELLER'S LIABILITY:

Seller will not be liable for any loss, damage, cost of repairs, incidental or consequential damages of any kind, whether based upon warranty (except for the obligation accepted by Seller under "Warranty" above), contract or negligence, arising in connection with the design, manufacture, sale, use or repair of the products or of the engineering designs supplied to Buyer.

5. RETURNS:

Please refer to Anvil International's Canadian Return Material Policy (RMA) available on the website at www.anvilintl.com/CanadaRMA.

6. SHIPMENTS:

All products sent out will be carefully examined, counted and packed. The cost of any special packing or special handling caused by Buyer's requirements or requests shall be added to the amount of the order. No claim for shortages will be allowed unless made in writing within ten (10) days of receipt of a shipment.

Claims for products damaged or lost in transit should be made on the carrier, as Seller's responsibility ceases, and title passes, on delivery to the carrier.

7. SPECIAL PRODUCTS:

Orders covering special or nonstandard products are not subject to cancellation except on such terms as Seller may specify on application.

8. PRICES AND DESIGNS:

Prices and designs are subject to change without notice. All prices are F.O.B. Point of shipment, unless otherwise stated.

9. TAXES:

The amount of any sales, excise or other taxes, if any, applicable to the products covered by this order, shall be paid by Buyer unless Buyer provides Seller with an exemption certificate acceptance to the taxing authorities.

10. NUCLEAR PLANTS:

Where the products, engineering design or fabrication is for nuclear plant applications. Buyer agrees (a) to take all necessary steps to add Seller as an insured under the American Nuclear Insurers' (ANI) pool and under the Mutual Atomic Energy Reinsurance Pool (MAERP) for property damage and liability insurance and if necessary steps could have been taken, but are not taken, Buyer shall hold Seller harmless against all such losses which could have been thus covered (b) Buyer agrees to hold Seller harmless with respect to any personal injury (or death), property damage or other loss in a nuclear incident which is caused directly or indirectly by defective design, material, workmanship furnished by Buyer (or which could be so covered but with respect to which Buyer has elected to self-insure), and further agrees to waive subrogation by its carriers of such insurance against Seller, and (c) as to nuclear hazards for which Buyer cannot obtain insurance coverage, the liability of Seller for any personal injury (or death), property damage or other loss directly caused by defective design, material, or workmanship furnished by Seller shall not exceed the value at the time of the loss occurrence.

11. MINIMUM INVOICE:

Domestic: \$100 plus transportation.

12. TERMS:

Cash, net 30 days unless otherwise specified.

NOTE: All orders are accepted on the basis of prices in effect at the time of shipment.

NOTICE: The prices and terms quoted, there will be added any manufacturers or sales tax payable on the transaction under any effective statute.

FREIGHT ALLOWANCE: All prices quoted F.O.B. our Distribution Centre, Simcoe, Ontario; with full freight allowed on 1,000 lbs. or \$1,500 to recognized delivery points in Canada. All shipments will be made from the nearest distribution centre via the least expensive mode, unless otherwise instructed. Whenever a buyer selects a more expensive method for shipment, or alternate distribution centre, the difference in transportation costs will be for the buyer's account.





Approvals

For current certifications, listings and other approvals, visit Anvil's website at www.anvilintl.com


Standard Gaskets - Your order must specify gasket grade

GRADE	TEMPERATURE RANGE	COMPOUND (COLOR STRIPE)	GENERAL SERVICE APPLICATION
E (type A)	Ambient -40° F to $+150^{\circ}$ F $(-40^{\circ}$ C to $+66^{\circ}$ C)	EPDM (Purple)	Applicable for wet and dry (oil free air) sprinkler services.
Е	-40°F to +230°F (-40°C to +110°C)	EPDM (Green)	Water, dilute acids, alkalizes, salts, and many chemical services not involving hydrocarbons, oils or gases. Excellent oxidation resistance. NOT FOR USE WITH HYDROCARBONS.
EP	-40°F to +250°F	EPDM (Green and Red)	Water, dilute acids, alkalizes, salts, and many chemical services not involving hydrocarbons, oils or gases. Excellent oxidation resistance. NOT FOR USE WITH HYDROCARBONS.

Standard Gasket



Flush Gasket



Bolts/Nuts

U-Bolts Carbon steel SAE grade 2. Zinc electroplated to ASTM A-164.

Oval Neck Track Heat-treated to conform to ASTM A-183 minimum tensile strength 110,000 PSI with yield point of

Head Bolts 80,000 PSI. Zinc electroplated to ASTM A-164.

Heavy Hex Nuts SAE J995 Grade 2 or ASTM A536 Grade "A" or "B". Zinc Electroplated to ASTM A-164.

Hex Flange Lock Nuts Carbon steel per ASTM A-194. Zinc electroplates to ASTM A-164.

Housings & Fittings

ASTM A-536 All ductile iron housings and fittings meet or exceed material conforming to ASTM A-536.

ASTM A-53 or A-135 All segmentally welded fittings std weight except E-9 and K-9 is SCH 10.

ASTM 234 WPB/ASA B16.9 ASTM A53 or A135 Forged Steel Fittings.

ASTM A-312/A-312M Stainless steel fittings grade TP304L or TP316L.

ANSI/ASME All MT-1 mechanical tees are NPT standard conforming to ANSI-ASME B1.20.1.

BS 21 All MT-8 mechanical tees are British parallel joining threads.

Finish All grooved coupling housings and fittings are finished with a rust inhibiting orange paint. Hot

dipped galvanizing per ASTM A-153 is also available upon request.

ASME/ANSI B16.1 F-3 grooved flange adapter drilling conforms to ASME/ANSI B16.1 for class 125 cast iron flanges.

Revised:_____ www.anvilintl.com 3



Table of Contents

Terms and Conditions	2
Approvals, Gasket Material, Bolts/Nuts, Housing & Fittings	
Couplings / Flange Adapter	
C-1 Flexible Couplings	
C-3 LW Flexible Couplings	
C-4 Rigid Couplings	
RC-2 Reducing Coupling	
F-3 Grooved Flange Adapter	
74FP SlideLOK Coupling	6
Fittings for Fire Protection (Short Body Fittings)	
SE-1 90° Elbow	
ST-1 Straight Tee	
Fittings for Grooved-End Pipe	8–15
E-1 90° Elbow	8
E-2 45° Elbow	
E-3 22½° Elbow	
E-4 11¼° Elbow	
E-9 90° Drain Elbow	
K-9 Drain CapSE-5 90° Reducing Elbow (Groove x Thread)	
SK-1 Cap	
F-2 Flange Nipple ANSI 150	
X-1 Steel Cross	
T-1 Straight Tee	
T-2 Reducing Tee	
T-3 Reducing Tee (Threaded Branch)	
R-1 Concentric Reducer	
R-2 Eccentric Reducer	
R-3 Concentric Reducer (Groove x Thread)	
Mechanical Branch Tees	
MT-1 Threaded Mechanical Branch Tee	
MT-2 Grooved Mechanical Branch Tee	
MT-30 Threaded Mechanical Branch Tee	
Spare Parts / Lubricants	
Bolts and Nuts	
Gaskets	
LubricantsCross Reference	
CIOSS Releience	19





Couplings/Flange Adapter

FIG. C-1/C-3 (AMBIENT)
LW FLEXIBLE COUPLINGS



		PLATED NUT AND		COUPLINGS COMPLETE				QUANTITY FOR "A"		
NOMINAL SIZE	NOMINAL	WEIGHT	E	BOLT ONLY	"A" G	ASKET	FLUSH "E	" GASKET	GASKE	T ONLY
(INCHES)	SIZE (MM)	EACH (LBS)	NO.	SIZE (INCHES)	PAINTED	GALV.	PAINTED	GALV.	BOX	CRATE
11⁄4	32	1.25	2	3/8 x 2	□\$12.62	\$31.38	\$23.85	\$33.70	45	1,620
1½	40	1.46	2	3/8 x 2	□ \$13.40	\$33.02	\$24.97	\$35.34	45	1,620
2	50	1.45	2	3/8 x 21/4	□ \$14.36	\$26.20	□ \$26.80	\$33.91	42	1,512
21/2	65	1.98	2	3/8 x 21/4	□ \$20.72	\$31.22	\$31.13	\$43.87	28	1,008
3	80	2.58	2	3/8 x 21/2	\$23.82	\$37.02	\$42.61	\$50.87	20	720
4	100	4.14	2	½ x 2¾	\$27.17	\$48.39	\$51.18	\$55.08	10	360
6	150	7.00	2	5/8 x 31/4	\$46.84	\$108.20	\$89.93	\$96.95	6	216
8	200	13.00	2	5/8 x 41/4	\$95.19	\$147.24	\$142.74	\$153.78	-	70
10 (C-1)	250	21.50	2	% x 5½	\$401.66	\$573.94	POA	POA	-	27
12 (C-1)	300	27.36	2	% x 5½	\$489.55	\$699.40	POA	POA	•	22

 \square — Sold in box only


Standard Gasket



Flush Gasket



FIG. C-4 (AMBIENT) RIGID COUPLINGS



			PLAT	ED NUT AND		COUPLINGS		QUANTITY FOR "A" GASKET		
NOMINAL SIZE	NOMINAL	WEIGHT	В	OLT ONLY	"A" G	ASKET	FLUSH "E	" GASKET		NLY
(INCHES)	SIZE (MM)	EACH (LBS)	NO.	SIZE (INCHES)	PAINTED	GALV.	PAINTED	GALV.	ВОХ	CRATE
11⁄4	32	1.48	2	3/8 x 2	□ \$12.62	\$31.38	□ \$23.85	\$33.70	40	1,440
11/2	40	1.66	2	3/8 x 2	□ \$13.40	\$33.02	□ \$24.97	\$35.34	40	1,440
2	50	1.83	2	3/8 x 21/4	□ \$14.36	\$26.20	□ \$26.80	\$33.91	30	1,080
21/2	65	2.04	2	3/8 x 21/2	□ \$20.72	\$31.22	□\$31.13	\$43.87	28	1,008
3	80	2.41	2	3/8 x 21/2	\$23.82	\$37.02	\$42.61	\$50.87	20	720
4	100	3.17	2	3/8 x 21/2	\$27.17	\$48.39	\$51.18	\$55.08	10	360
5	125	5.15	2	½ x 3	\$63.28	\$100.18	-	-	7	252
6	150	5.84	2	½ x 3	\$46.84	\$108.20	\$89.93	\$96.95	6	216
8	200	10.82	2	5/8 x 31/2	\$95.19	\$147.24	\$142.74	\$153.78	1	80
10	250	21.50	2	% x 5	\$342.90	\$577.53	-	-	-	27
12	300	27.36	2	% x 5½	\$448.39	\$748.38	-	-	-	22



Couplings/Flange Adapter

FIG. RC-2 REDUCING COUPLING



NOMINAL SIZE (INCHES)	NOMINAL SIZE (MM)	WEIGHT EACH (LBS)		ED NUT AND OLT ONLY		S COMPLETE " GASKET GALV.	QUA BOX	NTITY CRATE
2 x1½	50 x 40	2.90	2	3/8 x 2	□\$55.08	\$66.80	24	864
2½ x 2	65 x 50	3.41	2	3/8 x 2	□ \$55.08	\$99.00	18	648
3 x 2	80 x 50	4.23	2	½ x 2¾	□ \$63.10	\$100.14	16	576
3 x 2½	80 x 65	3.79	2	½ x 2¾	□ \$61.48	\$85.83	16	576
4 x 2	100 x 50	7.07	2	½ x 2¾	□\$100.63	\$181.07	8	288
4 x 2½	100 x 65	6.98	2	½ x 2¾	□ \$89.92	\$142.54	8	288
4 x 3	100 x 80	6.50	2	½ x 2¾	□ \$84.31	\$133.83	8	288
5 x 4	125 x 100	11.40	2	5/8 x 31/4	\$136.62	\$418.54	-	-
6 x 4	150 x 100	12.99	2	5/8 x 31/4	\$172.44	\$310.72	4	144
8 x 6	200 x150	17.77	2	% x 5	\$258.92	\$466.37	1	70

Note: Not recommended for Vacuum Service

☐ — Sold in box only



NOMINAL SIZE NOMINAL		WEIGHT	COMF WITH EPD	PLETE M GASKET	QUANTITY		
(INCHES)	SIZE (MM)	EACH (LBS)	PAINTED	GALV.	BOX	CRATE	
2	50	3.20	□ \$78.90	\$106.29	12	432	
21/2	65	4.60	□ \$86.22	\$116.03	10	360	
3	80	5.70	□\$156.06	\$210.70	10	360	
4	100	7.90	□ \$203.52	\$274.75	8	288	
5	125	9.20	\$217.70	\$316.46	6	216	
6	150	10.00	\$283.72	\$383.02	-	120	
8	200	15.70	\$353.11	\$476.69	-	80	
10	250	47.00	\$546.20	POA	-	40	
12	300	69.00	\$1,013.06	POA	-	40	

 $\hfill \square$ — Sold in box only





SlideLOK® Coupling Fig. 74FP

NOMINAL SIZE	NOMINAL	WEIGHT	COMPLETE WITH EPDM GASKET		QUAN	TITY
(INCHES)	SIZE (MM)	EACH (LBS)	PAINTED	GALV.	ВОХ	CRATE
1 1/4	1.660	1.95	\$22.50	\$26.50	22	½ x 2½
1 ½	1.900	2.10	\$24.75	\$30.00	20	½ x 2½
2	2.375	2.69	\$27.50	\$35.50	15	½ x 2¾
2 1/2	2.875	2.87	\$28.50	\$35.50	15	½ x 2½
3	3.500	3.58	\$34.25	\$42.75	12	½ x 3
4	4.500	4.55	\$42.50	\$53.50	10	½ x 3½

 \square — Sold in box only





Fittings for Grooved-End Pipe (Short Body)




FIG. SE-1 90° ELBOW

			PRICE	EACH	QUANTITY	
NOMINAL SIZE (INCHES)	NOMINAL SIZE (MM)	WEIGHT EACH (LBS)	PAINTED	GALV.	ВОХ	CRATE
2	50	1.50	□\$14.71	\$23.36	32	1,152
21/2	65	2.14	□\$21.35	\$33.53	18	648
3	80	3.60	\$32.53	\$49.49	10	360
4	100	5.78	\$46.00	\$71.17	6	216
6	150	11.78	\$134.61	\$207.26	2	72
8	200	21.10	\$265.31	\$454.02	-	18

lue — Sold in box only

FIG. ST-1 STRAIGHT TEE



			PRICE EACH		QUANTITY	
NOMINAL SIZE (INCHES)	NOMINAL SIZE (MM)	WEIGHT EACH (LBS)	PAINTED	GALV.	ВОХ	CRATE
2	50	2.90	\$22.89	\$40.93	18	648
21/2	65	4.60	\$33.87	\$60.32	12	432
3	80	6.90	\$47.68	\$78.24	6	216
4	100	10.90	\$72.88	\$126.39	4	144
6	150	25.00	\$179.28	\$283.90	-	36
8	200	42.10	\$468.97	\$660.96	-	14



Fittings for Grooved-End Pipe

FIG. E-1 90° ELBOW (DUCTILE IRON)



			PRICE EACH		QUAN	TITY
NOMINAL SIZE (INCHES)	NOMINAL SIZE (MM)	WEIGHT Each (LBS)	PAINTED	GALV.	ВОХ	CRATE
11/4	32	0.85	□\$13.67	\$27.46	60	2,160
1½	40	0.90	□\$13.80	\$27.92	50	1,800
2	50	1.47	□\$14.69	\$29.58	28	1,008
21/2	65	2.90	□ \$26.46	\$42.89	15	540
3	80	4.22	□ \$37.48	\$61.13	9	324
4	100	8.00	\$53.59	\$71.69	4	144
5	125	11.94	\$167.01	\$238.51	2	72
6	150	17.50	\$155.01	\$253.80	2	72
8	200	32.20	\$305.22	\$478.52	-	15
10	250	54.11	\$900.29	\$1,179.71	-	8
12	300	70.00	\$1,427.40	\$2,057.50	-	4

^{☐ —} Sold in box only

FIG. E-2 45° ELBOW (DUCTILE IRON)



			PRICE EACH		QUANTITY	
NOMINAL SIZE (INCHES)	NOMINAL SIZE (MM)	WEIGHT EACH (LBS)	PAINTED	GALV.	ВОХ	CRATE
11/4	32	0.59	\$14.72	\$24.14	90	3,240
11/2	40	0.78	□\$15.21	\$24.14	60	2,160
2	50	1.02	□\$11.84	\$27.39	36	1,296
21/2	65	1.80	□\$15.31	\$39.64	24	864
3	80	2.79	\$31.91	\$56.56	12	432
4	100	4.90	\$47.07	\$75.57	8	288
5	125	11.32	\$132.83	\$231.46	2	72
6	150	11.55	\$132.83	\$234.56	2	72
8	200	17.90	\$290.54	\$442.26	-	36
10	250	30.00	\$747.38	\$936.32	-	12
12	300	40.40	\$1,062.75	\$1,297.52	-	4

☐ — Sold in box only



Fittings for Grooved-End Pipe

FIG. E-3* 22½° ELBOW



PRICE EACH **NOMINAL** NOMINAL SIZE WEIGHT EACH PAINTED GALV. SIZE (INCHES) (MM) (LBS) 11/4 0.80 \$94.20 POA 32 11/2 40 0.70 \$94.20 \$113.19 2 50 1.60 \$94.20 \$113.19 \$113.19 21/2 65 2.10 \$94.20 3 80 3.10 \$109.64 \$177.68 4 100 5.40 \$146.80 \$237.83 5 125 7.80 POA POA 6 150 8.30 \$415.50 \$673.12

17.90

30.00

40.40

200

250

300

8

10

12

FIG. E-4* 11¹/₄° ELBOW



NOMINAL PIPE SIZE (INCHES)	NOMINAL SIZE (MM)	WEIGHT EACH (LBS)	PRICE I	EACH GALV.
11⁄4	32	0.50	\$168.01	POA
11/2	40	0.70	POA	POA
2	50	0.90	\$168.01	POA
21/2	65	1.50	\$168.01	POA
3	80	2.00	POA	POA
4	100	3.30	\$261.96	POA
5	125	5.00	POA	POA
6	150	6.50	\$741.32	POA
8	200	10.00	POA	POA
10	250	14.50	POA	POA
12	300	29.30	POA	POA

^{*} Segmentally welded.

FIG. E-9 90° DRAIN ELBOW



\$1,409.54

POA

POA

\$869.92

\$748.33

\$864.26

NOMINAL			PRICE EACH	
	NOMINAL SIZE (MM)	WEIGHT EACH (LBS)	PAINTED	GALV.
11⁄4	32	1.87	POA	\$289.15
11/2	40	2.13	POA	\$289.15
2	50	2.76	POA	\$289.15
21/2	65	4.33	\$168.14	\$289.15
3	80	5.60	\$225.06	\$314.96
4	100	8.80	\$233.70	\$355.39
5	125	12.80	POA	\$507.59
6	150	18.77	\$432.17	\$558.56
8	200	32.64	\$652.19	\$843.24
10	250	48.50	\$1,386.36	\$1,980.60
12	300	66.00	\$2,133.31	\$3,047.58

List pricing above is for 1" pol (standard).

E-9 is also available in $^3/_4$ " and $^1/_2$ " at same list price as 1" pol.

FIG. K-9 DRAIN CAP



NOMINAL PIPE	NOMINAL SIZE	WEIGHT EACH	PRICE	
SIZE (INCHES)	(MM)	(LBS)	PAINTED	GALV.
11⁄4	32	0.71	\$228.84	\$326.80
11/2	40	0.76	\$228.84	\$326.80
2	50	0.83	\$228.84	\$326.80
21/2	65	1.06	\$228.84	\$326.80
3	80	1.27	\$268.28	\$383.17
4	100	2.92	\$282.08	\$403.04
5	125	3.40	\$411.27	\$587.63
6	150	4.02	\$459.26	\$656.19
8	200	6.66	\$543.91	\$777.03

List pricing above is for 1" pol (standard).

E-9 is also available in 3/4" and 1/2" at same list price as 1" pol.

^{*} Segmentally welded.



Fittings for Grooved-End Pipe

FIG. SE-5 REDUCING 90° ELBOW GROOVE X THREAD



NOMINAL SIZE (INCHES)		WEIGHT	PRICE EACH	QUANTITY	
		WEIGHT EACH (LBS)	PAINTED	ВОХ	CRATE
41/	X ½	0.50	□ \$28.94	80	2,880
11⁄4	x 3/4	0.54	□ \$25.47	80	2,880
	x 1	0.60	□ \$25.47	80	2,880
	X 1∕2	0.63	□ \$25.47	80	2,880
1½	x 3/4	0.70	□ \$25.47	80	2,880
	x 1	0.80	□ \$25.47	80	2,880
	x ½	0.84	□ \$26.64	50	1,800
2	x 3/4	0.93	□ \$27.87	50	1,800
	x 1	1.04	□ \$27.87	50	1,800
	x ½	1.18	□\$27.15	36	1,296
21/2	x 3/4	1.30	□\$41.45	36	1,296
	x 1	1.50	□\$41.45	36	1,296
2	x 3/4	2.20	□\$51.60	24	864
3	x 1	2.50	□ \$41.45	24	864

^{☐ —} Sold in box only

FIG. SK-1 CAP



			PRICE	EACH	QUAN	TITY
NOMINAL SIZE (INCHES)	NOMINAL SIZE (MM)	WEIGHT EACH (LBS)	PAINTED	GALV.	ВОХ	CRATE
11⁄4	32	0.31	\$6.22	\$11.65	180	6,480
11/2	40	0.39	\$7.63	\$13.18	150	5,400
2	50	0.54	\$8.82	\$13.81	100	3,600
21/2	65	0.75	\$10.74	\$17.61	70	2,520
3	80	1.23	\$13.23	\$28.25	45	1,620
4	100	1.96	\$20.21	\$33.87	25	900
5	125	4.60	\$73.33	\$114.58	12	432
6	150	4.58	\$55.25	\$104.05	-	-
8	200	6.00	\$121.70	\$182.96	6	216
10 *	250	21.00	\$244.08	\$418.99	-	70
12 *	300	35.50	\$446.32	\$675.59	-	50

^{*} Sizes 10" and 12" are Fig. K-1 Design



Fittings for Grooved-End Pipe

FIG. F-2* FLANGE NIPPLE ANSI 150



NOMINAL SIZE NOMINAL SIZE WEIGHT EACH (INCHES) (MM) (LBS) PAINTED GALV.					
SIZE (INCHES) NOMINAL SIZE (MM) WEIGHT EACH (LBS) PAINTED GALV. 2 50 6.20 POA \$519.26 2½ 65 9.90 POA \$613.29 3 80 11.00 POA \$662.12 4 100 47.00 POA \$1,136.17 5 125 40.00 POA \$1,129.11 6 150 50.00 POA \$1,345.25 8 200 60.00 POA \$1,791.39	NOMINAL			PRICE I	EACH
2½ 65 9.90 POA \$613.29 3 80 11.00 POA \$662.12 4 100 47.00 POA \$1,136.17 5 125 40.00 POA \$1,129.11 6 150 50.00 POA \$1,345.25 8 200 60.00 POA \$1,791.39	SIZE			PAINTED	GALV.
3 80 11.00 POA \$662.12 4 100 47.00 POA \$1,136.17 5 125 40.00 POA \$1,129.11 6 150 50.00 POA \$1,345.25 8 200 60.00 POA \$1,791.39	2	50	6.20	POA	\$519.26
4 100 47.00 POA \$1,136.17 5 125 40.00 POA \$1,129.11 6 150 50.00 POA \$1,345.25 8 200 60.00 POA \$1,791.39	21/2	65	9.90	POA	\$613.29
5 125 40.00 POA \$1,129.11 6 150 50.00 POA \$1,345.25 8 200 60.00 POA \$1,791.39	3	80	11.00	POA	\$662.12
6 150 50.00 POA \$1,345.25 8 200 60.00 POA \$1,791.39	4	100	47.00	POA	\$1,136.17
8 200 60.00 POA \$1,791.39	5	125	40.00	POA	\$1,129.11
	6	150	50.00	POA	\$1,345.25
10 250 40.00 BOA \$2.900.04	8	200	60.00	POA	\$1,791.39
10 230 00.00 PUA \$2,009.04	10	250	60.00	POA	\$2,809.04
12 300 91.00 POA \$3,844.16	12	300	91.00	POA	\$3,844.16

^{*} Segmentally welded.

Larger sizes available upon request.

FIG. X-1*
STEEL CROSS



			PRICE EACH	
NOMINAL SIZE (INCHES)	NOMINAL SIZE (MM)	WEIGHT EACH (LBS)	PAINTED	GALV.
11/4	32	2.00	POA	POA
11/2	40	2.20	POA	POA
2	50	2.80	POA	POA
21/2	65	3.30	POA	POA
3	80	4.50	POA	POA
4	100	6.60	POA	POA
5	125	9.30	POA	POA
6	150	14.50	POA	POA
8	200	28.50	POA	POA
10	250	40.50	POA	POA
12	300	57.00	POA	POA

^{*} Segmentally welded steel.

FIG. T-1
STRAIGHT TEE (DUCTILE IRON)



			PRICE	EACH	QUAN	TITY
NOMINAL SIZE (INCHES)	NOMINAL SIZE (MM)	WEIGHT EACH (LBS)	PAINTED	GALV.	ВОХ	CRATE
11⁄4	32	1.40	□\$19.74	\$36.50	40	1,440
11/2	40	1.46	□ \$20.39	\$36.50	35	1,260
2	50	2.18	□\$31.73	\$51.60	18	648
21/2	65	3.30	□ \$50.78	\$70.51	9	324
3	80	6.41	□ \$58.86	\$111.61	5	180
4	100	9.92	\$89.76	\$158.45	2	72
5	125	17.93	\$282.42	\$413.59	-	36
6	150	22.00	\$259.10	\$443.02	-	36
8	200	42.10	\$518.62	\$845.21	-	12
10	250	72.73	\$1,371.40	\$1,568.24	-	8
12	300	91.00	\$2,415.05	\$2,749.59	-	4

☐ — Sold in box only

[♦] Flange portion is 150# steel.



Fittings for Grooved-End Pipe

FIG. T-2 REDUCING TEE



PRICE EACH

CONTINUED

				PRICE E	ACH
NOMINA (INCHI		NOMINAL SIZE (MM)	WEIGHT EACH (LBS)	PAINTED	GALV.
	x 2	250 x 250 x 50	69.25	POA	POA
	x 2½	250 x 250 x 65	69.25	POA	POA
	x 3	250 x 250 x 80	69.25	POA	POA
10 x 10	x 4	250 x 250 x 100	69.25	POA	POA
	x 5	250 x 250 x 125	69.25	POA	POA
	x 6	250 x 250 x 150	35.60	POA	POA
	x 8	250 x 250 x200	69.25	POA	POA
	x 3	300 x 300 x 80	100.00	POA	POA
	x 4	300 x 300 x 100	101.60	POA	POA
12 12	x 5	300 x 300 x 125	100.00	POA	POA
12 x 12	x 6	300 x 300 x 150	100.00	POA	POA
	x 8	300 x 300 x 200	100.00	POA	POA
	x 10*	300 x 300 x 250	101.60	POA	POA


^{*} Ductile iron, all others segmentally welded.

REDUCI	NG TE				
				PRICE	EACH
NOMINA (INCH		NOMINAL SIZE (MM)	WEIGHT EACH (LBS)	PAINTED	GALV.
	x 1*	50 x 50 x 25	2.60	POA	POA
2 x 2	x 11/4	50 x 50 x 32	3.00	POA	POA
	x 1 ½	50 x 50 x 40	3.00	POA	POA
	x 1	65 x 65 x 25	4.40	POA	POA
2½ x 2½	x 11/4	65 x 65 x 32	4.40	POA	POA
Z72 X Z72	x 1 ½	65 x 65 x 40	4.40	POA	POA
	x 2*	65 x 65 x 50	4.40	POA	POA
	x 1	80 x 80 x 25	6.05	POA	POA
	x 11/4	80 x 80 x 32	6.05	POA	POA
3 x 3	x 1½	80 x 80 x 40	6.05	POA	POA
	x 2	80 x 80 x 50	6.05	POA	POA
	x 2½*	80 x 80 x 65	6.05	POA	POA
	x 1	100 x 100 x 25	10.98	POA	POA
	x 11/4	100 x 100 x 32	10.98	POA	POA
4 x 4	x 1½	100 x 100 x 40	10.98	POA	POA
4 X 4	x 2	100 x 100 x 50	10.98	\$213.51	\$343.21
	x 2½*	100 x 100 x 65	12.28	\$213.51	\$343.21
	x 3*	100 x 100 x 80	11.99	\$213.51	\$343.21
	x 1	125 x 125 x 25	13.95	POA	POA
	x 11/4	125 x 125 x 32	13.95	POA	POA
	x 1½	125 x 125 x 40	13.95	POA	POA
5 x 5	x 2	125 x 125 x 50	13.95	POA	POA
	x 21/2	125 x 125 x 65	13.95	POA	POA
	x 3	125 x 125 x 80	13.95	POA	POA
	x 4	125 x 125 x 100	13.95	POA	POA
	x 1	150 x 150 x 25	25.25	POA	POA
	x 11/4	150 x 150 x 32	25.25	POA	POA
	x 1½	150 x 150 x 40	25.25	POA	POA
66	x 2*	150 x 150 x 50	23.54	\$505.81	\$853.12
6 x 6	x 2½*	150 x 150 x 65	22.79	\$684.20	\$853.12
	x 3*	150 x 150 x 80	24.95	\$505.81	\$853.12
	x 4*	150 x 150 x 100	24.20	\$505.81	\$853.12
	x 5*	150 x 150 x 125	25.39	\$682.33	POA
	x 1½	200 x 200 x 40	42.16	POA	POA
	x 2	200 x 200 x 50	42.16	POA	POA
	x 2½	200 x 200 x 65	42.16	POA	POA
8 x 8	x 3	200 x 200 x 80	42.16	POA	POA
	x 4*	200 x 200 x 100		\$1,424.67	POA
	x 5	200 x 200 x 125		POA	POA
	x 6*	200 x 200 x 150		\$1,424.67	POA



Fittings for Grooved-End Pipe





200 x 200 x 150

42.16

POA

CONTINUED

				PRICE	EACH
NOMINAL SIZE (INCHES)		NOMINAL SIZE (MM)	WEIGHT EACH (LBS)	PAINTED	GALV.
	x 1½	250 x 250 x 40	69.25	POA	POA
	x 2	250 x 250 x 50	69.25	POA	POA
	x 2½	250 x 250 x 65	69.25	POA	POA
10 v 10	x 3	250 x 250 x 80	69.25	POA	POA
10 x 10	x 4	250 x 250 x 100	69.25	POA	POA
	x 5	250 x 250 x 125	69.25	POA	POA
	x 6	250 x 250 x 150	69.25	POA	POA
	x 8	250 x 250 x 200	69.25	POA	POA
	x 2	300 x 300 x 50	100.00	POA	POA
	x 2½	300 x 300 x 65	100.00	POA	POA
	x 3	300 x 300 x 80	100.00	POA	POA
12 x 12	x 4	300 x 300 x 100	100.00	POA	POA
12 X 12	x 5	300 x 300 x 125	100.00	POA	POA
	x 6	300 x 300 x 150	100.00	POA	POA
	x 8	300 x 300 x 200	100.00	POA	POA
	x 10	300 x 300 x 250	100.00	POA	POA

^{*} Ductile iron, all others segmentally welded.

POA



Fittings for Grooved-End Pipe



FIG. R-1 CONCENTRIC REDUCER

CONCENTRIC		REDUCER				
				PRICE	EACH	
NOMINA	L SIZE	NOMINAL SIZE	WEIGHT			
(INCH		(MM)	EACH (LBS)	PAINTED	GALV.	
11⁄4	x 1	32 x 25	0.85	POA	POA	
11/2	x 1	40 x 25	0.73	\$36.81	POA	
.,_	x 11/4	40 x 32	0.95	\$36.81	POA	
	x 1*	50 x 25	0.80	\$36.81	\$121.66	
2	x 11/4*	50 x 32	0.79	\$36.81	\$121.66	
	x 1½*	50 x 40	0.79	\$36.81	\$121.66	
	x 1	65 x 25	1.50	\$36.81	POA	
21/2	x 11/4	65 x 32	1.50	\$36.81	POA	
2/2	x 1½	65 x 40	1.50	\$36.81	POA	
	x 2*	65 x 50	1.91	\$36.81	\$121.66	
	x 1	80 x 25	2.35	\$52.64	POA	
	x 11/4	80 x 32	2.35	\$52.64	POA	
3	x 1½	80 x 40	2.35	\$52.64	POA	
	x 2*	80 x 50	1.41	\$52.64	\$111.12	
	x 2½*	80 x 65	1.50	\$52.64	\$138.39	
	x 1	100 x 25	3.21	\$52.64	POA	
	x 11/4	100 x 32	3.21	\$52.64	POA	
	x 1½*	100 x 40	2.66	\$52.64	POA	
4	x 2*	100 x 50	2.51	\$52.64	\$150.21	
	x 2½	100 x 65	3.21	\$52.64	\$185.24	
	x 3*	100 x 80	2.55	\$52.64	POA	
	x 3½	100 x 90	1.00	\$52.64	\$185.24	
	x 1	125 x 25	4.84	POA	\$264.81	
	x 11/4	125 x 32	4.84	POA	\$264.81	
	x 1½	125 x 40	4.84	POA	\$264.81	
5	x 2	125 x 50	4.84	\$139.21	POA	
	x 2½	125 x 65	4.84	\$139.21	POA	
	x 3	125 x 80	4.84	\$139.21	POA	
	x 4	125 x 100	4.84	\$139.21	\$264.81	
	x 1	150 x 25	7.50	POA	POA	
	x 1½	150 x 40	7.50	POA	POA	
	x 2*	150 x 50	6.34	\$144.64	\$349.79	
6	x 2½*	150 x 65	5.10	\$144.64	POA	
	x 3*	150 x 80	4.29	\$144.64	\$349.79	
	x 4*	150 x 100	7.50	\$144.64	\$317.42	
	x 5	150 x 125	7.50	\$144.64	\$451.38	
	x 1½	200 x 40	9.07	POA	POA	
	x 2	200 x 50	9.07	POA	POA	
	x 2½	200 x 65	9.07	\$258.72	\$633.00	
8	x 3*	200 x 80	9.15	\$258.72	POA	
	x 4*	200 x 100	9.07	\$258.72	\$633.00	
	x 5	200 x 125	9.07	\$258.72	POA	
	x 6*	200 x 150	9.07	\$258.72	\$799.85	

CONTINUED

NOMINAL SIZE (INCHES)		NO.41014 6175	WEIGHT	PRICE EACH	
		NOMINAL SIZE (MM)	WEIGHT EACH (LBS)	PAINTED	GALV.
	x 1½	250 x 40	16.38	POA	POA
	x 2	250 x 50	16.38	POA	POA
	x 2½	250 x 65	16.38	POA	POA
10	x 3	250 x 80	16.38	POA	POA
10	x 4	250 x 100	16.38	\$534.17	POA
	x 5	250 x 125	16.38	POA	POA
	x 6	250 x150	16.38	\$534.17	\$1,627.33
	x 8*	250 x 200	23.10	\$534.17	POA
	x 1	300 x 25	19.00	POA	POA
	x 2	300 x 50	19.00	POA	POA
	x 2½	300 x 65	19.00	POA	POA
	x 3	300 x 80	19.00	POA	POA
12	x 4	300 x 100	19.00	\$656.94	POA
	x 5	300 x 125	19.00	\$656.94	\$2,759.60
	х б	300 x 150	19.00	\$656.94	POA
	x 8	300 x 200	19.00	\$656.94	POA
	x 10	300 x 250	19.00	\$656.94	POA

^{*} Ductile iron

Segmentally welded through 4 x 3 unless *Ductile Iron. Forged Steel 5 x 1 and larger unless *Ductile Iron.





GROOVED FIRE PRODUCTS Price List

Effective Date: December 4, 2017 | Replaces Prior Date: May 2017 | Sheet # SPF.GRFP-12.17C

Fittings for Grooved-End Pipe

FIG. R-2 **ECCENTRIC REDUCER**



ECCENI	KIC K	EDUCEK	Į		H_
				PRICE	EACH
NOMINAL		NOMINAL SIZE	WEIGHT	DAINITED	CALV
(INCHE		(MM)	EACH (LBS)	PAINTED	GALV.
11⁄4	x 1	32 x 25	1.25	POA	POA
11/2	x 1	40 x 25	1.30	POA	POA
	x 11/4	40 x 32	1.30	POA	POA
2	x 1	50 x 25	1.40	POA	POA
2	x 11/4	50 x 32	1.00	POA	POA
	x 1½	50 x 40	1.00	POA	POA
	x 1	65 x 25	1.50	POA	\$1,239.39
21/2	x 11/4	65 x 32	1.50	POA	POA
	x 1½	65 x 40	1.50	POA	POA
	x 2	65 x 50	1.50	POA	POA
	x 1	80 x 25	2.35	POA	POA
2	x 11/4	80 x 32	2.35	POA	POA
3	x 1½	80 x 40	2.35	POA	POA
	x 2	80 x 50	2.35	POA	POA
	x 2½*	80 x 65	2.35	POA	POA
	x 1	100 x 25	3.00	POA	POA
	x 11/4	100 x 32	3.21	POA	\$2,537.19
4	x 1½	100 x 40	3.21	POA	POA
	x 2	100 x 50	3.21 3.21	POA	POA
	x 2½	100 x 65		POA	POA
	x 3*	100 x 80	3.21 4.84	\$709.89 POA	POA POA
		125 x 25		POA	POA
	x 1½ x 2	125 x 40 125 x 50	4.84 4.84	POA	POA
5				\$1,454.61	POA
	x 2½ x 3	125 x 65 125 x 80	4.84		
	x 4	125 x 80 125 x 100	4.84 4.84	POA POA	POA POA
	x 4	150 x 25	6.00	POA	POA
	x 1½	150 x 25	7.50	POA	POA
	x 2	150 x 40	7.50	POA	POA
6	x 2½	150 x 65	7.50	POA	POA
U	x 3	150 x 80	7.50	POA	POA
	x 4*	150 x 100	7.50	POA	POA
	x 5	150 x 100	7.50	POA	POA
	x 1½	200 x 40	9.07	POA	POA
	x 2	200 x 50	9.07	POA	POA
	x 2½	200 x 65	9.07	POA	POA
8	x 3	200 x 80	9.07	POA	POA
J	x 4	200 x 100	9.07	POA	POA
	x 5	200 x 100	9.07	POA	POA
	x 6	200 x 123	9.07	POA	POA
			7.07	1011	10/1

CONTINUED

				PRICE EACH	
NOMINAL (INCHE		NOMINAL SIZE (MM)	WEIGHT EACH (LBS)	PAINTED	GALV.
	x 1½	250 x 40	16.38	POA	POA
	x 2	250 x 50	16.38	POA	POA
	x 2½	250 x 65	16.38	POA	POA
10	x 3	250 x 80	16.38	POA	POA
10	x 4	250 x 100	16.38	POA	POA
	x 5	250 x 125	16.38	POA	POA
	хб	250 x150	16.38	POA	POA
	x 8	250 x 200	16.38	POA	POA
	x 1	300 x 25	19.00	POA	POA
	x 2	300 x 50	19.00	POA	POA
	x 2½	300 x 65	19.00	POA	POA
	x 3	300 x 80	19.00	POA	POA
12	x 4	300 x 100	19.00	\$4,938.58	\$6,584.52
	x 5	300 x 125	19.00	\$4,082.49	\$5,465.26
	хб	300 x 150	19.00	POA	POA
	x 8	300 x 200	19.00	POA	POA
	x 10	300 x 250	19.00	POA	POA

^{*} Ductile iron, all others segmentally welded.

FIG. R-3 **CONCENTRIC REDUCER GROOVE X THREAD**



				PRICE EACH		
NOMINAL (INCHE		NOMINAL SIZE (MM)	WEIGHT EACH (LBS)	PAINTED	GALV.	
11⁄4	x 1	32 x 25	0.95	\$101.26	\$119.59	
1½	x 1	40 x 25	0.95	POA	POA	
172	x 11/4	40 x 32	0.95	\$101.26	\$119.59	
	x 1*	50 x 25	1.00	\$118.47	POA	
2	x 11/4*	50 x 32	1.00	POA	POA	
	x 1½ *	50 x 40	0.79	\$118.47	POA	
	x 1	65 x 25	1.50	POA	POA	
21/2	x 11/4	65 x 32	1.50	POA	POA	
272	x 1½	65 x 40	1.50	POA	POA	
	x 2	65 x 50	1.50	POA	POA	
	x 1*	80 x 25	2.35	POA	POA	
	x 11/4	80 x 32	2.35	POA	POA	
3	x 1½	80 x 40	2.35	POA	POA	
	x 2*	80 x 50	2.35	POA	POA	
	x 2½	80 x 65	2.35	POA	POA	
	x 1*	100 x 25	3.21	POA	POA	
	x 11/4	100 x 32	3.21	\$144.20	POA	
4	x 1½	100 x 40	3.21	POA	POA	
	x 2	100 x 50	3.21	POA	POA	
	x 2½	100 x 65	3.21	POA	POA	
	x 3	100 x 80	3.21	POA	POA	
5	x 4	125 x 100	4.84	POA	\$1,126.61	
	x 1	150 x 25	6.00	POA	POA	
	x 11/4	150 x 32	6.00	POA	\$880.12	
6	x 1½	150 x 40	6.00	POA	\$880.12	
0	x 2	150 x 50	7.50	POA	\$880.12	
	x 3	150 x 80	7.50	POA	POA	
	x 4*	150 x 125	7.50	POA	POA	





Mechanical Branch Tees

FIG. MT-1
THREADED MECHANICAL BRANCH TEE***





NO	MAINIAI			ΡΙΔΤ	ED NUT AND				
	MINAL SIZE	NOMINAL	WEIGHT		OLT ONLY	PRICE	EACH	QUAI	NTITY
	VCHES)	SIZE (MM)	EACH (LBS)	NO.	SIZE (INCHES)	PAINTED	GALV.	ВОХ	CRATE
	x 1	50 x 25	1.70	2	³⁄8 x 2	□ \$41.59	\$67.37	22	792
2	x 11/4	50 x 32	1.70	2	³⁄8 x 2	□ \$41.59	\$59.50	22	792
	x 1½	50 x 40	1.70	2	³⁄8 x 2	□ \$47.34	\$67.37	22	792
	x 1	65 x 25	3.60	2	½ x 2¾	□ \$51.28	\$83.02	16	576
21/2	x 11/4	65 x 32	3.60	2	½ x 2¾	□ \$51.28	\$83.02	16	576
	x 1½	65 x 40	3.60	2	½ x 2¾	□ \$51.28	\$73.35	16	576
	x 1	80 x 25	3.80	2	½ x 2¾	□ \$53.74	\$86.45	10	360
3	x 11/4	80 x 32	3.30	2	½ x 2¾	□ \$53.74	\$76.27	10	360
3	x 1½	80 x 40	3.80	2	½ x 2¾	□ \$53.74	\$86.45	10	360
	x 2	80 x 50	4.40	2	½ x 2¾	□ \$61.63	\$88.28	10	360
	x 1	100 x 25	4.60	2	½ x 2¾	□ \$62.32	\$100.92	7	252
	x 11/4	100 x 32	4.60	2	½ x 2¾	□ \$62.32	\$100.92	7	252
4	x 1½	100 x 40	4.60	2	½ x 2¾	□ \$62.32	\$100.92	7	252
	x 2	100 x 50	4.80	2	½ x 2¾	□ \$68.57	\$111.27	6	216
	x 2½	100 x 65	5.40	2	½ x 2¾	□ \$68.57	\$111.27	6	216
	x 1½	125 x 40	7.40	2	5/8 x 4	□ \$90.41	\$129.36	4	144
5	x 2	125 x 50	7.90	2	5/8 x 4	□ \$90.41	\$129.36	4	144
	x 2½	125 x 65	7.90	2	5/8 x 4	□ \$95.68	\$136.95	4	144
	x 1½	150 x 40	7.50	2	5/8 x 4	□ \$81.67	\$132.52	4	144
6	x 2	150 x 50	8.00	2	5/8 x 4	□ \$81.67	\$132.52	4	144
	x 2½	150 x 65	8.00	2	5/8 x 4	□ \$88.61	\$143.49	3	108

^{***} All MT-1 branches can be used as mechanical crosses, increase price of largest outlet by 50%.

FIG. MT-2
GROOVED MECHANICAL BRANCH TEE***





16

NOM	IINAL SIZE	NOMINAL	WEIGHT		ED NUT AND OLT ONLY	PRICE	EACH	QUAI	NTITY
(11	NCHES)	SIZE (MM)	EACH (LBS)	NO.	SIZE (INCHES)	PAINTED	GALV.	BOX	CRATE
3	x 1½	80 x 40	3.80	2	½ x 2¾	□ \$53.74	\$87.11	10	360
3	x 2	80 x 50	4.40	2	½ x 2¾	□ \$61.63	\$88.09	10	360
	x 11/4	100 x 40	4.60	2	½ x 2¾	□ \$64.94	POA	7	252
	x 1½	100 x 40	4.60	2	½ x 2¾	□ \$64.94	\$105.21	7	252
4	x 2	100 x 50	4.80	2	½ x 2¾	□ \$68.57	\$110.94	7	252
4	x 2½	100 x 65	5.40	2	½ x 2¾	□ \$67.71	\$109.64	6	216
	x 3	100 x 80	7.60	2	½ x 3¼	□ \$72.99	\$118.18	6	216
5	x 2	125 x 50	7.90	2	½ x 3¼	□ \$284.71	\$345.53	4	144
5	x 2½	125 x 65	7.90	2	5⁄ ₈ x 4	□ \$265.95	\$365.59	4	144
	x 1½	150 x 40	8.00	2	5⁄ ₈ x 4	□ \$99.29	\$141.88	4	144
	x 2	150 x 50	8.00	2	5⁄ ₈ x 4	□ \$88.61	\$143.49	4	144
6	x 2½	150 x 65	8.00	2	5⁄ ₈ x 4	□ \$100.42	\$143.49	4	144
	x 3	150 x 80	9.70	2	5⁄ ₈ x 4	□ \$94.04	\$143.49	3	108
	x 4	150 x100	13.60	2	5⁄ ₈ x 4	□ \$104.22	\$168.85	3	108

^{***} All MT-2 branches can be used as mechanical crosses, increase price of largest outlet by 50%.

^{☐ —} Sold in box only

^{☐ —} Sold in box only



Mechanical Branch Tees





			MEIGUE	COMPLETE	QUAN	TITY
NOMINAI	L SIZE (INCHES)	NOMINAL SIZE (MM)	WEIGHT EACH (LBS)	PLATED	ВОХ	CRATE
	x ⅓	32x15	0.83	□\$19.74	50	1,800
11⁄4	X 3⁄4	32x20	0.87	□ \$19.74	50	1,800
	x 1	32x25	0.97	□\$19.74	50	1,800
	x ½	40x15	0.64	□\$19.74	50	1,800
11/2	X 3⁄4	40x20	0.93	□ \$19.74	50	1,800
	x 1	40x25	0.96	□\$19.74	50	1,800
	x ⅓	50x15	0.84	□ \$20.39	45	1,620
2	X 3⁄4	50x20	0.95	□ \$20.39	45	1,620
	x 1	50x25	0.96	□ \$20.39	45	1,620
	x ½	65x15	0.89	□ \$23.18	40	1,440
21/2	X 3⁄4	65x20	0.95	□ \$20.39	40	1,440
	x 1	65x25	1.03	□ \$20.39	40	1,440

Note: BSPT equivalent is available as MT-90.

☐ — Sold in box only



Spare Parts/Lubricants

Plated Trackhead Bolts and Nuts for Couplings

BOLT AND NUT					
SIZE (INCHES)	PRICE EACH				
3/8 x 2	POA				
3/8 x 21/4	POA				
3/8 x 21/2	POA				
½ x 2¾	POA				
½ x 3	POA				
½ x 3¼	POA				
½ x 3½	POA				
5/8 x 23/4	POA				
5/8 x 31/4	POA				
5% x 3½	POA				
5/8 x 4	POA				
5/8 x 41//4	POA				
3/4 x 41//4	POA				
3/4 x 41/2	POA				
% x 5	POA				
% x 5½	POA				

C-1, C-3, C-4 & F-3 Gaskets

NOMINAL SIZE (INCHES)	C-1, C-3, C-4 FLUSH GAP GASKET	F-3 "E" GASKET	E TYPE A GASKET
11⁄4	-	-	POA
11/2	POA	-	POA
2	POA	POA	POA
21/2	POA	POA	POA
3	POA	POA	POA
4	POA	POA	POA
5	POA	POA	POA
6	POA	POA	POA
8	POA	POA	POA
10	-	POA	POA
12	-	POA	POA

RC-2 Gaskets

NOMINAL SIZE (INCHES)	RC-2 "E" GASKET
2 x 1½	POA
2½ x 2	POA
3 x 2	POA
3 x 2½	POA
4 x 2	POA
4 x 2½	POA
4 x 3	POA
5 x 4	POA
6 x 4	POA
8 x 6	POA

LUBRICANTS	
STANDARD LUBRICANT	PRICE
2LB Tub Std Gruvlok Lubricant	\$111.18/tub
5 Gallon Pail	POA
QUICK DRY LUBRICANT	
1 Quart Can	
XTREME LUBRICANT (SILICONE)	
10 oz. Tube (1 each)	\$270.29
2.2 lb. Tub (Gruvlok Lubricant)	\$821.58

STANDARD LUBRICANT USAGE GUIDE				
NUMBER C	F GASKETS			
PERTUBE	PER QUART			
55	400			
45	300			
25	200			
20	130			
15	100			
10	85			
9	60			
7	50			
6	40			
5	35			
4	30			
3	20			
	NUMBER 0 PERTUBE 55 45 25 20 15 10 9 7 6 5 4			

STANDARI	D LUBRICANT US	AGE GUIDE	XTREME LUBRICANT USAGE GUIDE		
OF GASKET	NUMBER OF GASKETS		CIZE OF CACVET	NUMBER OF GASKETS PER	
	PERTUBE	PER QUART	SIZE OF GASKET	QUART	
2"	55	400	2"	1,200	
3"	45	300	3"	900	
4"	25	200	4"	600	
6"	20	130	6"	390	
8"	15	100	8"	300	
10"	10	85	10"	255	
12"	9	60	12"	180	
14"	7	50	14"	150	
16"	6	40	16"	120	
18"	5	35	18"	105	
20"	4	30	20"	90	
24"	3	20	24"	60	



Cross Reference

Rigid Coupling 7400 C-4 005 Flexible Coupling 7000 C-3, C-1 75 Reducer Coupling 7010 RC-2 750 Standard 90° Elbow 70505/7050 E-1 10 Standard 45° Elbow 7051FP/7051 E-2 11 Standard 22% Elbow 7052 E-3 (SW) 12 Standard 11% Elbow 7053 E-4 (SW) 13 Standard Reducer Tee 7061 T-2 (SW) 25 Straight Tee with Thread Outlet 7063 N/A 29M Reducing Tee with Thread Outlet 7064 T-3 (SW) 29T Concentric Reducer 7072 R-1 (SW) 50 Concentric Reducer with Thread Outlet 7076 R-3 (SW) 52 Eccentric Reducer 7073 R-2 (SW) 51 (SW) 90° Drain Elbow 7050DR E-9 10DR Short Pattern 90° Elbow 7450 SE-1 001 Short Pattern Straight Tee 7460 ST-1 002 Bullhead Tee <th>DESCRIPTION</th> <th>GRUVLOK®</th> <th>ANVIL/SPF™</th> <th>VICTAULIC®</th>	DESCRIPTION	GRUVLOK®	ANVIL/SPF™	VICTAULIC®
Reducer Coupling 7010 RC-2 750 Standard 90° Elbow 7050S/7050 E-1 10 Standard 45° Elbow 7051FP/7051 E-2 11 Standard 22½° Elbow 7052 E-3 (SW) 12 Standard 11½° Elbow 7053 E-4 (SW) 13 Standard Reducer Tee 7061 T-2 (SW) 25 Straight Tee with Thread Outlet 7063 N/A 29M Reducing Tee with Thread Outlet 7064 T-3 (SW) 29T Concentric Reducer 7072 R-1 (SW) 50 Concentric Reducer with Thread Outlet 7076 R-3 (SW) 52 Eccentric Reducer 7073 R-2 (SW) 51 (SW) 90° Drain Elbow 7050DR E-9 10DR Short Pattern 90° Elbow 7450 SE-1 001 Short Pattern Straight Tee 7460 ST-1 002 Bullhead Tee 7062 N/A 21 Standpipe Tee 7065 N/A 27 Cap 7074	Rigid Coupling	7400	C-4	005
Standard 90° Elbow 7050S/7050 E-1 10 Standard 45° Elbow 7051FP/7051 E-2 11 Standard 22½° Elbow 7052 E-3 (SW) 12 Standard 11½° Elbow 7053 E-4 (SW) 13 Standard Reducer Tee 7061 T-2 (SW) 25 Straight Tee with Thread Outlet 7063 N/A 29M Reducing Tee with Thread Outlet 7064 T-3 (SW) 29T Concentric Reducer 7072 R-1 (SW) 50 Concentric Reducer with Thread Outlet 7076 R-3 (SW) 52 Eccentric Reducer 7073 R-2 (SW) 51 (SW) 90° Drain Elbow 7050DR E-9 10DR Short Pattern 90° Elbow 7450 SE-1 001 Short Pattern Straight Tee 7460 ST-1 002 Bullhead Tee 7062 N/A 21 Standpipe Tee 7065 N/A 27 Cap 7074 SK-1 006 Cross 7068	Flexible Coupling	7000	C-3, C-1	75
Standard 45° Elbow 7051FP/7051 E-2 11 Standard 22½° Elbow 7052 E-3 (SW) 12 Standard 11¼° Elbow 7053 E-4 (SW) 13 Standard Reducer Tee 7061 T-2 (SW) 25 Straight Tee with Thread Outlet 7063 N/A 29M Reducing Tee with Thread Outlet 7064 T-3 (SW) 29T Concentric Reducer 7072 R-1 (SW) 50 Concentric Reducer with Thread Outlet 7076 R-3 (SW) 52 Eccentric Reducer 7073 R-2 (SW) 51 (SW) 90° Drain Elbow 7050DR E-9 10DR Short Pattern 90° Elbow 7450 SE-1 001 Short Pattern Straight Tee 7460 ST-1 002 Bullhead Tee 7062 N/A 21 Standpipe Tee 7065 N/A 27 Cap 7074 SK-1 006 Cross 7068 X-1 N/A Thread Mechanical Tee 7045	Reducer Coupling	7010	RC-2	750
Standard 22½° Elbow 7052 E-3 (SW) 12 Standard 11½° Elbow 7053 E-4 (SW) 13 Standard Reducer Tee 7061 T-2 (SW) 25 Straight Tee with Thread Outlet 7063 N/A 29M Reducing Tee with Thread Outlet 7064 T-3 (SW) 29T Concentric Reducer 7072 R-1 (SW) 50 Concentric Reducer with Thread Outlet 7076 R-3 (SW) 52 Eccentric Reducer 7073 R-2 (SW) 51 (SW) 90° Drain Elbow 7050DR E-9 10DR Short Pattern 90° Elbow 7450 SE-1 001 Short Pattern Straight Tee 7460 ST-1 002 Bullhead Tee 7062 N/A 21 Standpipe Tee 7065 N/A 27 Cap 7074 SK-1 006 Cross 7068 X-1 N/A Thread Mechanical Tee 7045 MT-1 920 Reducing 90° Elbow GRVxTHRD -	Standard 90° Elbow	7050\$/7050	E-1	10
Standard 11½° Elbow 7053 E-4 (SW) 13 Standard Reducer Tee 7061 T-2 (SW) 25 Straight Tee with Thread Outlet 7063 N/A 29M Reducing Tee with Thread Outlet 7064 T-3 (SW) 29T Concentric Reducer 7072 R-1 (SW) 50 Concentric Reducer with Thread Outlet 7076 R-3 (SW) 52 Eccentric Reducer 7073 R-2 (SW) 51 (SW) 90° Drain Elbow 7050DR E-9 10DR Short Pattern 90° Elbow 7450 SE-1 001 Short Pattern Straight Tee 7460 ST-1 002 Bullhead Tee 7062 N/A 21 Standpipe Tee 7065 N/A 27 Cap 7074 SK-1 006 Cross 7068 X-1 N/A Thread Mechanical Tee 7045 MT-1 920 Reducing 90° Elbow GRVxTHRD - SE-5 N/A Grooved Mechanical Tee 7046	Standard 45° Elbow	7051FP/7051	E-2	11
Standard Reducer Tee 7061 T-2 (SW) 25 Straight Tee with Thread Outlet 7063 N/A 29M Reducing Tee with Thread Outlet 7064 T-3 (SW) 29T Concentric Reducer 7072 R-1 (SW) 50 Concentric Reducer with Thread Outlet 7076 R-3 (SW) 52 Eccentric Reducer 7073 R-2 (SW) 51 (SW) 90° Drain Elbow 7050DR E-9 10DR Short Pattern 90° Elbow 7450 SE-1 001 Short Pattern Straight Tee 7460 ST-1 002 Bullhead Tee 7062 N/A 21 Standpipe Tee 7065 N/A 27 Cap 7074 SK-1 006 Cross 7068 X-1 N/A Thread Mechanical Tee 7045 MT-1 920 Reducing 90° Elbow GRVxTHRD - SE-5 N/A Grooved Mechanical Tee 7046 MT-2 920	Standard 22½° Elbow	7052	E-3 (SW)	12
Straight Tee with Thread Outlet 7063 N/A 29M Reducing Tee with Thread Outlet 7064 T-3 (SW) 29T Concentric Reducer 7072 R-1 (SW) 50 Concentric Reducer with Thread Outlet 7076 R-3 (SW) 52 Eccentric Reducer 7073 R-2 (SW) 51 (SW) 90° Drain Elbow 7050DR E-9 10DR Short Pattern 90° Elbow 7450 SE-1 001 Short Pattern Straight Tee 7460 ST-1 002 Bullhead Tee 7062 N/A 21 Standpipe Tee 7065 N/A 27 Cap 7074 SK-1 006 Cross 7068 X-1 N/A Thread Mechanical Tee 7045 MT-1 920 Reducing 90° Elbow GRVxTHRD - SE-5 N/A Grooved Mechanical Tee 7046 MT-2 920	Standard 11¼° Elbow	7053	E-4 (SW)	13
Reducing Tee with Thread Outlet 7064 T-3 (SW) 29T Concentric Reducer 7072 R-1 (SW) 50 Concentric Reducer with Thread Outlet 7076 R-3 (SW) 52 Eccentric Reducer 7073 R-2 (SW) 51 (SW) 90° Drain Elbow 7050DR E-9 10DR Short Pattern 90° Elbow 7450 SE-1 001 Short Pattern Straight Tee 7460 ST-1 002 Bullhead Tee 7062 N/A 21 Standpipe Tee 7065 N/A 27 Cap 7074 SK-1 006 Cross 7068 X-1 N/A Thread Mechanical Tee 7045 MT-1 920 Reducing 90° Elbow GRVxTHRD - SE-5 N/A Grooved Mechanical Tee 7046 MT-2 920	Standard Reducer Tee	7061	T-2 (SW)	25
Concentric Reducer 7072 R-1 (SW) 50 Concentric Reducer with Thread Outlet 7076 R-3 (SW) 52 Eccentric Reducer 7073 R-2 (SW) 51 (SW) 90° Drain Elbow 7050DR E-9 10DR Short Pattern 90° Elbow 7450 SE-1 001 Short Pattern Straight Tee 7460 ST-1 002 Bullhead Tee 7062 N/A 21 Standpipe Tee 7065 N/A 27 Cap 7074 SK-1 006 Cross 7068 X-1 N/A Thread Mechanical Tee 7045 MT-1 920 Reducing 90° Elbow GRVXTHRD - SE-5 N/A Grooved Mechanical Tee 7046 MT-2 920	Straight Tee with Thread Outlet	7063	N/A	29M
Concentric Reducer with Thread Outlet 7076 R-3 (SW) 52 Eccentric Reducer 7073 R-2 (SW) 51 (SW) 90° Drain Elbow 7050DR E-9 10DR Short Pattern 90° Elbow 7450 SE-1 001 Short Pattern Straight Tee 7460 ST-1 002 Bullhead Tee 7062 N/A 21 Standpipe Tee 7065 N/A 27 Cap 7074 SK-1 006 Cross 7068 X-1 N/A Thread Mechanical Tee 7045 MT-1 920 Reducing 90° Elbow GRVxTHRD - SE-5 N/A Grooved Mechanical Tee 7046 MT-2 920	Reducing Tee with Thread Outlet	7064	T-3 (SW)	29T
Eccentric Reducer 7073 R-2 (SW) 51 (SW) 90° Drain Elbow 7050DR E-9 10DR Short Pattern 90° Elbow 7450 SE-1 001 Short Pattern Straight Tee 7460 ST-1 002 Bullhead Tee 7062 N/A 21 Standpipe Tee 7065 N/A 27 Cap 7074 SK-1 006 Cross 7068 X-1 N/A Thread Mechanical Tee 7045 MT-1 920 Reducing 90° Elbow GRVxTHRD - SE-5 N/A Grooved Mechanical Tee 7046 MT-2 920	Concentric Reducer	7072	R-1 (SW)	50
90° Drain Elbow 7050DR E-9 10DR Short Pattern 90° Elbow 7450 SE-1 001 Short Pattern Straight Tee 7460 ST-1 002 Bullhead Tee 7062 N/A 21 Standpipe Tee 7065 N/A 27 Cap 7074 SK-1 006 Cross 7068 X-1 N/A Thread Mechanical Tee 7045 MT-1 920 Reducing 90° Elbow GRVxTHRD - SE-5 N/A Grooved Mechanical Tee 7046 MT-2 920	Concentric Reducer with Thread Outlet	7076	R-3 (SW)	52
Short Pattern 90° Elbow 7450 SE-1 001 Short Pattern Straight Tee 7460 ST-1 002 Bullhead Tee 7062 N/A 21 Standpipe Tee 7065 N/A 27 Cap 7074 SK-1 006 Cross 7068 X-1 N/A Thread Mechanical Tee 7045 MT-1 920 Reducing 90° Elbow GRVxTHRD - SE-5 N/A Grooved Mechanical Tee 7046 MT-2 920	Eccentric Reducer	7073	R-2 (SW)	51 (SW)
Short Pattern Straight Tee 7460 ST-1 002 Bullhead Tee 7062 N/A 21 Standpipe Tee 7065 N/A 27 Cap 7074 SK-1 006 Cross 7068 X-1 N/A Thread Mechanical Tee 7045 MT-1 920 Reducing 90° Elbow GRVxTHRD - SE-5 N/A Grooved Mechanical Tee 7046 MT-2 920	90° Drain Elbow	7050DR	E-9	10DR
Bullhead Tee 7062 N/A 21 Standpipe Tee 7065 N/A 27 Cap 7074 SK-1 006 Cross 7068 X-1 N/A Thread Mechanical Tee 7045 MT-1 920 Reducing 90° Elbow GRVxTHRD - SE-5 N/A Grooved Mechanical Tee 7046 MT-2 920	Short Pattern 90° Elbow	7450	SE-1	001
Standpipe Tee 7065 N/A 27 Cap 7074 SK-1 006 Cross 7068 X-1 N/A Thread Mechanical Tee 7045 MT-1 920 Reducing 90° Elbow GRVxTHRD - SE-5 N/A Grooved Mechanical Tee 7046 MT-2 920	Short Pattern Straight Tee	7460	ST-1	002
Cap 7074 SK-1 006 Cross 7068 X-1 N/A Thread Mechanical Tee 7045 MT-1 920 Reducing 90° Elbow GRVxTHRD - SE-5 N/A Grooved Mechanical Tee 7046 MT-2 920	Bullhead Tee	7062	N/A	21
Cross 7068 X-1 N/A Thread Mechanical Tee 7045 MT-1 920 Reducing 90° Elbow GRVxTHRD - SE-5 N/A Grooved Mechanical Tee 7046 MT-2 920	Standpipe Tee	7065	N/A	27
Thread Mechanical Tee 7045 MT-1 920 Reducing 90° Elbow GRVxTHRD - SE-5 N/A Grooved Mechanical Tee 7046 MT-2 920	Cap	7074	SK-1	006
Reducing 90° Elbow GRVxTHRD - SE-5 N/A Grooved Mechanical Tee 7046 MT-2 920	Cross	7068	X-1	N/A
Grooved Mechanical Tee 7046 MT-2 920	Thread Mechanical Tee	7045	MT-1	920
	Reducing 90° Elbow GRVxTHRD	-	SE-5	N/A
Threaded Machanical Prench Too. 7044 MT 20/MT 9 021 025	Grooved Mechanical Tee	7046	MT-2	920
Threaded Mechanical Branch Tee 7044 MT-30/MT-8 921, 925	Threaded Mechanical Branch Tee	7044	MT-30/MT-8	921, 925
Grooved Flange Adapter 7012FP F-3 744	Grooved Flange Adapter	7012FP	F-3	744
Flange/Grooved Nipple 7083 F-2 (SW) 41	Flange/Grooved Nipple	7083	F-2 (SW)	41
Plain-End Coupling 7005 N/A 90	Plain-End Coupling	7005	N/A	90
Outlet Coupling 7042 N/A 72	Outlet Coupling	7042	N/A	72

TM — Thread Male
TF — Thread Female

SW — Segmented Welded Fitting – not available in cast ductile fitting.



CORPORATE OFFICES

2 Holland Way Exeter, NH 03833

Tel: 603-418-2800 • Fax: 603-418-2833

E-mail: marketing@anvilintl.com

CUSTOMER SERVICE CENTERS

UNITED STATES

Tel: 800-301-2701 • Fax: 708-534-5441 Email: customerservice@anvilintl.com

LATIN AMERICA

Tel: 800-301-2701 • Fax: 708-534-5441

Email: latinoamerica@anvilintl.com

CANADA

Tel: 519-426-4551 • Fax: 519-426-5509 Email: canadacs@anvilintl.com

INTERNATIONAL

Tel: 800-301-2701 • Fax: 708-534-5441 Email: internationalsales@anvilintl.com

REGIONAL DISTRIBUTION CENTERS

UNITED STATES

Illinois

7979 W. 183rd Street, Unit D Tinley Park, IL 60484

Texas

1401 Valley View Lane, Suite 150 Irving, TX 75061

Pennsylvania

800 Malleable Road Columbia, PA 17512

California

1470 S. Vintage Avenue Ontario, CA 91761

Florida

236 Outlook Point Drive, Suite 100 Orlando, FL 32809

INTERNATIONAL

Canada

390 Second Avenue, Simcoe P.O. Box 40 Ontario, Canada, N3Y 4K9

BUILDING CONNECTIONS THAT LAST



















