



All Thread Rod

Effective Date: 04/05/2021 | Replaces prior Date: 02/01/2021 | Sheet# ATR-4.21

FREIGHT ALLOWANCE:

Freight terms are F.O.B. point of shipment.

Product Line	Standard Terms	General Service Product Combined Terms	Sharpe High-Performance Combined Terms
Pipe Fittings	\$ 2,500	\$ 2,500	\$ 5,000
Pipe Nipples, Pipe & Tubing	\$ 2,500		
Grooved	\$ 2,500		
High-Pressure Fittings	\$ 2,500		
Press Products	\$ 2,500		
O-Lets	\$ 2,500		
FPPI	\$ 2,500		
Flexhead	\$ 2,500		
Pipe Hangers	\$ 2,500		
Strut & Strut Fittings	\$ 2,500		
Seismic (Afccon)	\$ 2,500		
SCI Valves	\$ 2,500		
Sharpe General Service Valves	\$ 2,500		
Sharpe High-performance Valves	\$ 5,000		
Sharpe Engineered Valves	\$ 5,000		
Sharpe Actuation Products	\$ 5,000		

If multiple products are combined on one order, the combined prepaid freight level will default to the highest product line value. For example, when pipe fittings are combined with Sharpe High-performance Valves, the order's combined prepaid freight terms will be \$5,000.

NOTE:

All orders are accepted on the basis of prices in effect at the time of shipment.

NOTICE:

To the prices and terms quoted, there will be added any manufacturers or sales tax payable on the transaction under any effective statute.

GENERAL

- UPC numbers are available upon request.
- To obtain current ISO certifications, listings, and other approvals, visit ASC's website at www.asc-es.com
- Pricing is subject to change without notice.

LOSS OR DAMAGE CLAIMS:

All goods are shipped at buyer's risk. Shipments should be carefully examined upon delivery and before the carrier's delivery receipt is signed. If any loss or damage is evident, the buyer should make an appropriate notation on the delivery receipt and insist that the carrier's driver initial such exception. The contents of all packages should be carefully examined for concealed damage as soon as possible after delivery, so that the carrier can be requested, within 48 hours after delivery, to arrange for prompt inspection of the damaged goods.

1. CONTROLLING PROVISIONS:

These terms and conditions shall control with respect to any purchase order or sale of Seller's products. No waiver, alteration or modification of these terms and conditions whether on Buyer's purchase order or otherwise shall be valid unless the waiver, alteration or modification is specifically accepted in writing and signed by an authorized representative of Seller.

2. DELIVERY:

Seller will make every effort to complete delivery of products as indicated on Seller's acceptance of an order, but Seller assumes no responsibility or liability, and will accept no backcharge, for loss or damage due to delay or inability to deliver caused by acts of God, war, labor difficulties, accident, delays of carriers, by contractors or suppliers, inability to obtain materials, shortages of fuel and energy, or any other causes of any kind whatever beyond the control of Seller. Seller may terminate any contract of sale of its products without liability of any nature, by written notice to Buyer, in the event that the delay in delivery or performance resulting from any of the aforesaid causes shall continue for a period of sixty (60) days. Under no circumstances shall Seller be liable for any special or consequential damages or for loss, damage, or expense (whether or not based on negligence) directly or indirectly arising from delays or failure to give notice of delay.

3. WARRANTY:

Seller warrants for one year from the date of shipment Seller's manufactured products to the extent that Seller will replace those having defects in material or workmanship when used for the purpose and in the manner which Seller recommends. If Seller examination shall disclose to its satisfaction that the products are defective, and an adjustment is required, the amount of such adjustment shall not exceed the net sales price of the defective products only and no allowance will be made for labor or expense of repairing or replacing defective products or workmanship of damage resulting from the same. Seller warrants the products which it sells of other manufacturers to the extent of the warranties of their respective makers. Where engineering design or fabrication work is supplied. Buyer's acceptance of Seller's design or of delivery of work shall relieve Seller of all further obligation, other than expressed in Seller's product warranty. THIS IS SELLER'S SOLE WARRANTY. SELLER MAKES NO OTHER WARRANTY OF ANY KIND, EXPRESSED OR IMPLIED AND ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FOR A PARTICULAR PURPOSE WHICH EXCEED SELLER'S AFORESTATED OBLIGATION ARE HEREBY DISCLAIMED BY SELLER AND EXCLUDED FROM THIS WARRANTY. Seller neither assumes, nor authorizes any person to assume for it, any other obligation in connection with the sale of its engineering designs or products. This warranty shall not apply to any products or parts of products which (a) have been repaired or altered outside of Seller's factory, in any manner; (b) have been subjected to misuse, negligence or accidents; (c) have been used in a manner contrary to Seller's instructions or recommendations. Seller shall not be responsible for design errors due to inaccurate or incomplete information supplied by Buyer or its representatives.

4. SELLER'S LIABILITY:

Seller will not be liable for any loss, damage, cost of repairs, incidental or consequential damages of any kind, whether based upon warranty (except for the obligation accepted by Seller under "Warranty" above), contract or negligence, arising in connection with the design, manufacture, sale, use or repair of the products or of the engineering designs supplied to Buyer.

5. RETURNS:

Seller cannot accept return of any products unless its written permission has been first obtained, in which case same will be credited subject to the following (a) All material returned must, on its arrival at Seller's Plant, be found to be in first-class condition; if not, cost of putting in saleable condition will be deducted from credit memoranda; (b) A handling charge deduction of twenty percent (20%) will be made from all credit memoranda issued for material returned; (c) Transportation charges, if not prepaid will be deducted from credit memoranda.

6. SHIPMENTS:

All products sent out will be carefully examined, counted and packed. The cost of any special packing or special handling caused by Buyer's requirements or requests shall be added to the amount of the order. No claim for shortages will be allowed unless made in writing within ten (10) days of receipt of a shipment.

Claims for products damaged or lost in transit should be made on the carrier, as Seller's responsibility ceases, and title passes, on delivery to the carrier.

7. SPECIAL PRODUCTS:

Orders covering special or nonstandard products are not subject to cancellation except on such terms as Seller may specify on application.

8. PRICES AND DESIGNS:

Prices and designs are subject to change without notice. All prices are F.O.B. Point of shipment, unless otherwise stated.

9. TAXES:

The amount of any sales, excise or other taxes, if any, applicable to the products covered by this order, shall be paid by Buyer unless Buyer provides Seller with an exemption certificate acceptance to the taxing authorities.

10. NUCLEAR PLANTS:

Where the products, engineering design or fabrication is for nuclear plant applications. Buyer agrees (a) to take all necessary steps to add Seller as an insured under the American Nuclear Insurers' (ANI) pool and under the Mutual Atomic Energy Reinsurance Pool (MAERP) for property damage and liability insurance and if necessary steps could have been taken, but are not taken, Buyer shall hold Seller harmless against all such losses which could have been thus covered (b) Buyer agrees to hold Seller harmless with respect to any personal injury (or death), property damage or other loss in a nuclear incident which is caused directly or indirectly by defective design, material, workmanship furnished by Buyer (or which could be so covered but with respect to which Buyer has elected to self-insure), and further agrees to waive subrogation by its carriers of such insurance against Seller, and (c) as to nuclear hazards for which Buyer cannot obtain insurance coverage, the liability of Seller for any personal injury (or death), property damage or other loss directly caused by defective design, material, or workmanship furnished by Seller shall not exceed the value at the time of the loss occurrence.

11. MINIMUM INVOICE:

Domestic: \$100 plus transportation.
International: \$500 plus transportation.

12. TERMS:

Cash, net 30 days unless otherwise specified.

NOTE: All orders are accepted on the basis of prices in effect at the time of shipment.

NOTICE: The prices and terms quoted, there will be added any manufacturers or sales tax payable on the transaction under any effective statute.

FREIGHT ALLOWANCE: Freight terms are F.O.B. point of shipment.

Product Line	Standard Terms	General Service Product Combined Terms	Sharpe High-Performance Combined Terms
Pipe Fittings	\$ 2,500		
Pipe Nipples, Pipe & Tubing	\$ 2,500		
Grooved	\$ 2,500		
High-Pressure Fittings	\$ 2,500		
Press Products	\$ 2,500		
O-Lets	\$ 2,500		
FPPI	\$ 2,500	\$ 2,500	
Flexhead	\$ 2,500		\$ 5,000
Pipe Hangers	\$ 2,500		
Strut & Strut Fittings	\$ 2,500		
Seismic (Afcon)	\$ 2,500		
SCI Valves	\$ 2,500		
Sharpe General Service Valves	\$ 2,500		
Sharpe High-performance Valves	\$ 5,000		
Sharpe Engineered Valves	\$ 5,000		
Sharpe Actuation Products	\$ 5,000		

If multiple products are combined on one order, the combined prepaid freight level will default to the highest product line value. For example, when pipe fittings are combined with Sharpe High-Performance Valves, the order's combined prepaid freight terms will be \$5,000.

Table of Contents

PLAIN	4
THREADS PER INCH	4
ZINC PLATED	5
Hot Dipped Galvanized	6
304 SST	6
YELLOW ZINC	7
140 – Plain Threaded Studs	8
140 – Zinc Plated Threaded Studs	10

All Thread Rod

PLAIN

Figure Number	Product Description	Size	Length	Approx Weight EACH (lbs)	Plain		Box Quantity
					ITEM#	Price Ea	
146	Continuous Threaded Rod	¼	6 ft	0.12	0500067012	\$0.907	300
146	Continuous Threaded Rod	⅜	6 ft	0.29	0500067020	\$1.442	150
146	Continuous Threaded Rod	½	6 ft	0.53	0500067038	\$3.019	72
146	Continuous Threaded Rod	⅝	6 ft	0.83	0500067046	\$4.820	48
146	Continuous Threaded Rod	¾	6 ft	1.20	0500067053	\$7.060	30
146	Continuous Threaded Rod	⅞	6 ft	1.70	0500067061	\$11.894	24
146	Continuous Threaded Rod	1	6 ft	2.30	0500067079	\$16.752	12
146	Continuous Threaded Rod	¼	10 ft	0.12	0500067509	\$0.907	500
146	Continuous Threaded Rod	⅜	10 ft	0.29	0500067517	\$1.442	250
146	Continuous Threaded Rod	½	10 ft	0.52	0500067525	\$3.019	120
146	Continuous Threaded Rod	⅝	10 ft	0.83	0500067533	\$4.820	80
146	Continuous Threaded Rod	¾	10 ft	1.22	0500067541	\$7.060	50
146	Continuous Threaded Rod	⅞	10 ft	1.69	0500067558	\$11.894	40
146	Continuous Threaded Rod	1	10 ft	2.20	0500067566	\$16.752	20
146	Continuous Threaded Rod	1 ¼	10 ft	3.60	0500067608	\$26.597	10
146	Continuous Threaded Rod	1 ½	10 ft	5.10	0500067624	\$40.624	10
146	Continuous Threaded Rod	¼	12 ft	0.12	0500068515	\$0.907	600
146	Continuous Threaded Rod	⅜	12 ft	0.30	0500068523	\$1.442	300
146	Continuous Threaded Rod	½	12 ft	0.52	0500068531	\$3.019	144
146	Continuous Threaded Rod	⅝	12 ft	0.83	0500068549	\$4.820	96
146	Continuous Threaded Rod	¾	12 ft	1.22	0500068556	\$7.060	60
146	Continuous Threaded Rod	⅞	12 ft	1.70	0500068564	\$11.894	48
146	Continuous Threaded Rod	1	12 ft	2.30	0500068572	\$16.752	24
146	Continuous Threaded Rod	1 ¼	12 ft	3.50	0500068598	\$26.597	12
146	Continuous Threaded Rod	1 ½	12 ft	5.10	0500068606	\$40.624	12

All Thread Rod supplied by Anvil will meet the minimum physical requirements of ASTM A36 and A307 and produced to a commercial nut fit.

¼" to 1" ATR is produced from 1006 / 1008 / 1010 steel.

1 ⅝" to 2 ½" ATR is produced from 1018 / A36 steel.

All ATR is manufactured in the USA.

⌘ Sold in box only.

THREADS PER INCH

SIZE INCHES	THREADS / INCH
¼	20
⅜	16
½	13
⅝	11
¾	10
⅞	9
1	8
1 ¼	7
1 ½	6

ZINC PLATED

Figure Number	Product Description	Size	Length	Approx Weight EACH (lbs)	EG		Box Quantity
					ITEM#	Price Ea	
146	Continuous Threaded Rod	¼	6 ft	0.12	0500330006	\$1.034	300
146	Continuous Threaded Rod	⅜	6 ft	0.29	0500330014	\$1.582	150
146	Continuous Threaded Rod	½	6 ft	0.52	0500330022	\$3.065	72
146	Continuous Threaded Rod	⅝	6 ft	0.83	0500330030	\$5.447	48
146	Continuous Threaded Rod	¾	6 ft	1.22	0500330048	\$7.948	30
146	Continuous Threaded Rod	⅞	6 ft	1.69	0500330055	\$12.949	24
146	Continuous Threaded Rod	1	6 ft	2.30	0500330063	\$18.351	12
146	Continuous Threaded Rod	¼	10 ft	0.12	0500330501	\$1.034	500
146	Continuous Threaded Rod	⅜	10 ft	0.29	0500330519	\$1.582	250
146	Continuous Threaded Rod	½	10 ft	0.52	0500330527	\$3.065	120
146	Continuous Threaded Rod	⅝	10 ft	0.83	0500330535	\$5.447	80
146	Continuous Threaded Rod	¾	10 ft	1.22	0500330543	\$7.948	50
146	Continuous Threaded Rod	⅞	10 ft	1.69	0500330550	\$12.949	40
146	Continuous Threaded Rod	1	10 ft	2.20	0500330568	\$18.351	20
146	Continuous Threaded Rod	1 ¼	10 ft	3.60	0500330600	\$28.567	10
146	Continuous Threaded Rod	1 ½	10 ft	5.05	0500330626	\$40.988	10
146	Continuous Threaded Rod	¼	12 ft	0.12	0500331004	\$1.034	600
146	Continuous Threaded Rod	⅜	12 ft	0.29	0500331012	\$1.582	300
146	Continuous Threaded Rod	½	12 ft	0.52	0500331020	\$3.065	144
146	Continuous Threaded Rod	⅝	12 ft	0.83	0500331038	\$5.447	96
146	Continuous Threaded Rod	¾	12 ft	1.22	0500331046	\$7.948	60
146	Continuous Threaded Rod	⅞	12 ft	1.70	0500331053	\$12.949	48
146	Continuous Threaded Rod	1	12 ft	2.30	0500331061	\$18.351	24
146	Continuous Threaded Rod	1 ¼	12 ft	3.60	0500331103	\$28.567	12
146	Continuous Threaded Rod	1 ½	12 ft	5.10	0500331129	\$40.988	12

All Thread Rod supplied by Anvil will meet the minimum physical requirements of ASTM A36 and A307 and produced to a commercial nut fit.

¼" to 1" ATR is produced from 1006 / 1008 / 1010 steel.

1 ⅝" to 2 ½" ATR is produced from 1018 / A36 steel.

All Zinc Threaded Rod is plated according to ASTM B633, and meets the specification of FeZn 5 SC1 - Type III.

All ATR is manufactured in the USA.

☐ Sold in box only.

Hot Dipped Galvanized

Figure Number	Product Description	Size	Length	Approx Weight EACH (lbs)	HDG		Box Quantity
					ITEM#	Price Ea	
146	Continuous Threaded Rod	⅜	10 ft	0.30	0500328000	POA	250 ☐
146	Continuous Threaded Rod	½	10 ft	0.53	0500328026	POA	10 ☐
146	Continuous Threaded Rod	⅝	10 ft	0.84	0500328042	POA	8 ☐
146	Continuous Threaded Rod	¾	10 ft	1.20	0500328067	POA	5 ☐
146	Continuous Threaded Rod	⅞	10 ft	1.70	0500328083	POA	4 ☐
146	Continuous Threaded Rod	1	10 ft	2.30	0500328109	POA	20 ☐
146	Continuous Threaded Rod	1 ¼	10 ft	3.50	0500328125	POA	12

Hot Dipped Galvanized

Figure Number	Product Description	Size	Length	Approx Weight EACH (lbs)	HDG		Box Quantity
					ITEM#	Price Ea	
146	Continuous Threaded Rod	1 ½	10 ft	5.05	0500328141	POA	12

All Thread Rod supplied by Anvil will meet the minimum physical requirements of ASTM A36 and A307 and produced to a commercial nut fit.

¼" to 1" ATR is produced from 1006 / 1008 / 1010 steel.

1 ½" to 2 ½" ATR is produced from 1018 / A36 steel.

HDG ATR is galvanized to ASTM 153.

All ATR is manufactured in the USA.

⌌ Sold in box only. Contact Anvil Sales Rep for P.O.A. pricing.

304 SST

Figure Number	Product Description	Size	Length	Approx Weight EACH (lbs)	304 SS		Box Quantity
					ITEM#	Price Ea	
146	Continuous Threaded Rod	¼	6 ft	0.12	0500332309	\$4.575	300
146	Continuous Threaded Rod	⅜	6 ft	0.30	0500332317	\$9.126	150
146	Continuous Threaded Rod	½	6 ft	0.53	0500332325	\$16.961	72
146	Continuous Threaded Rod	⅝	6 ft	0.84	0500332333	\$26.785	48
146	Continuous Threaded Rod	¾	6 ft	1.20	0500332341	\$40.197	30
146	Continuous Threaded Rod	⅞	6 ft	1.70	0500332358	\$59.663	24
146	Continuous Threaded Rod	1	6 ft	2.67	0500332366	\$78.477	12
146	Continuous Threaded Rod	¼	12 ft	0.12	0500332556	\$4.575	600
146	Continuous Threaded Rod	⅜	12 ft	0.30	0500332564	\$9.126	300
146	Continuous Threaded Rod	½	12 ft	0.52	0500332572	\$16.604	144
146	Continuous Threaded Rod	⅝	12 ft	0.84	0500332580	\$26.785	96
146	Continuous Threaded Rod	¾	12 ft	1.20	0500332598	\$40.197	60
146	Continuous Threaded Rod	⅞	12 ft	1.70	0500332606	\$59.663	48
146	Continuous Threaded Rod	1	12 ft	2.67	0500332614	\$78.477	24

All Thread Rod supplied by Anvil will meet the minimum physical requirements of ASTM A276 type 304.

⌌ Sold in box only.

YELLOW ZINC

Figure Number	Product Description	Size	Length	Approx Weight EACH (lbs)	EG		Box Quantity
					ITEM#	Price Ea	
146	Continuous Threaded Rod	¼	6 ft	0.12	0500332002	\$1.408	300
146	Continuous Threaded Rod	⅜	6 ft	0.30	0500332010	\$2.308	150
146	Continuous Threaded Rod	½	6 ft	0.53	0500332028	\$4.809	72
146	Continuous Threaded Rod	⅝	6 ft	0.84	0500332036	\$7.119	48
146	Continuous Threaded Rod	¾	6 ft	1.20	0500332044	\$10.919	30
146	Continuous Threaded Rod	⅞	6 ft	1.70	0500332051	\$22.125	24
146	Continuous Threaded Rod	¼	10 ft	0.12	0500332077	\$1.408	500
146	Continuous Threaded Rod	⅜	10 ft	0.30	0500332127	\$2.308	250
146	Continuous Threaded Rod	½	10 ft	0.53	0500332135	\$4.809	120
146	Continuous Threaded Rod	⅝	10 ft	0.84	0500332143	\$7.119	80
146	Continuous Threaded Rod	¾	10 ft	1.20	0500332150	\$10.919	50
146	Continuous Threaded Rod	⅞	10 ft	1.70	0500332168	\$22.125	40
146	Continuous Threaded Rod	¼	12 ft	0.12	0500332176	\$1.408	600
146	Continuous Threaded Rod	⅜	12 ft	0.30	0500332184	\$2.308	300
146	Continuous Threaded Rod	½	12 ft	0.53	0500332192	\$4.809	144
146	Continuous Threaded Rod	⅝	12 ft	0.84	0500332200	\$7.119	96

YELLOW ZINC

Figure Number	Product Description	Size	Length	Approx Weight EACH (lbs)	EG		Box Quantity
					ITEM#	Price Ea	
146	Continuous Threaded Rod	¾"	12 ft	1.20	0500332218	\$11.035	60
146	Continuous Threaded Rod	7/8"	12 ft	1.70	0500332226	\$22.125	48

All Thread Rod supplied by Anvil will meet the minimum physical requirements of ASTM A36 and A307 and produced to a commercial nut fit.

¼" to 1" ATR is produced from 1006 / 1008 / 1010 steel. All ATR is manufactured in the USA.

Yellow zinc meets the specification of SC1-Type II.

¶ Sold in box only.

140 – Plain Threaded Studs

Figure Number	Product Description	Length	Approx Weight EACH (lbs)	Plain			
				¾ DIAMETER		½ DIAMETER	
				ITEM#	Price Ea	ITEM#	Price Ea
140S	Threaded Rod Stud, Both Ends - Right Hand	2	0.07	2400324436	\$0.431	-	-
140S	Threaded Rod Stud, Both Ends - Right Hand	2 ½	0.08	2400324451	\$0.644	-	-
140S	Threaded Rod Stud, Both Ends - Right Hand	3	0.09	2400324477	\$0.623	-	-
140S	Threaded Rod Stud, Both Ends - Right Hand	3 ½	0.10	2400324485	\$0.721	-	-
140S	Threaded Rod Stud, Both Ends - Right Hand	4	0.11	2400324493	\$0.820	2400330706	POA
140S	Threaded Rod Stud, Both Ends - Right Hand	4 ½	0.12	2400324519	\$0.919	-	-
140S	Threaded Rod Stud, Both Ends - Right Hand	5	0.13	2400324535	\$1.018	-	-
140S	Threaded Rod Stud, Both Ends - Right Hand	5 ½	0.14	2400324543	\$1.112	-	-
140S	Threaded Rod Stud, Both Ends - Right Hand	6	0.15	2400324550	\$1.231	2400330722	POA
140S	Threaded Rod Stud, Both Ends - Right Hand	6 ½	0.16	2400324568	\$1.318	-	-
140S	Threaded Rod Stud, Both Ends - Right Hand	7	0.17	2400324576	\$1.425	-	-
140S	Threaded Rod Stud, Both Ends - Right Hand	7 ½	0.18	2400324584	\$1.506	-	-
140S	Threaded Rod Stud, Both Ends - Right Hand	8	0.20	2400324592	\$1.608	2400330748	POA
140S	Threaded Rod Stud, Both Ends - Right Hand	8 ½	0.21	2400324600	\$1.668	-	-
140S	Threaded Rod Stud, Both Ends - Right Hand	9	0.22	2400324618	\$1.796	-	-
140S	Threaded Rod Stud, Both Ends - Right Hand	9 ½	0.24	2400324626	\$1.911	-	-
140S	Threaded Rod Stud, Both Ends - Right Hand	10	0.25	2400324634	\$2.001	2400330763	POA
140S	Threaded Rod Stud, Both Ends - Right Hand	10 ½	0.27	2400324642	\$2.085	-	-
140S	Threaded Rod Stud, Both Ends - Right Hand	11	0.28	2400324659	\$2.198	-	-
140S	Threaded Rod Stud, Both Ends - Right Hand	11 ½	0.29	2400324667	\$2.297	-	-
140S	Threaded Rod Stud, Both Ends - Right Hand	12	0.30	2400324675	\$2.363	2400330789	POA
140S	Threaded Rod Stud, Both Ends - Right Hand	25	0.54	2400324931	\$5.092	-	-
140S	Threaded Rod Stud, Both Ends - Right Hand	27	0.57	2400324956	\$5.502	-	-
140S	Threaded Rod Stud, Both Ends - Right Hand	29	0.60	2400324972	\$5.900	-	-
140S	Threaded Rod Stud, Both Ends - Right Hand	13	0.31	2400330029	\$2.558	-	-

140 – Plain Threaded Studs

Figure Number	Product Description	Length	Approx Weight EACH (lbs)	Plain			
				% DIAMETER		% DIAMETER	
				ITEM#	Price Ea	ITEM#	Price Ea
140S	Threaded Rod Stud, Both Ends - Right Hand	14	0.33	2400330045	\$2.808	-	-
140S	Threaded Rod Stud, Both Ends - Right Hand	14 ½	0.34	2400330060	\$3.055	-	-
140S	Threaded Rod Stud, Both Ends - Right Hand	15	0.35	2400330086	\$3.055	-	-
140S	Threaded Rod Stud, Both Ends - Right Hand	16	0.37	2400330102	\$3.285	-	-
140S	Threaded Rod Stud, Both Ends - Right Hand	17	0.39	2400330128	\$3.476	-	-
140S	Threaded Rod Stud, Both Ends - Right Hand	18	0.40	2400330144	\$3.674	2400330904	POA
140S	Threaded Rod Stud, Both Ends - Right Hand	19	0.42	2400330169	\$3.948	-	-
140S	Threaded Rod Stud, Both Ends - Right Hand	20	0.43	2400330185	\$4.119	2400330946	POA
140S	Threaded Rod Stud, Both Ends - Right Hand	21	0.45	2400330201	\$4.368	-	-
140S	Threaded Rod Stud, Both Ends - Right Hand	22	0.47	2400330227	\$4.575	2400330987	POA
140S	Threaded Rod Stud, Both Ends - Right Hand	23	0.49	2400330243	\$4.750	-	-
140S	Threaded Rod Stud, Both Ends - Right Hand	24	0.51	2400330268	\$4.951	2400331001	POA
140S	Threaded Rod Stud, Both Ends - Right Hand	26	0.56	2400330300	\$5.380	2400331068	POA
140S	Threaded Rod Stud, Both Ends - Right Hand	28	0.59	2400330342	\$5.803	2400331100	POA
140S	Threaded Rod Stud, Both Ends - Right Hand	30	0.61	2400330383	\$6.228	-	-
140S	Threaded Rod Stud, Both Ends - Right Hand	32	0.64	2400330425	\$6.620	2400331183	POA
140S	Threaded Rod Stud, Both Ends - Right Hand	34	0.68	2400330466	\$7.043	2400331225	POA
140S	Threaded Rod Stud, Both Ends - Right Hand	36	0.71	2400330508	\$7.114	2400331266	POA
140S	Threaded Rod Stud, Both Ends - Right Hand	72	1.42	2400330557	POA	-	-

All Thread Studs supplied by Anvil will meet the minimum physical requirements of ASTM A36 and A307 and produced to a commercial nut fit.

¾" ATS is produced from 1006 / 1008 / 1010 steel.

All ATS is manufactured in the USA.

½" diameter is available in lengths ranging from 4" through 36" Contact Anvil Sales Rep for P.O.A. pricing.

140 – Zinc Plated Threaded Studs

Figure Number	Product Description	Length	Approx Weight EACH (lbs)	EG	
				ITEM#	Price Ea
140S	Threaded Rod Stud, Both Ends - Right Hand	3	0.09	2400332009	\$0.947
140S	Threaded Rod Stud, Both Ends - Right Hand	3 ½	0.10	2400332017	\$1.080
140S	Threaded Rod Stud, Both Ends - Right Hand	4	0.15	2400332025	\$1.217
140S	Threaded Rod Stud, Both Ends - Right Hand	4 ½	0.12	2400332033	\$1.310
140S	Threaded Rod Stud, Both Ends - Right Hand	5	0.13	2400332041	\$1.377
140S	Threaded Rod Stud, Both Ends - Right Hand	5 ½	0.14	2400332058	\$1.531
140S	Threaded Rod Stud, Both Ends - Right Hand	6	0.18	2400332066	\$1.679

140 – Zinc Plated Threaded Studs

Figure Number	Product Description	Length	Approx Weight EACH (lbs)	EG	
				ITEM#	Price Ea
140S	Threaded Rod Stud, Both Ends - Right Hand	6 ½	0.16	2400332074	\$1.748
140S	Threaded Rod Stud, Both Ends - Right Hand	7	0.17	2400332082	\$1.808
140S	Threaded Rod Stud, Both Ends - Right Hand	7 ½	0.18	2400332090	\$1.946
140S	Threaded Rod Stud, Both Ends - Right Hand	8	0.20	2400332108	\$2.061
140S	Threaded Rod Stud, Both Ends - Right Hand	8 ½	0.21	2400332116	\$2.198
140S	Threaded Rod Stud, Both Ends - Right Hand	9	0.22	2400332124	\$2.326
140S	Threaded Rod Stud, Both Ends - Right Hand	9 ½	0.24	2400332132	\$2.466
140S	Threaded Rod Stud, Both Ends - Right Hand	10	0.25	2400332140	\$2.606
140S	Threaded Rod Stud, Both Ends - Right Hand	10 ½	0.27	2400332157	\$2.705
140S	Threaded Rod Stud, Both Ends - Right Hand	11	0.28	2400332165	\$2.832
140S	Threaded Rod Stud, Both Ends - Right Hand	11 ½	0.29	2400332173	\$2.968
140S	Threaded Rod Stud, Both Ends - Right Hand	12	0.30	2400332181	\$3.084
140S	Threaded Rod Stud, Both Ends - Right Hand	13	0.31	2400332207	\$3.915
140S	Threaded Rod Stud, Both Ends - Right Hand	14	0.33	2400332215	\$4.280
140S	Threaded Rod Stud, Both Ends - Right Hand	14 ½	0.34	2400332223	\$4.581
140S	Threaded Rod Stud, Both Ends - Right Hand	15	0.35	2400332231	\$4.581
140S	Threaded Rod Stud, Both Ends - Right Hand	16	0.37	2400332249	\$4.892
140S	Threaded Rod Stud, Both Ends - Right Hand	17	0.39	2400332256	\$5.192
140S	Threaded Rod Stud, Both Ends - Right Hand	18	0.40	2400332264	\$5.538
140S	Threaded Rod Stud, Both Ends - Right Hand	19	0.42	2400332272	\$6.034
140S	Threaded Rod Stud, Both Ends - Right Hand	20	0.43	2400332280	\$6.389
140S	Threaded Rod Stud, Both Ends - Right Hand	21	0.45	2400332298	\$6.605
140S	Threaded Rod Stud, Both Ends - Right Hand	22	0.47	2400332306	\$7.017
140S	Threaded Rod Stud, Both Ends - Right Hand	23	0.49	2400332314	\$7.347
140S	Threaded Rod Stud, Both Ends - Right Hand	24	0.51	2400332322	\$8.169
140S	Threaded Rod Stud, Both Ends - Right Hand	25	0.54	2400332330	\$7.966
140S	Threaded Rod Stud, Both Ends - Right Hand	26	0.56	2400332348	\$8.272
140S	Threaded Rod Stud, Both Ends - Right Hand	27	0.57	2400332355	\$8.590
140S	Threaded Rod Stud, Both Ends - Right Hand	28	0.59	2400332363	\$8.708
140S	Threaded Rod Stud, Both Ends - Right Hand	29	0.60	2400332371	\$9.217
140S	Threaded Rod Stud, Both Ends - Right Hand	30	0.61	2400332389	\$9.552
140S	Threaded Rod Stud, Both Ends - Right Hand	32	0.64	2400332397	\$10.204
140S	Threaded Rod Stud, Both Ends - Right Hand	34	0.68	2400332405	\$10.862

140 – Zinc Plated Threaded Studs

Figure Number	Product Description	Length	Approx Weight EACH (lbs)	EG	
				ITEM#	Price Ea
140S	Threaded Rod Stud, Both Ends - Right Hand	36	0.71	2400332413	\$12.081

All Thread Studs supplied by Anvil will meet the minimum physical requirements of ASTM A36 and A307 and produced to a commercial nut fit.

3/8" ATS is produced from 1006 / 1008 / 1010 steel. All Zinc Threaded Studs are plated according to ASTM B633, and meets the specification of FeZn 5 SC1 Type III.

All ATS is manufactured in the USA.

1/2" diameter is available in lengths ranging from 4" through 36" Contact Anvil Sales Rep for P.O.A. pricing.

Numerical Index

Group1 Items

0500067053.....	4	0500067046.....	4	0500067038.....	4	0500067020.....	4	0500067012.....	4
0500067525.....	4	0500067517.....	4	0500067509.....	4	0500067079.....	4	0500067061.....	4
0500067608.....	4	0500067566.....	4	0500067558.....	4	0500067541.....	4	0500067533.....	4
0500068549.....	4	0500068531.....	4	0500068523.....	4	0500068515.....	4	0500067624.....	4
0500068606.....	4	0500068598.....	4	0500068572.....	4	0500068564.....	4	0500068556.....	4
0500330048.....	5	0500330030.....	5	0500330022.....	5	0500330014.....	5	0500330006.....	5
0500330527.....	5	0500330519.....	5	0500330501.....	5	0500330063.....	5	0500330055.....	5
0500330600.....	5	0500330568.....	5	0500330550.....	5	0500330543.....	5	0500330535.....	5
0500331038.....	5	0500331020.....	5	0500331012.....	5	0500331004.....	5	0500330626.....	5
0500331129.....	5	0500331103.....	5	0500331061.....	5	0500331053.....	5	0500331046.....	5
0500328083.....	5	0500328067.....	5	0500328042.....	5	0500328026.....	5	0500328000.....	5
0500332317.....	6	0500332309.....	6	0500328141.....	5	0500328125.....	5	0500328109.....	5
0500332366.....	6	0500332358.....	6	0500332341.....	6	0500332333.....	6	0500332325.....	6
0500332598.....	6	0500332580.....	6	0500332572.....	6	0500332564.....	6	0500332556.....	6
0500332028.....	6	0500332010.....	6	0500332002.....	6	0500332614.....	6	0500332606.....	6
0500332127.....	6	0500332077.....	6	0500332051.....	6	0500332044.....	6	0500332036.....	6
0500332176.....	6	0500332168.....	6	0500332150.....	6	0500332143.....	6	0500332135.....	6
0500332226.....	7	0500332218.....	7	0500332200.....	6	0500332192.....	6	0500332184.....	6
2400324493.....	7	2400324485.....	7	2400324477.....	7	2400324451.....	7	2400324436.....	7
2400324568.....	7	2400324550.....	7	2400324543.....	7	2400324535.....	7	2400324519.....	7
2400324618.....	7	2400324600.....	7	2400324592.....	7	2400324584.....	7	2400324576.....	7
2400324667.....	7	2400324659.....	7	2400324642.....	7	2400324634.....	7	2400324626.....	7
2400330029.....	7	2400324972.....	7	2400324956.....	7	2400324931.....	7	2400324675.....	7
2400330128.....	8	2400330102.....	8	2400330086.....	8	2400330060.....	8	2400330045.....	8
2400330227.....	8	2400330201.....	8	2400330185.....	8	2400330169.....	8	2400330144.....	8
2400330383.....	8	2400330342.....	8	2400330300.....	8	2400330268.....	8	2400330243.....	8
2400332009.....	8	2400330557.....	8	2400330508.....	8	2400330466.....	8	2400330425.....	8
2400332058.....	8	2400332041.....	8	2400332033.....	8	2400332025.....	8	2400332017.....	8
2400332108.....	9	2400332090.....	9	2400332082.....	9	2400332074.....	9	2400332066.....	8
2400332157.....	9	2400332140.....	9	2400332132.....	9	2400332124.....	9	2400332116.....	9
2400332215.....	9	2400332207.....	9	2400332181.....	9	2400332173.....	9	2400332165.....	9
2400332264.....	9	2400332256.....	9	2400332249.....	9	2400332231.....	9	2400332223.....	9
2400332314.....	9	2400332306.....	9	2400332298.....	9	2400332280.....	9	2400332272.....	9
2400332363.....	9	2400332355.....	9	2400332348.....	9	2400332330.....	9	2400332322.....	9
2400332413.....	9	2400332405.....	9	2400332397.....	9	2400332389.....	9	2400332371.....	9

Group2 Items

2400330789.....	7	2400330763.....	7	2400330748.....	7	2400330722.....	7	2400330706.....	7
2400331068.....	8	2400331001.....	8	2400330987.....	8	2400330946.....	8	2400330904.....	8
		2400331266.....	8	2400331225.....	8	2400331183.....	8	2400331100.....	8