




REVISIONS			
REV	DESCRIPTION	DATE	APPV.



- Apply to modulating control models, (A) 186 mm (7.323 in) cover removal clearance , (B) 153 mm (6.023 in)
- No mechanical stops
- Recommended wrench: 8 mm Open-end wrench

DISCLAIMER:
 ASC Engineered Solutions shall not be liable for losses due to errors or omissions from use of this document. Contact ASC Engineering for technical application questions.

MATERIAL	-----	TOLERANCES ARE AS FOLLOWS UNLESS OTHERWISE SPECIFIED: LINEAR DIMENSIONS: X = ±0.5 X.X = ±0.1 X.XX = ±0.05 ANGULAR DIMENSIONS: ANGLES = ±2° THIRD ANGLE PROJECTION		NAME	DATE	<div>ASC Engineered Solutions</div>			
FINISH			DRAWN	M. RITZMAN	17-OCT 2025	DESCRIPTION SHARPE VALVES SEA-3/SEA-3-4 ELECTRIC ACTUATOR			
TREATMENT			CHECKED	C. IANNELLO	17-OCT 2025				
SPECIAL			ENG. APP	M. NILSEN	17-OCT 2025				
			MFG. APP						
METRIC/INCH			Q.A.			DRW. SEA-3-SEA-3-4			
				SHEET 1 OF 1		SIZE A3	SCALE:	REVISION	
UNLESS OTHERWISE SPECIFIED, DIMENSIONS AND TOLERANCES ARE IN MILIMETERS AND ANGLES IN DEGREES.			PART: SEA-3/SEA-3-4 ACTUATOR					WEIGHT:	00