



SmartDip
WIRELESS

Effortless Tank Level Monitoring

- View tank levels from anywhere in the world
- Easily to install
- Automate alerts for easy inventory management

Save time and money with automated tank levels viewed online and sent directly to your email or fuel supplier.


Simple Tank Level Monitoring

Easy to Install:

- Powered by an internal battery (No digging trenches for cable runs to get power)
- Solar power automatically recharges the battery (no leads needed)
- Always connected to the 4G network (No manual dips!)
- Designed to fit into existing fuel tanks (No fabrication needed)
- Pre-wired probe to suit the size of your tank (No wiring!)

Easy to Use:

- Configured using our web portal on a single page
- Updates the level readings on the web portal at set intervals
- Track your fuel levels with graphs and stay informed from anywhere
- 24/7 Support is available from our world-class team so you're never without help



Designed for All Tanks - Big and Small



IBC Fuel Tanks



Remote Gensets



5KL Tanks



30KL Tanks



100KL Tanks

The World's Easiest Wireless ATG

Sick of running out of fuel?

Tired of chasing people for up-to-date tank levels?

Automate your tank dips and view your tank levels from anywhere in the world.

Even your fuel supplier can have access, enabling you to utilize vendor managed inventory.

Enter Wireless SmartDip, the market leading tank-level monitoring solution that promises to make dry tanks a thing of the past.

Wireless SmartDip's set-and-forget automatic gauging system and lightweight design can be [installed in less than five minutes](#), without drilling holes, running wires, or draining your fuel tank.

Once installed, you'll have access to the SmartFill Web Portal, which offers unrivaled oversight of your tank data, including forecasting for future deliveries.

Plus, Wireless SmartDip's alert system will notify you when fuel levels are low, giving you plenty of time to restock.

And if you forget to restock, Wireless SmartDip can even contact your fuel supplier for you!

With Wireless SmartDip, you'll never have to worry about dry tanks again. No more unexpected downtime, lost productivity, or added stress.

Try Wireless SmartDip today and experience the [peace of mind](#) that comes with hassle-free fuel management.

The Perfect Solution for Vendor Managed Inventory



Key Features

- Simple, secure connection over 4G network
- See tank levels for all of your customers in one place
- Calculated fuel usage forecasting based on previous behaviors
- Set and forget, lasts 5+ years* without any maintenance needed
- Unlimited access to our API for integrated tank data
- Next-Gen website providing up to date information in multiple formats
- Automated tank level email alerts to ensure your customer never runs out of fuel
- GPS information is updated whenever a new dip is recorded, allowing you to track mobile tanks
- Need an update now? Press a button and have a new reading instantly!

*Based on one dip per day.



Specifications

Size	Height: 1.5 in	Width: 5.55 in (including lid); Body width: 4.21 in
Accuracy	0.25% FS (Max) 0.5% FS (Typical)	
Operating Temperature	-13 °F to 158 °F	
Battery Life	5 Years, longer when exposed to daily sunlight. (Based on one dip per day)	
Recommended Fuel Types	Diesel, DEF(AdBlue) and other non-hazardous liquids (water, oil)	
Tank Height	up to 394 inches	
Cable	Polyethylene Ventilated Cable, cable is 5m longer than height	
Tank Thread Size	2" NPT	
Dips per Day	1 - 4 (Configurable)	
View data	FMT Webportal, Mobile phone via QR code	
Alerts	Via Email; Offline, Low, High & Scheduled Summary	

Comparison Table

Feature	SmartDip	Wireless SmartDip
Data Update Frequency	Real-time	1-4 dips per day
Number of Tanks per Unit	Up to 8 tanks	1 tank
Configurable Alarms	Real-time	Delayed until dip is taken
Record Fuel Deliveries	Yes	No
Power Source	Wired (SmartFill FMS)	Battery and Solar
Battery Life	N/A	Up to 5 years (1 dip per day)
SmartFill FMS Integration	Yes	No
ATEX/IECEx Rating	Yes (optional)	No
Maintenance Requirements	None	Battery Replacement as required

Need more information?
Get in contact with us

Office: 1800 569 8704
Email: sales.us@fmtweb.com

Fluid Management Technology LLC
25235 Dequindre Rd, Madison Heights, MI 48071

