



SmartFill

OUTDOOR PAYMENT TERMINAL

Outdoor Payment
Terminal for 24/7
Fuel Sales



Your Solution for Unattended Fuel Sales




Remote Setup and Management

Easily set and adjust prices as needed, with automatic cloud-based updates ensuring your system stays current.



Collect Data and Review Payments Online

Monitor tank levels, track transactions, and view performance data to understand how your business is running.



Designed & Tested for the Harshest Climates

The SmartFill has been tried and tested in some of the harshest environments. From the hottest to the coldest climates all around the world with over 2 decades of expeirience we've see it all.



Streamline Operations and Increase Revenue

Reduce manual tasks and paperwork with a solution that extend operational time without added costs.



Get Support and After Sales Onboarding

Reliable support when you need it. We're committed to responding quickly to keep your operations running smoothly.




Easy Payments, Everytime

A clear, user-friendly interface ensures smooth transactions, with support for a wide range of payment options.



Monitor your Transactions on your FMT Data Portal

PRO Reports included with every OPT unit



Key Features

- Pre-configured reports:** Includes Totals, Reconciliation, Service, Transaction, Consumption, and Trip Consumption reportscovering the full spectrum of fuel usage metrics
- Virtual tank monitoring:** Tracks tank levels even without physical gauges. Fuel is monitored via SmartFill transactions, manual deliveries, and periodic manual dips
- Real-time graphical displays:** Interactive dashboards allow you to visually explore fuel levels and usage trends
- Automated scheduling & exports:** Send reports on a daily, weekly, or monthly basis via email.
- Export in PDF and CSV:** formats for easy integration with your existing systems and softwares.
- Customizable dashboards:** View current or historical data summaries, drill into detail as needed
- Reconciliation made simple:** Match calculated levels against physical measurements and receive automated reconciliation reports
- Comprehensive consumption tracking:** Analyze fuel consumption per vehicle or driver, including odometer/ hourmeter data. Filterable by trip or date range

“I recommend this product to reduce labour costs and offer your customers easy 24/7 access to fuel. The team at Fluid Management Technology made the process so easy, from installation and training to ongoing support. The online access via the website gives live accurate readings and makes the overall management of the fuel simple.”

Ross Pawley
Managing Director
Yelwap Pty Ltd



| | | | |
|--------------------------|---|---|------------------|
| Size and Weight | Height: 700 mm Height with hood: 732 mm Pedestal height: 1000 mm | Width: 400 mm Width with hood: 403 mm Depth: 230 mm | Weight: 22.75 kg |
| Enclosure Construction | 316 Grade Stainless Steel and automotive grade glass reinforced nylon | | |
| Display | Marine Grade-7.0" WVGA TFT-LCD display, 800x480 resolution | | |
| Keypad | Vandal resistant 16 key, stainless steel buttons | | |
| Operating temperature | -20°C to 70°C | | |
| Power Requirements: AC | 85~264VAC-1.6A@100Vac | | |
| Pumps Supported | Mechanical pump and flow meter (1-4 pumps); Electronic (1-8 pumps): Gilbarco, Compac, Wayne Dart, Wayne CL, Tatsuno, Tokheim, PEC | | |
| Readers | NFC, magnetic stripe and credit card | | |
| Ethernet | 10/100 Mbps | | |
| 4G LTE | LTE FDD RF band: 1, 2, 3, 4, 5, 7, 8, 9, 12, 13, 14, 18, 19, 20, 25, 26, 28 HSPA+ band: 1, 2, 4, 5, 6, 8, 19 | | |
| Mounting Options | Included: Wall, base and flush mount fixings included; Optional: Pedestal | | |
| Installation Requirement | To be installed outside of the hazardous zone for flammable liquids such as gasoline and E85 | | |
| Printer | Industrial thermal printer, 58 mm to 60 mm wide x 100mm roll diameter. | | |
| EMV Payment Hardware | Ingenico Self/5000 Payment Terminal, PCI PTS 5.x Compliant | | |
| Card Acceptance | Visa, MasterCard, Account cards (white cards), Apple Pay, Google Pay, SmartFill NFC cards and Fobs, WEX | | |
| Tank Gauging (optional) | SmartDip or TLS Interface | | |
| Certifications |  AT&T  verizon  FCC  (Weights & Measures № 25-068)  NMI S559 | | |

Additional Options

SmartDip Automatic Tank Gauging system

Plugin module for OPT



Pedestal For flexible installation options

92.38 cm (H) x 15.01 cm (D)



Need more information?
Get in contact with us

Office: (08) 8240 5585
Email: sales@fmtweb.com

Fluid Management Technology Pty Ltd
147-149 William St, Beverley SA 5009

