



10 SOUTH AVENUE
SPRUCE GROVE, ALBERTA, T7X 3B1
(780) 962-0088

**FALL
CAR CARE
STARTS HERE**

BESTBUY

SINCE 1953

GET READY FOR THE SEASON

SEPTEMBER/OCTOBER 2026

WINTER PREP

BE PREPARED



- ✓ Wiper Blades
- ✓ Battery Blankets
- ✓ Heater Hoses
- ✓ Booster Cables
- ✓ Work Gloves

GEAR UP

FOR YOUR NEXT DIY PROJECT



- ✓ Welding Helmets
- ✓ Drills
- ✓ Grease Guns
- ✓ PPE

**NEW PERMATEX
RAPID CURE**
80% FASTER CURE TIME!



**Permatex® Blue
Rapid Cure
Threadlocker**

24262 - 10ml

- Medium strength
- Cures on oily bolts
- 1/4" - 1"

17.³⁶

FEATURING TOP BRANDS YOU TRUST



PICO



AND MORE!

TRUSTED AFTERMARKET BRANDS

WIDE SELECTION

QUALITY AUTOMOTIVE PRODUCTS

TOOLS, POWER & VISIBILITY

1000+LM LI-ION Underhood Light W2673

- Innovative design spans hoods over 6 feet wide and wraps up for compact storage
- 15 in. (38 cm) flexible light bar provides a variety of uses and allows light to be directed right where you need it
- Adjustable elastic strap fits almost any size hood
- Rubber padded hooks prevent scratching or denting



40.⁰⁰



20V Li-Ion 1/2" Brushless Hammer Drill W7722

W7722

708 in. lbs. of torque at your fingertips. A two-speed transmission lets you control your speed.

140.⁷⁰



20V Li-Ion 1/2" Brushless Impact Wrench W7720

W7720

Delivers up to 375 ft. lbs. of reverse torque, and it features an auto-stop function to reduce the risk of stripped threads.

141.²¹



7.²¹

70+LM Penlight

20202

- Super Bright Nichia LED never needs replacing
- Anodized aluminum housing with pocket clip.
- Compact design fits anywhere.
- Requires 3 AAA batteries (included)
- Specs: 72 Lumens, 4.5 hour run time, 1333cd beam intensity, 73m beam distance.



Strong, long-lasting alkaline batteries guaranteed not to leak!

EN91 AA (24/pk) **12.¹¹**

EN92 AAA (24/pk) **12.⁶²**



BOSCH

Invented for life

BOSCH SNOW DRIVER™

Tested to perform at -29°C

PART#

13SD

9.⁰⁹

15SD

9.⁰⁹

16SD

9.⁰⁹

17SD

9.⁰⁹

18SD

10.⁰²

19SD

9.⁰⁹

20SD

10.³⁶

21SD

11.⁴³

22SD

10.³⁶

24SD

13.⁷⁴

26SD

12.⁴⁸

28SD

13.⁷⁴



Basic Halogen Headlight Bulbs

PART#

SYL #

9003.BP

31555

5.⁵⁷

9004.BP

31556

3.³⁴

9005.BP

31557

3.⁸⁶

9006.BP

31558

3.⁷³

9007.BP

31559

4.⁹⁹

TRUSTED AFTERMARKET BRANDS

WIDE SELECTION

QUALITY AUTOMOTIVE PRODUCTS

BATTERY CARE



200A Mini Battery Disconnect Switch
9420-11

28.⁸⁹



350A Master Battery Disconnect Switch
9450-11

19.⁴⁷

Solid Copper Booster Cables

100% Pure copper conductors for maximum conductivity. Parallel bonded cables resist tangling and remain flexible in cold weather up to -40°C (-40°F). Each booster cable comes in a handy nylon carrying case with an instruction sheet.



Solid Copper Booster Cables

PART#	DESC	
8162-E	10GA 8' 150A	23.⁰⁷
8163-E	8GA 12' 200A	40.⁰³
8164-E	6GA 12' 400A	64.⁹¹
8165J-E	4GA 16' 400A	118.⁷⁵



NOCO Boost+Air AX65
AX65

2000A Jump Starter with Air Compressor Tire Inflator – Starts 8.0L Gas & 6.0L Diesel – 67 SLPM Airflow
Inflates 0–40 PSI in 2 Minutes

377.³⁸

NOCO
THE POWER OF LITHIUM



NOCO Boost 500A UltraSafe Jump Starter
GB20

105.²³

START DEAD BATTERIES — Instantly start dead batteries with 500 amps of peak lithium power. Up to 20 starts per charge on engines up to 4.0L gas.



Power-Seal® Hose Clamps
1/2 in, 300 Series SS Band
Carbon Plated Hex Screw

PART#	RANGE [MM]	
62010	14 - 27 mm	0.⁷⁶
62012	17 - 32 mm	0.⁷⁶
62016	21 - 38 mm	0.⁷⁶



250A 6/12V BatteryCharger/Engine Starter
SC1325

356.¹⁵



Heater Hoses

PART#	SIZE (INCHES)	
80271	5/8" X 50'	49.⁰⁶
80273	3/4" X 50'	56.³⁷



Spill Proof Coolant Funnel Kit
W89740

25.⁴³

Bussmann
by **EATON**

Fuse Holders
10/PACK

HHD

1.⁸²



TRUSTED AFTERMARKET BRANDS

WIDE SELECTION

QUALITY AUTOMOTIVE PRODUCTS

WELD. CUT. PROTECT.



DuraCast™ 4000 Torch Kit BZTS4000ZKC

- Designed for use at any angle and is pressure-regulated to reduce the risk of pulsating or yellow flames when inverted
- Flame lock option for continuous use
- Instant on/off ignition
- Swirl flame

95.⁶⁰



Classic Brass Torch UL2317

23.²⁷

- Adjustable, Pencil Flame
- Manual Ignition
- Durable Brass Torch Head
- Designed for Upright Use
- Compatible with Bernzomatic 14.1 oz and 16 oz Propane Fuel Cylinders
- Limited 3-Year Warranty



Bandit II, Welding Helmet, Fixed Shade Number 10

55673

42.⁷⁴



Bandit I Welding Helmet, Lift Front, Number 10, 2 x 4^{1/4}"

55666

36.⁷⁷



Outside Cover Lens 4-1/2 in x 5-1/4 in

PART#	SIZE	
57055	PLASTIC	6.¹²
57056	GLASS	3.⁰⁷

Cover Lens, Clear Glass 2 in x 4-1/4 in

56801

1.⁸⁹



Jackson SG Safety Glasses - Black Frame - Clear Antifog Lens

S70701

1.⁹² /EA

Sold in packs of 12



X300 Series Safety Glasses – Amber Lens – Hard Coated

S70711

1.⁹² /EA

Sold in packs of 12



X300RX Series Safety Glasses

Clear Lens – Hard Coated

PART#	SIZE (INCHES)	
S70703	1.5 x Magnification	6.⁴⁰
S70704	2 x Magnification	6.⁴⁰
S70705	2.5 x Magnification	6.⁴⁰



X300 Series Safety Glasses – Smoke Lens – Hard Coated

S70721

1.⁹² /EA

Sold in packs of 12



X300 Series Safety Glasses – Indoor/Outdoor Lens – Hard Coated

S70731

2.⁴⁷ /EA

Sold in packs of 12



X330 Series Safety Glasses - Anti-Fog - Clear Lens Tint

S73402

4.²⁵

TRUSTED AFTERMARKET BRANDS

WIDE SELECTION

QUALITY AUTOMOTIVE PRODUCTS

KEEP IT WARM. KEEP IT RUNNING.

PHILLIPS & TEMPRO
industries

ZEROSTART
COLD WEATHER STARTING PRODUCTS

Thermostatically controlled battery blanket wraps that provide direct battery heating for reliable cold weather starting.

Ensure Cold Weather Starts with Engine Block Heaters

Engine block heaters designed and tested for each individual engine application. Manufactured under the Zerostart / Tempro brands, several types of engine block heaters are available to meet your specific needs, including freeze plug heaters, threaded immersion heaters, plate-style heaters and cartridge heaters.

Block Heaters & Battery Blankets

SAVE 5%
In Stock Items Only



ClearWeld Syringe

50114CAN - 14ml
Crystal clear epoxy sets in 5 minutes and cures in 1 hour

5.³⁴



J-B WELD PRO

8281CAN - 10oz
The Original J-B Weld two-part epoxy cold weld system in a 10 oz. pro size

19.⁶⁴



SteelStik Epoxy Putty

8268UCANSRP - 4oz
SteelStik is a hand-mixable, steel-reinforced, non-rusting epoxy putty that quickly repairs or rebuilds anything made of metal.

11.²¹



RapidFix UV with Flashlight

6121805EF - 10ml
Amazing liquid plastic adhesive that only sets when exposed to UV light

30.⁹⁶



RapidFix UV Fiber Repair Patch

6121969EF - 6" X 9"

- Extremely durable Fiberglass re-enforced polyester fabric
- Flexible to apply; Solid when cured

34.⁹⁹



WaterWeld Epoxy Putty

8278UCANSRP - 4oz
Ideal for repairing plumbing, fuel tanks, tub and shower, drains, pool and spa, boats and potable water tanks; setup occurs even under water.

12.³⁵

RAPIDFIX



TRUSTED AFTERMARKET BRANDS

WIDE SELECTION

QUALITY AUTOMOTIVE PRODUCTS



QUALITY
AUTOMOTIVE
PRODUCTS™

PROFESSIONAL CLEANING SOLUTIONS

NOW IN STOCK



Glass & Multi-Surface Cleaner

- Ready to use for windows, glass & mirrors
- Fast drying formula, leaves a streak free shine
- Suitable for use in Canadian food processing facilities

C-3545 - 4 L **8.⁴⁴**

C-3546 - 950 mL **4.³⁴**



Heavy Duty Degreaser

- Tough on grease and stains
- Cleaning power for a variety of heavy duty applications
- No bleach
- No ammonia

C-3541
Lemon | 950 mL **4.⁷²**



Heavy Duty Degreaser Concentrated

- Breaks down grease, oil and tough stains
- Suitable for use in Canadian food processing facilities

C-3539
Lemon | 4 L **11.⁰¹**



GARAGE FLOOR

Powdered Cleaner Degreaser

Suitable for food plant use in Canada

C-3540
Pine | 18 kg

84.⁶⁹



Neutral Floor Cleaner

- Cleans and deodorizes all floors
- Leaves no film or residue, rinse free
- Safe to use on all washable surfaces
- Suitable for use in Canadian food processing facilities

C-3547
Floral | 4 L **10.⁰³**



Lotion Soap

- Leaves Hands Soft and Fresh
- Cleans and Moisturizes

C-3544
Cherry | 4 L **11.⁵³**

C-3543
Almond | 4 L **11.⁵³**



Hand Soap with Pumice

- Removes grease, grime and heavy industrial soils
- Leaves hands clean, soft and fresh
- Dispensing pump on every bottle

C-3542
Orange | 3.6 L **22.⁶⁹**

TRUSTED AFTERMARKET BRANDS

WIDE SELECTION

QUALITY AUTOMOTIVE PRODUCTS



Wiping Rags

PART#	TYPE	SIZE	
7558	Coloured T-Shirt Wiping Rags	10lb bag	9. ⁷⁸
7552		25lb bag	19. ⁵⁵
7560	Premium White T-Shirt Wiping Rags	10lb bag	21. ⁸³
7561		25lb bag	54. ⁰⁹
7566	Coloured Fleece Wiping Rags	10lb bag	11. ⁰⁸
7567		25lb bag	21. ⁵¹

Coloured T-Shirt Reclaimed coloured t-shirt rags are manufactured from recycled cotton and cotton-blend knit fabrics, delivering a soft, absorbent, and economical wiping solution for a wide range of cleaning applications.

Premium White T-Shirt Engineered for performance and consistency, our Premium White T-Shirt Wiping Rags deliver superior absorbency, low lint, and reliable quality for demanding cleaning and finishing applications. Made from high-quality reclaimed cotton, these soft, durable cloths are ideal for tasks where cleanliness and surface protection matter.

Coloured Fleece Our Coloured Fleece Wiping Rags deliver exceptional softness and absorbency, making them ideal for applications where a gentle touch and high liquid retention are essential. Made from reclaimed fleece materials such as sweatshirts and hoodies, these thick, plush cloths provide superior wiping performance for both industrial and janitorial use.



Institutional Garbage Bags 2600 Series: Value Plus - Black 35" X 50" Strong

267501
125 bags/case

27.⁹⁹



Proudly Made In Canada



POWER KLEEN Cleaner Degreaser C97001 - 3.78L

27.²³



Grez-Off® Engine Degreaser

C12550 - 425g Aerosol

6.⁶⁸



3M

233+ Performance Masking Tape

PART#	SIZE	
26334	18mm x 55m (3/4")	5. ¹³
26338	36mm x 55m (1 1/2")	9. ⁷⁴



Masking Tape

PART#	SIZE	
6545	18mmx55m (3/4")	2. ¹⁸
6547	36mmx55m (1 1/2")	4. ³³
6548	48mmx55m (2")	5. ⁸¹

DETAILS THAT MAKE A DIFFERENCE



Home Dispenser

11-9965

- Holds 1lb of Product or 320 Hand Washes
- Easy Push Button Design for Accurate Dosage
- Designed for Home or Garage

26.⁹²



Biodegradable Hand Cleaner

PART#	SIZE	
11-1104	1lb	22.⁷⁵
11-2450	4lb	62.³²



WORX® Power Clean Waterless Hand Soap

- Use Anywhere — Towel Off When no Sink is Available
- Rinse with Clean Water when Available
- Over 70% Aloe Vera, Gentle on Sensitive Skin



PART#	SIZE	
36-0613	13 oz (384 ml)	20.¹⁷
36-0401	1 gal. (3.78 L.)	97.⁵¹

WORX® Power Clean Liquid Hand Soap

47-0401

1 gal. (3.78 L.)

42.⁰⁰



WORX® Power Clean Foam Hand Soap


PART#	SIZE	
48-0613	13 oz (384 ml)	10.⁹⁶
48-0432	32 oz. (945 ml.)	15.³²
48-0401	1 gal. (3.78 L.)	41.⁸⁵



Slow-Moving Vehicle Emblems

71152

27.¹⁶



Conspicuity Tape

41160

2" x 150' Roll

119.⁸⁵



VANILLAROMA

U1P-10605

1.⁵³ /EA

Sold in packs (24)

Nylon Cable Ties

Operating Temperature: -40°C (-40°F) to 65°C (150°F)
Pack Quantity: 100



PART#	LENGTH	STRENGTH	
83-6007C	5.60"	40lb	4.⁸⁹
83-6016C	7.7"	120lb	17.¹¹
83-6019C	8"	50lb	6.¹⁶
83-6021C	11.1"	50lb	10.⁵⁶
83-6025C	14.1"	50lb	13.³⁹
83-6029C	14.1"	120lb	22.¹⁹



Chevron Mud Flaps

PART#	SIZE (INCHES)	
671-4588	24X24	10.⁹³
671-4583	24X30	12.⁵⁰
671-4585	24X36	14.⁰⁶



Triple C Rubber and Plastics

TRUSTED AFTERMARKET BRANDS

WIDE SELECTION

QUALITY AUTOMOTIVE PRODUCTS

LINED COWSPLIT GLOVES

713594ASRT / 713594XLASRT
 Cowsplit leather palm and fingertips
 Acrylic pile lining
 Cotton back with elastic
 Pasted cuff

7.99



LINED COWHIDE GLOVES

721800FMPP / 721800FMPPXL
 Cowhide leather palm and fingertips
 Foam and fleece lining
 Additional patch on palm
 Cotton back with elastic
 Pasted cuff

7.34



LINED COWHIDE GLOVES

72360RFLBO M-2XL
 Cowhide leather palm and fingertips
 Acrylic pile lining
 Cotton back with elastic
 Rubberized cuff

7.91



LINED LATEX COATED GLOVES

750760 M-XL
 Latex coated palm and fingertip
 Polyester shell – 10 gauge
 Elastic knit cuff
 Brushed fleece lining

3.56



DOUBLE COATED PVC GLOVES

758341FR
 Double coated PVC
 Brushed cotton lining
 Jersey cotton lining
 Protection level ANSI/ISEA 105
 Cut A2 / EN388 4X23B
 Pasted cuff

9.36



DOUBLE COATED PVC GLOVES

758360FR
 Double coated PVC
 Protection level ANSI/ISEA 105
 Cut A2 / EN388 4X22B
 11 in (28 cm) long
 Brushed cotton and foam lining

9.22



LINED GOATSKIN LEATHER GLOVES

780470 M-2XL
 Goatskin leather
 Micro fleece lining + C-100 3M
 Thinsulate™ insulation
 Elasticized wrist

11.02



KEEP IT FLOWING



**2-Way Loading
Lever-Action Grease
Gun with 18" Whip**

1133

74.⁹⁶

**LINCOLN
INDUSTRIAL**

Extra Heavy Duty

1134

84.⁸⁹



**20V LI-ION PowerLuber Dual Battery Unit
with Charger and Carrying Case**

1884

The rugged PowerLuber's new three-point base keeps the tool upright and stable for easy handling without being bulky to allow easy access to fittings in tight spaces.

699.⁵⁰



**Q.A.P. HEAVY DUTY
Multi Purpose Grease**
FXG000111

7.⁶⁷



Fuel Stabilizer

20302

473ml

8.⁵⁹

20314

237ml

5.⁸³

GREAT PLAINS INDUSTRIES



M-150S-AU Electric Gear Pumps

110000-100

12-volt DC Aluminum Gear Pump for fuel with automatic unleaded nozzle. Up to 15 GPM / 57 LPM. UL Listed Motor, CSA Certified. Overload Protected Motor. Includes 18 ft power cord, 3/4 in. x 12 ft / 3.7 m hose, and adjustable suction pipe.

776.¹¹



12V Modular Fuel Transfer Pump

162000-03

The GPI G20 Series Fuel transfer pump is the first gear pump to deliver TRUE 20 GPM with a 14 ft. hose and automatic nozzle. Delivering flow rates up to 20 GPM (76 L/min) in three available pump models, the G20 is the first pump in GPI's G series.

1,064.⁰⁸



12V Fuel Transfer Pump

110300-1

Delivering flow rates up to 18 GPM (69 L/min), the M-180S is the pump of choice for agricultural, automotive, and construction applications dispensing gasoline, diesel fuel, and kerosene. Available in a wide selection of configurations with an automatic or manual nozzle, and filter kit combinations.

806.⁰⁹

TRUSTED AFTERMARKET BRANDS

WIDE SELECTION

QUALITY AUTOMOTIVE PRODUCTS

CHEMICALS



**Mass Airflow
Sensor Cleaner**

913 390 g aerosol

5.45

kleen-flo



Brake & Parts Klean

313Z

400 g aerosol

5.45 /EA



Lock De-Icer

615 35ml

2.51 /EA



**Gumout® Diesel
All-in-One
Fuel Treatment**

30007 - 296ml bottle

7.74



**Gumout® All-in-One
Fuel System Cleaner**

30001 - 296ml bottle

10.04



CRC Canada Co.



**Brakleen BPC
Non-Chlor
Low-VOC**

1754922

396 g aerosol

5.59



**Brakleen®
Original**

75089

539 g aerosol

9.13

SAVE UP TO 25%



**Spray & Stay
Gel Lubricant
Smart Straw**

01286

12.68



**Machine
and Engine
Degreaser
Foaming Spray**

01206

6.70



**Industrial
Strength
Degreaser**

01287

9.66



**Industrial
Strength
Cleaner and
Degreaser**

02266

6.87

WD-40® MULTI-USE PRODUCT

Protects metal from rust and corrosion, penetrates stuck parts, displaces moisture and lubricates almost anything.

WD-40® Multi -Use Product - Problem Solved. Job Done Right™



**18.9 L Pail
01204**

194.68



**325G Multi-Use Product Lubricant
w/Smart Straw**

01272

- Never lose the straw again
- Flip straw up for stream and down to spray
- Toolkit friendly
- Safety lock prevents accidental discharge

9.26

TRUSTED AFTERMARKET BRANDS

WIDE SELECTION

QUALITY AUTOMOTIVE PRODUCTS

Two Drive Lines. One Standard of Quality.

CV Axles and Drive Shaft Assemblies Engineered to Meet or Exceed OEM Fit, Form, and Function - For Automotive & Light Duty Trucks

FOLLOW US ON SOCIAL MEDIA



CV AXLES



Exceeds OEM Quality, Fit & Function

TrakMotive New Premium CV Axles are engineered to the highest standards in the industry — meeting or exceeding OEM specifications in fit, form and function. Every axle is 100% brand new, built in our state-of-the-art ISO 9001:2015 and IATF 16949:2016 certified facility.

FEATURES & BENEFITS

- 1 Precise ABS Compatibility**
Assembled with the correct ABS ring for accurate fit and proper function.*
- 2 Enhanced Core Strength**
Heat-treated, precision-machined solid steel shafts improve durability.
- 3 Durable Dust Protection**
Premium neoprene boots offer superior flexibility and long service life.
- 4 Reinforced Clamping**
Stainless steel band clamps resist deformation and stretching.
- 5 Extended Component Life**
Precision rolled splines and threads reduce wear over time.
- 6 Stability Under Acceleration**
OE hollow tube design holds the wheel steady under hard throttle.*

DRIVE SHAFTS



100% machine balanced for a trouble-free service life, free of vibration and driveline noise.

FEATURES & BENEFITS

- 1 TPE (Thermoplastic Elastomers) Dust Boots**
Better resistance to deformation, debris, oils, heat cycling and ozone.
- 2 Premium U-Joints**
Forged 3-layer sealed construction handles higher torque, maintenance free.
- 3 Low Friction Sliding Joints**
Special spline coating extends life and eliminates clunking noises.
- 4 Stainless Steel Clamps**
Added strength and corrosion resistance in extreme temperatures.
- 5 Durable Coating**
Premium coating protects the shaft from premature corrosion.

**Where applicable to OE design.*

Our Job Is To Make Your Job Easier

TrakMotive



10 SOUTH AVENUE
SPRUCE GROVE, ALBERTA, T7X 3B1
(780) 962-0088

Disclaimer: Products may not be available at all locations and may not be exactly as shown. Minimum purchase may be required. Flyer pricing is not guaranteed. Price and availability may vary from store to store. Please inquire at your local Bestbuy Jobber.